

School Bus Price and Ordering Guide ITB No. 2020-16



SCHOOL BUS BID #2020-16 ORDERING INSTRUCTIONS

1. PURCHASE ORDER INFORMATION

a. **P.O.s should be sent electronically** in pdf format to <u>SCHTRANS@fldoe.org</u>, or may be mailed to the address listed below.

Florida Department of Education School Transportation Management Section 325 West Gaines Street, Room 834, Tallahassee, Florida 32399-0400

b. Once your P.O. is approved by the STMS, it will be sent electronically to the vendor and copied to your school district transportation director and finance manager. <u>If you DO NOT receive confirmation for your order</u>, please contact the STMS at 850-245-9795.

2. BUS ORDERING CHECKLIST:

For all bus P.O.s, the following information must be included:

- (1) The bus vendor's name and address and contact person
- (2) The quantity, capacity, body model number, engine type, unit price, total price and options. Bus orders of different capacity, body type, manufacturer, etc. must be placed on separate purchase orders.
- (3) Wheelchair lift location, either in front of or behind rear wheels and lift model
- (4) Local school district bus numbers
- (5) Indicate whether buses are to be delivered or picked up by the district

3. REQUIRED DELIVERY DATE

The required delivery date will be 240 days from the date the bus dealer receives the district's Florida Department of Education (FDOE) approved P.O. and will be specified on the FDOE cover sheet that is transmitted to the bidder.

| BUS DEALER'S CONTACT INFORMATION | |
|--|---|
| IC Corporation Tulsa, Oklahoma | Sun State International Trucks, LLC 6020 Adamo Drive, Tampa, Florida 33619 Attn: Dianna Chesney, Sales Administrator 813-621-1331 Dianna.Chesney@sunstateintl.com |
| Blue Bird Corporation Ft. Valley, Georgia | Florida Transportation Systems, Inc. 7703 Industrial Lane, Tampa, Florida 33637-6775 Attn: Chris Rustman, President 813-980-0174 crustman@fts4buses.com |
| Thomas Built Buses, Inc. High Point, North Carolina | Matthews Bus Alliance, Inc. 4802 West Colonial Drive, Orlando, Florida 32808 Attn: Glenn Matthews, President 800-330-1175 gmatthews@matthewsbusesflorida.com |

ITB 2020-16 AWARDS

Base Bus Comparison

TYPE A

TYPE A: 18 Capacity/ GM Chassis

TYPE A: 18 Capacity with Lift/ GM Chassis

TYPE A: 27 Capacity

TYPE A: 27 Capacity with Lift

TYPE A: 29 Capacity

TYPE A: 29 Capacity with Lift

TYPE C

TYPE C LIGHT: 29 Capacity

TYPE C LIGHT: 29 Capacity with Lift

TYPE C: 29 Capacity

TYPE C: 29 Capacity with Lift

TYPE C: 47 Capacity

TYPE C: 47 Capacity with Lift

TYPE C: 65 Capacity

TYPE C: 65 Capacity with Lift

TYPE C: 71 Capacity

TYPE C: 71 Capacity with Lift

TYPE C: 77 Capacity

TYPE C: 77 Capacity with Lift

TYPE D

TYPE D FRONT ENGINE (FE): 71 Capacity

TYPE D FRONT ENGINE (FE): 71 Capacity with Lift

TYPE D FRONT ENGINE (FE): 77 Capacity

TYPE D FRONT ENGINE (FE): 77 Capacity with Lift

TYPE D FRONT ENGINE (FE): 83 Capacity

TYPE D FRONT ENGINE (FE): 83 Capacity with Lift

TYPE D FRONT ENGINE (FE): 89 Capacity

TYPE D FRONT ENGINE (FE): 89 Capacity with Lift

TYPE D REAR ENGINE (RE): 72 Capacity

TYPE D REAR ENGINE (RE): 72 Capacity with Lift

TYPE D REAR ENGINE (RE): 78 Capacity

TYPE D REAR ENGINE (RE): 78 Capacity with Lift

TYPE D REAR ENGINE (RE): 84 Capacity

TYPE D REAR ENGINE (RE): 84 Capacity with Lift

TYPE D REAR ENGINE (RE): 89 Capacity

TYPE D REAR ENGINE (RE): 89 Capacity with Lift

BLUE BIRD

Florida Transportation Systems, Inc.

Bid School Bus Price \$\$

| \$ | 63,192 |
|-------------|--------|
| Not Awarded | |
| Not Awarded | |
| Not Awarded | |
| \$ | 67,635 |

Florida Transportation Systems, Inc.

Not Awarded

Bid School Bus Price \$\$

| No Bid | |
|--------|---------|
| No Bid | |
| \$ | 86,943 |
| \$ | 94,287 |
| \$ | 89,510 |
| \$ | 95,709 |
| \$ | 91,687 |
| \$ | 96,621 |
| \$ | 90,632 |
| \$ | 96,909 |
| \$ | 91,070 |
| \$ | 100,566 |

Florida Transportation Systems, Inc.

Bid School Bus Price \$\$

| \$ | 105,616 |
|----------------|---------|
| \$ | 109,873 |
| \$ | 111,849 |
| \$ | 116,086 |
| \$ | 112,543 |
| \$ | 117,096 |
| No Bid | |
| No Bid | |
| \$ | 114,646 |
| \$ | 116,271 |
| \$ \$ \$ | 118,738 |
| \$ | 122,925 |
| \$ | 119,323 |
| \$ | 123,150 |
| No Bid | |
| No Bid | • |

Florida Transportation Systems, Inc. Bid School Bus Price \$\$

THOMAS

Matthews Bus Alliance, Inc.

Bid School Bus Price \$\$

| \$ 58,048 |
|--------------|
| \$ 60,770 |
| \$ 61,867 |
| \$ 64,589 |
| \$ 62,074 |
| \$ 64,795 |

Matthews Bus Alliance, Inc.

Bid School Bus Price \$\$

| No Bid | |
|--------|--------|
| No Bid | |
| \$ | 82,206 |
| \$ | 87,729 |
| \$ | 84,306 |
| \$ | 89,219 |
| \$ | 88,199 |
| \$ | 92,670 |
| \$ | 89,036 |
| \$ | 92,872 |
| \$ | 90,479 |
| \$ | 95,511 |

Matthews Bus Alliance, Inc.

Bid School Bus Price \$\$

| No Did | |
|----------|------------------|
| No Bid | |
| \$ | 104,210 |
| No Bid | |
| \$ | 110,628 |
| \$ | 113,892 |
| No Bid | |
| No Bid | |
| Matthews | Rus Alliance Inc |

Matthews Bus Alliance, Inc Bid School Bus Price \$\$

IC BUS

Sun State International LLC.

Bid School Bus Price \$\$

| No Bid | |
|--------|--|
| No Bid | |

Sun State International LLC.

Bid School Bus Price \$\$

| \$ | 80,648 |
|----------|--------|
| \$ | 85,217 |
| \$ | 82,620 |
| \$ | 87,306 |
| \$ | 84,651 |
| \$ \$ | 89,410 |
| \$ | 87,813 |
| \$ | 92,432 |
| \$ | 88,923 |
| \$ | 93,396 |
| \$ | 89,775 |
| \$ | 94,164 |

Sun State International LLC.

Bid School Bus Price \$\$

| No Bid | |
|--------|---------|
| No Bid | |
| \$ | 115,644 |
| \$ | 119,647 |
| \$ | 117,493 |
| \$ | 121,497 |
| \$ | 119,881 |
| \$ | 124,103 |
| \$ | 120,142 |
| No Bid | |

Sun State International LLC. Bid School Bus Price \$\$

ITB 2020-16 AWARDS

MFSAB Comparison

TYPE A MFSAB

TYPE A: 18 Capacity/ GM

TYPE A: 18 Capacity with Lift/GM

TYPE A: 27 Capacity

TYPE A: 27 Capacity with Lift

TYPE A: 29 Capacity

TYPE A: 29 Capacity with Lift

TYPE C MFSAB

TYPE C LIGHT: 29 Capacity

TYPE C LIGHT: 29 Capacity with Lift

TYPE C: 29 Capacity

TYPE C: 29 Capacity with Lift

TYPE C: 47 Capacity

TYPE C: 47 Capacity with Lift

TYPE C: 65 Capacity

TYPE C: 65 Capacity with Lift

TYPE C: 71 Capacity

TYPE C: 71 Capacity with Lift

TYPE C: 77 Capacity

TYPE C: 77 Capacity with Lift

TYPE D MFSAB

TYPE D FRONT ENGINE (FE): 71 Capacity

TYPE D FRONT ENGINE (FE): 71 Capacity with Lift

TYPE D FRONT ENGINE (FE): 77 Capacity

TYPE D FRONT ENGINE (FE): 77 Capacity with Lift

TYPE D FRONT ENGINE (FE): 83 Capacity

TYPE D FRONT ENGINE (FE): 83 Capacity with Lift

TYPE D FRONT ENGINE (FE): 89 Capacity

TYPE D FRONT ENGINE (FE): 89 Capacity with Lift

TYPE D REAR ENGINE (RE): 72 Capacity

TYPE D REAR ENGINE (RE): 72 Capacity with Lift

TYPE D REAR ENGINE (RE): 78 Capacity

TYPE D REAR ENGINE (RE): 78 Capacity with Lift

TYPE D REAR ENGINE (RE): 84 Capacity

TYPE D REAR ENGINE (RE): 84 Capacity with Lift

TYPE D REAR ENGINE (RE): 89 Capacity

TYPE D REAR ENGINE (RE): 89 Capacity with Lift

BLUE BIRD

Florida Transportation Systems, Inc.

Bid MFSAB Price \$\$

| Not Awa | arded | |
|---------|-------|--|
| Not Awa | arded | |

Bid MFSAB Price \$\$

Includes required type 2 lap/shoulder belts

| No Bid | |
|--------|--------|
| No Bid | |
| No Bid | |
| No Bid | |
| \$ | 91,498 |
| No Bid | |
| \$ | 96,014 |
| No Bid | |
| \$ | 95,813 |
| No Bid | |
| \$ | 96,806 |
| No Bid | |

Bid MFSAB Price \$\$

Includes required type 2 lap/shoulder belts

| \$ | 110,269 |
|--------|---------|
| No Bid | |
| No Bid | |
| No Bid | |
| \$ | 118,043 |
| No Bid | |
| No Bid | |
| No Bid | |
| \$ | 119,162 |
| No Bid | |
| No Bid | |
| No Bid | |
| \$ | 117,773 |
| No Bid | |
| No Bid | |
| No Bid | |

Includes required type 2 lap/shoulder belts

THOMAS

Matthews Bus Alliance, Inc. / Thomas Built Buses

Bid MFSAB Price \$\$

| \$ 56,477 |
|--------------|
| \$ 59,199 |
| \$ 60,174 |
| \$ 62,896 |
| \$ 60,297 |
| \$ 63,019 |

Bid MFSAB Price \$\$

Includes required type 2 lap/shoulder belts

| No Bid | |
|-------------|---------|
| No Bid | |
| \$ | 92,206 |
| Not Awarded | |
| \$ | 94,306 |
| \$ | 99,219 |
| \$ | 98,199 |
| \$ | 102,670 |
| \$ | 99,036 |
| \$ | 102,872 |
| \$ | 100,879 |
| \$ | 105,511 |

Bid MFSAB Price \$\$

Includes required type 2 lap/shoulder belts

| No Bid | |
|--------|---------|
| No Bid | |
| \$ | 125,628 |
| \$ | 128,892 |
| No Bid | |
| No Bid | |
| | |

Includes required type 2 lap/shoulder belts

IC BUS

Sun State International LLC. / IC Bus

Bid MFSAB Price \$\$

| No Bid | | | |
|--------|--|--|---|
| No Bid | | | |
| No Rid | | | _ |

Bid MFSAB Price \$\$

*Must add cost for required type 2 lap/shoulder belts

| \$ 80,163 |
|--------------|
| \$ 84,729 |
| \$ 82,135 |
| \$ 86,818 |
| \$ 83,894 |
| \$ 88,646 |
| \$ 87,056 |
| \$ 91,671 |
| \$ 88,169 |
| \$ 92,635 |
| \$ 89,021 |
| \$ 93,403 |

Bid MFSAB Price \$\$

*Must add cost for required type 2 lap/shoulder beli

| No Bid | |
|--------|---------|
| No Bid | |
| \$ | 114,709 |
| \$ | 118,712 |
| \$ | 116,559 |
| \$ | 120,563 |
| \$ | 118,947 |
| \$ | 123,169 |
| No Bid | |
| No Bid | |

*Must add cost for required type 2 lap/shoulder belt.

VENDOR: Florida Transportation Systems, Inc.

| | Blue Bird / Florida Transp | oortation Systems | | |
|--|--|---|----------------------|----------------------|
| LEGEND: | STANDARD EQUIPMENT / BASE BUS PRICE | COMMENTS/NOTES | TYPE A: 18 Capacity | TYPE A: 29 Capacity |
| [STD] = STANDARD EQUIPMENT | Standard Engine: Manuf, Model, HP, Torque | | GM Vortec 6.0 V8 Gas | GM Vortec 6.0 V8 Gas |
| N/A = NOT APPLICABLE | Standard Transmission: Manuf, Model, # of fwd ranges | | 6-sp Auto | 6-sp Auto |
| N/C= NO CHARGE | Standard Tire: Manuf, Model, Size, Load Range | | LT225/75R16E ALS | LT225/75R16E ALS |
| N/B= NO BID | Standard Wheelchair Lift: Manuf, Model, #Capacity | | N/A | N/A |
| | Standard Wheelchair Tie Down: Manuf, Model | | N/A | N/A |
| | Base School Bus Price \$\$ | Base price includes 3pt seat belt seats | 63192 | 67635 |
| | Base MFSAB Price \$\$ | · | N/A | N/A |
| | OPTIONAL CHASSIS EQUIPMENT PRICES | | · | |
| [C1B] Rear Tow Hooks | | | 107 | 107 |
| [C2] Spare Disc Wheel | | | 250 | 250 |
| [C12] Straight Floor | | | N/A | N/A |
| . , , | OPTIONAL BODY EQUIPMENT PRICES | | , | , |
| [B1] Pro Lo Hatch | | Spheros Smart Hatch | 55 | 55 |
| [B5B] PA with Radio | | | 387 | 387 |
| [B5C] Stereo Radio (no PA) | | | STD | STD |
| [B7A] CE White Integrated Child F | Restraint Seat | | 450 | 450 |
| [B8] Exterior Body Light Monitor | | | 334 | 334 |
| , , | PER UNIT - no reduction in seating capacity) *** | 3pt Seat Belts Included | STD | STD |
| [B12] Full Perf. Ceiling Panel | | Spread Bella Maladea | 1000 | 1000 |
| [B13] Bus Lockup System | | | 135 | 135 |
| | m (with non-corrossive brackets & fasteners) | | [STD] | [STD] |
| [B16] Battery Disconnect Switch | | | 30 | 30 |
| [B17] Red Light Emergency Door | Label | | 40 | 40 |
| | | AQV DTI I | | |
| [B18] Underseat Rear Heater | | 42K BTU | 210 | 210 275 |
| [B20] Powder-Coated Windows | [AC 1] OPTIONAL AIR CONDITIONING | | 275 | 2/5 |
| AC 1 | [AC-1] OPTIONAL AIR-CONDITIONING MCC, EV A/C Ecotuned for Electric Model Only - 65K BTU total | Footowy Installed | NI/A | NI/A |
| AC-1 AC-2 | , , | Factory Installed | N/A | N/A |
| | Valeo, 40K Rear Bulkhead, skirt condenser, dash air - 55K BTU total | Factory Installed | 5100 | 5100 |
| AC-3 | Valeo, 53K Rear Bulkhead, 2-fan skirt cond, TM16, dash air -68K BTU to | • | 6350 | 6350 |
| AC-4 | Valeo, 53K Rear Bulkhead, 2-fan roof cond, TM16, dash air - 68K BTU to | Factory Installed | 6850 | 6850 |
| AC-5 | Valeo, 67k Rear Bulkhead, 2-fan skirtcond, TM16, dash air - 82K BTU tot | factory Installed | 7050 | 7050 |
| | | COMMENTS/NOTES | TYPE A: 18 Capacity | TYPE A: 29 Capacity |
| TMA Floatric Motor, 21FHD/206H | OPTIONAL ENGINES 0-ft (6) (18p Models include cost of Ford chassis from additional options | | | |
| below) | . , | | 152579 | N/A |
| Ford 7.3I V8 350HP/468ft-lb*,Fall | 2020 (*final rating subject to EPA/CARB certification) | | 550 | N/A |
| | WARRANTY OPTIONS | | | |
| Warranty Credit Option | 12 Months/12,000 Miles ONLY (* see note) | Not applicable to electric | -5100 | -5100 |
| | the purchasing district is declining the standard chassis warranty and | | | |
| - | will only have warranty coverage for 12 Months/12,000 Miles (NO | | | |
| EXCEPTIONS) from the updated | | | | |
| BAGGA | GE COMPARTMENTS (Price is for ONE per bus) | | | |
| 6" Defractor for | ADDITIONAL OPTIONS | | 144 | 1.4.4 |
| 6" Defroster fan | dual bostora Floatric Dua Onlin | | 144 | 144 |
| Electric heating system, 48K BTU | • | | N/A | N/A |
| AM/FM/CD/USB/PA System for E | lectric bus Uniy | | N/A | N/A |
| Emergency Evacuation Blanket | 11 6 | F 1001140 FF: 5 | 185 | 185 |
| Ford chassis in lieu of GM for sch | • | Ford 6.8L V10 EFI Gas | 3802 | N/A |
| Ford chassis in lieu of GM for MF | | Ford 6.8L V10 EFI Gas | 3109 | N/A |
| | ADDITIONAL SEATING OPTIONS | | | |
| CE White Child Restraint Seat, 39" | | | N/A | N/A |
| CE White 3pt Seat Belt Seat, 39" tr | | | N/A | N/A |
| 2 x 2 3pt seating in lieu of 3 rows of | 3 x 3 3pt seating, GM/Ford 18p only | GM/Ford 18p only | 2000 | N/A |

| | | | Blue Bird / Florida | Transportation Systems | | | | | | | | |
|---|---|--|---------------------------------|---------------------------------|---------------------------|-------------------------------|---------------------------|-------------------------------|---------------------------|-------------------------------|---------------------------|-------------------------------|
| LEGEND: | STANDARD EQUIPMENT / BASE BUS PRICE | COMMENTS/NOTES | TYPE C: 29 Capacity | TYPE C: 29 Capacity with Lift | TYPE C: 47 Capacity | TYPE C: 47 Capacity with Lift | TYPE C: 65 Capacity | TYPE C: 65 Capacity with Lift | TYPE C: 71 Capacity | TYPE C: 71 Capacity with Lift | TYPE C: 77 Capacity | TYPE C: 77 Capacity with Lift |
| [STD] = STANDARD EQUIPMENT | Standard Engine: Manuf, Model, HP, Torque | | Cummins B6.7, 200/520 | Cummins B6.7, 200/520 | Cummins B6.7, 200/520 | Cummins B6.7, 200/520 | Cummins B6.7, 200/520 | Cummins B6.7, 200/520 | Cummins B6.7, 200/520 | Cummins B6.7, 200/520 | Cummins B6.7, 250/660 | Cummins B6.7, 250/660 |
| N/A = NOT APPLICABLE | Standard Transmission: Manuf, Model, # of fwd ranges | | Allison 2500 PTS 5 SP | Allison 2500 PTS 5 SP | Allison 2500PTS, 6 SP | Allison 2500PTS, 6 SP | Allison 2500PTS, 6 SP | Allison 2500PTS, 6 SP | Allison 2500PTS, 6 SP | Allison 2500PTS, 6 SP | Allison 2500PTS, 6 SP | Allison 2500PTS, 6 SP |
| N/C= NO CHARGE | Standard Tire: Manuf, Model, Size, Load Range | | Cooper, 255/70R22.5, LRH, RM272 | Cooper, 255/70R22.5, LRH, RM272 | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA |
| N/B= NO BID | Standard Wheelchair Lift: Manuf, Model, #Capacity | | N/A | Braun, NCL919FIB, 800 LB | N/A | Braun, NCL919FIB, 800 LB | N/A | Braun, NCL919FIB, 800 LB | N/A | Braun, NCL919FIB, 800 LB | N/A | Braun, NCL919FIB, 800 LB |
| | Standard Wheelchair Tie Down: Manuf, Model | | N/A | Q'Straint Q8106-L2 | N/A | Q'Straint Q8106-L2 | N/A | Q'Straint Q8106-L2 | N/A | Q'Straint Q8106-L2 | N/A | Q'Straint Q8106-L2 |
| | Base School Bus Price \$\$ | Page writes includes 3nt seet helt seets | 86943 | 94287 No Bid | 89510 91498 | 95709 No Bid | 91687 | 96621 No Bid | 90632 95813 | 96909 No Bid | 91070 96806 | 100566 |
| OPTIONAL CHASSIS EQUI | Base MFSAB Price \$\$ PMENT PRICES | Base price includes 3pt seat belt seats | No Bid | NO BIG | 91498 | NO BIG | 96014 | NO BIQ | 95813 | No Bid | 90800 | No Bid |
| [C1A] Front Tow Hooks | THERE THEES | | 53 (34 tow eyes) | 53 (34 tow eyes) | 53 (34 tow eyes) | 53 (34 tow eyes) | 53 (34 tow eyes) | 53 (34 tow eyes) | 53 (34 tow eyes) | 53 (34 tow eyes) | 53 (34 tow eyes) | 53 (34 tow eyes) |
| [C1B] Rear Tow Hooks | | | 170 (51 tow eyes) | 170 (51 tow eyes) | 170 (51 tow eyes) | 170 (51 tow eyes) | 170 (51 tow eyes) | 170 (51 tow eyes) | 170 (51 tow eyes) | 170 (51 tow eyes) | 170 (51 tow eyes) | 170 (51 tow eyes) |
| [C2] Spare Disc Wheel | | | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 |
| [C3] Auto Trans Warranty (5 yr unlimited) | | | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited |
| [C4] 75-100 Gallon Fuel Tank* | | | N/A | N/A | N/A | N/A | 370 (100 Gal) | 370 (100 Gal) | 370 (100 Gal) | 370 (100 Gal) | 370 (100 Gal) | 370 (100 Gal) |
| [C5] Low-Profile Radial Tires** | | | STD | STD | -125 | -125 | -125 | -125 | -125 | -125 | -125 | -125 |
| [C7] Type D Front Air Ride Suspension | | (1) 280 AMP L/N Brushless | 755 Type C | 755 Type C | 755 Type C 330 (1) | 755 Type C 330 (1) | 755 Type C 330 (1) | 755 Type C 330 (1) | 755 Type C 330 (1) | 755 Type C | 755 Type C | 755 Type C |
| [C6] 270 Amp L/N 4864 Alternator [C8] Adjustable Pedals | | (1) ZOU AIVIP L/IN BIUSTILESS | 330 (1) 900 | 330 (1) 900 | 900 | 900 | 850 | 850 850 | 850 850 | 330 (1) 850 | 330 (1) 850 | 330 (1) 850 |
| [C9] 3000-PTS Transmission | | Requires B6.7 250HP | N/A | N/A | 4285 | 4285 | 4285 | 4285 | 4285 | 4285 | 4285 | 4285 |
| [C10] Air Ride Rear Suspension | | | STD | STD | 900 | 900 | 900 | 900 | 900 | 900 | 900 | 900 |
| [C12] Straight Floor | | (2) Air Ride Rear Suspension Included | STD | STD | N/A | 305 (2) | N/A | 305 (2) | N/A | 325 (2) | N/A | 350 (2) |
| [C13] Auto Headlamp System | | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| [C14] Air Disc Brakes | | (3) option does NOT require air suspension | 1789 (3) | 1789 (3) | 1789 (3) | 1789 (3) | 1789 (3) | 1789 (3) | 1789 (3) | 1789 (3) | 1789 (3) | 1789 (3) |
| OPTIONAL BODY EQUIP | MENT PRICES | | | | | | | | | | | |
| [B1] Pro Lo Hatch | | | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 |
| [B3] Vandal Box w/Key | | Approximately 2750 cubic inches of storage | STD [STD] | STD [STD] | STD [STD] | STD | STD | STD | STD | STD [STD] | STD | STD |
| [B4] 76" High Headroom (minimum) | | | 395 | 395 | 305 | [STD] | [STD] | [STD] | [STD] | 305 | [STD] 395 | [STD] 395 |
| [B5A] Intercom/PA [B5B] PA with Radio | | | 550 | 550 | 620 | 620 | 620 | 620 | 620 | 620 | 620 | 620 |
| [B5C] Stereo Radio (no PA) | | | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 |
| [B6] Locking Door at Fuel Tank | | | N/C | N/C | N/C | N/C | N/C | N/C | N/C | N/C | N/C | N/C |
| [B7A] CE White Integrated Child Restraint Seat | | | 620 | 620 | 620 | 620 | 620 | 620 | 620 | 620 | 620 | 620 |
| [B7B] IMMI Child Safety Seat | | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| [B7C] Syntech Integrated Child Restraint Seat | | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| [B7D] BTI Integrated Child Restraint Seat | | | N/A | N/A | N/A 185 | N/A 185 | N/A | N/A | N/A | N/A | N/A | N/A |
| [B8] Exterior Body Light Monitor | | Standard for MESAR, Price included in bace | 185 2890 | 185 1156 | 4624 | 185 | 185 6358 | 185 4046 | 185 6936 | 185 4624 | 185 7514 | 185 4842 |
| [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seating capacity) *** [B12] Full Perf. Ceiling Panel | | Standard for MFSAB; Price included in base | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 |
| [B13] Bus Lockup System | | | 264 | 264 | 264 | 264 | 264 | 264 | 264 | 264 | 264 | 264 |
| [B14] Wire Pupil Crossing Arm | | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| [B15] Stainless Steel Mirror System (with non-corrossive brackets & fasteners) | | | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] |
| [B16] Battery Disconnect Switch Label | | | N/C | N/C | N/C | N/C | N/C | N/C | N/C | N/C | N/C | N/C |
| [B17] Red Light Emergency Door | | | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| [B18] Underseat Rear Heater | | (4) Heater may be limited to 50K BTU | 555 (4) | 555 (4) | 555 (4) | 555 (4) | 555 (4) | 555 (4) | 555 (4) | 555 (4) | 555 (4) | 555 (4) |
| [B19] Tailpipe through Bumper | | | STD | STD 220 | STD | STD | STD | STD | STD | STD | STD | STD |
| [B20] Powder-Coated Windows [B21] Driver's Seat with Integrated Seat Belt | | | 220 475 | 220 475 | 220 475 | 220 475 | 220 475 | 220 475 | 220 475 | 220 475 | 220 475 | 220 475 |
| [B22] Delete W/C - Add Seat (Lift Bus Only) | | (Lift Bus Only) | N/A | -426 | N/A | -426 | N/A | -426 | N/A | -426 | N/A | -426 |
| [B23] Delete Seat - Add W/C (Lift Bus Only) | | (Lift Bus Only) | N/A | 426 | N/A N/A | 426 | N/A | 426 | N/A | 426 | N/A | 426 |
| [B24] Wheelchair Securement Area Lighting (Lift Bus Only) | | (Lift Bus Only) | N/A | 125 per position | N/A | 125 per position | N/A | 125 per position | N/A | 125 per position | N/A | 125 per position |
| [B25] Track Seating (Lift Bus Only) | | (Lift Bus Only) | N/A | 1204 | N/A | 2604 | N/A | 4124 | N/A | 4834 | N/A | 5434 |
| [B26] Standard Track-seating Seat (Lift Bus Only) | | (Lift Bus Only) | N/A | 372 | N/A | 372 | N/A | 372 | N/A | 372 | N/A | 372 |
| [B27] Driver's Seat with Integrated Seat Belt | | | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 |
| Optional Til | | | | | | | | | | | | |
| (OPT1) Tire | Goodyear, 11R22.5, LRH Endurance RSA | | N/A | N/A | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 |
| (OPT2) Tire (OPT4) Tire | Goodyear, 255/70R22.5, LRH Endurance RSA Michelin, 255/70R22.5, LRH XZE | | 595 375 | 595 375 | 595 375 | 595 375 | 595 375 | 595 375 | 595 375 | 595 375 | 595 375 | 595 375 |
| (OPT4) Tire | Cooper, 11R22.5, LRH, RHA | | N/A | N/A | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| OPTIONAL WHEELCH | | | IN/A | N/A | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| (Opt 1) Lift | Braun, NCL1000FIB | | N/A | 305 | N/A | 305 | N/A | 305 | N/A | 305 | N/A | 305 |
| (Opt 2) Lift | Ricon, RIS5510 1000 LB | | N/A | 755 | N/A | 755 | N/A | 755 | N/A | 755 | N/A | 755 |
| (Opt 3) Lift | Ricon, RIK5510 1000 LB | | N/A | 920 | N/A | 920 | N/A | 920 | N/A | 920 | N/A | 920 |
| OPTIONAL WHEELCHAIR TIEDOWN/OCCUPA | ANT RESTRAINT SYSTEM (WTORS) | | | | | | | | | | | |
| | | | | | | | | | | = | | |
| (OPT1)WTORS | Sure-Lok FF612S-4C7 | Replaces all three sets | N/A | 60 | N/A | 60 | N/A | 60 | N/A | 60 | N/A | 60 |
| (OPT1)WTORS (OPT2)WTORS (OPT3)WTORS | Sure-Lok FF612S-4C7 AMF Bruns, Silver Series, J-Hook, 3Pt Retractabe Height Adj, Pouch, L-track AMF Bruns, Silver Series, J-Hook, 3Pt Retractabe Height Adj, Pouch, L-track | Replaces all three sets Replaces all three sets \$460/each extra | N/A N/A N/A | 60 180 460/each | N/A N/A N/A | 60 180 460/each | N/A N/A N/A | 60 180 460/each | N/A N/A N/A | 60 180 460/each | N/A N/A N/A | 180 460/each |

| | | COMMENTS/NOTES | | | | | | | | | | | |
|---|--|--|-----------------------|-------------------------------|-----------------------|-------------------------------|-----------------------|-------------------------------|-----------------------|-------------------------------|-----------------------|-------------------------------|--|
| | | | TYPE C: 29 Capacity | TYPE C: 29 Capacity with Lift | TYPE C: 47 Capacity | TYPE C: 47 Capacity with Lift | TYPE C: 65 Capacity | TYPE C: 65 Capacity with Lift | TYPE C: 71 Capacity | TYPE C: 71 Capacity with Lift | TYPE C: 77 Capacity | TYPE C: 77 Capacity with Lift | |
| AC-Electric1 [AC-1] OPTIONAL AIR-CON | Valeo/Spheros REVO E Global, Ducted, Roof Mounted | Electric option only | N/A | N/A | N/A | N/A | 36250 | 36250 | 36250 | 36250 | 36250 | 36250 | |
| AC-Blue Bird ComfortAire-1 | BB, ComfortAire, 133,700 BTU, 126, includes 280 AMP L/N Alternator | Factory Installed | N/A | N/A | 8900 | 8900 | 8900 | 8900 | 8900 | 8900 | 8900 | 8900 | |
| AC-Bergstrom1 | (2)TM-21 / Dash, Front & Rear BH evaps, skirt cond; 120K BTU, 98AMPS | RBH2FBH2SC3SC3-2121 | 7,651 | 7,511 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| AC-Bergstrom2 | (2)TM-21 / Dash, Front & Rear BH evaps, skirt cond; 130K BTU, 98AMPS | RBH2FBH2SC3SC3-2121D | N/A | N/A | 8,711 | 8,571 | 8,711 | 8,571 | 8,711 | 8,571 | 8,711 | 8,571 | |
| AC-Bergstrom2-Ford AC-Trans/ArcticMCC1 | (2) QP-21 / Dash, Front & Rear BH evaps, skirt cond; 130K BTU, 98AMPS (2) QP-21 / Dash, Front & Rear BH evaps, skirt cond; 124 BTU, 126 AMPS | Ford engines only. Includes 280 AMP L/N AC-12iw1iw133d | N/A 9,870 | N/A 9,730 | 8,900 9,870 | 8,900 9,730 | 8,900 9,830 | 8,900 9,730 | 8,900 N/A | 8,900 N/A | 8,900 N/A | 8,900 N/A | |
| AC-Trans/ArcticMCC1-Ford | (2)TM-21 / Dash, Front & Rear BH evaps, skirt cond; 124 BTU, 126 AMPS | Ford engines only. Includes 280 AMP L/N | N/A | N/A | 10,369 | 10,369 | 10,369 | 10,369 | N/A | N/A | N/A | N/A | |
| AC-Trans/ArcticMCC2 | (2)TM-21 / Dash, Side, Front & Rear BH evaps, skirt cond; 124 BTU, 140 AMPS | AC-12iw17iw133d | N/A | N/A | N/A | N/A | N/A | N/A | 11,065 | 10,925 | 11,065 | 10,925 | |
| AC-Trans/ArcticMCC2-Ford | (2)QP-21 / Dash, Side, Front & Rear BH evaps, skirt cond; 124 BTU, 140 AMPS | Ford engines only. Includes 280 AMP L/N | N/A | N/A | N/A | N/A | N/A | N/A | 11,564 | 11,564 | 11,564 | 11,564 | |
| AC-Trans/ArcticMCC3 AC-Trans/ArcticMCC3-Ford | (2)TM-21 /Dash, Front & Rear BH evaps, roof cond, 124K BTU, 126 AMPS (2)QP-21 /Dash, Front & Rear BH evaps, roof cond, 124K BTU, 126 AMPS | AC-12iw1iw1cr4cr4d Ford engines only. Includes 280 AMP L/N | 11,340 N/A | 11,340 N/A | 11,340 11,839 | 11,340 11,839 | 11,340 11,839 | 11,340 11,839 | N/A N/A | N/A N/A | N/A N/A | N/A N/A | |
| AC-Trans/ArcticMCC4 | (2)TM-21 /Dash, Side, Front & Rear BH evaps, roof cond, 124K BTU, 140 AMPS | AC-12iw1iw1cr4cr4d | N/A | N/A | N/A | N/A | N/A | N/A | 12,520 | 12,520 | 12,520 | 12,520 | |
| AC-Trans/ArcticMCC4-Ford | (2)TM-21 /Dash, Front & Rear BH evaps, roof cond, 124K BTU, 140 AMPS | Ford engines only. Includes 280 AMP L/N | N/A | N/A | N/A | N/A | N/A | N/A | 13,019 | 13,019 | 13,019 | 13,019 | |
| AC-Trans/ArcticMCC5 | (2)QP25 / Dash, T340 Evap, roof mount integrated, 28kW, 136 AMPS | DC-T340D-25 | N/A | N/A | N/A | N/A | N/A | N/A | 12,520 | 12,520 | 12,520 | 12,520 | |
| AC-Trans/ArcticMCC5-Ford | (2)QP21 / Dash, T340 Evap, roof mount integrated, 28kW, 136 AMPS | Ford engines only. Includes 280 AMP L/N | N/A | N/A | N/A | N/A | N/A | N/A | 12,520 | 12,520 | 12,520 | 12,520 | |
| AC-Trans/Arctic-Elec AC-LukeMCC1 | Integrated Electric System for BB Electric Only (available 12/20) (2)QP16 / Dash and Rear BH Evap, skirt cond, 85K BTU, 80 AMPS | Electric option only AC-931W112 | N/A 9,678 | N/A 9,678 | N/A N/A | N/A N/A | 21,250 N/A | 21,250 N/A | 21,250 N/A | 21,250 N/A | 21,250 N/A | 21,250 N/A | |
| AC-LukeMCC2 | (2)QP21 / Front and Rear BH Evaps, skirt cond, 100K BTU, 95 AMPS | AC-10W1W122 | N/A | N/A | 9,845 | 9,845 | N/A | N/A | N/A | N/A | N/A | N/A | |
| AC-LukeMCC2-Ford | (2)QP21 / Front and Rear BH Evaps, skirt cond, 100K BTU, 95 AMPS | Ford engines only. Includes 280 AMP L/N | N/A | N/A | 10,377 | 10,377 | N/A | N/A | N/A | N/A | N/A | N/A | |
| AC-LukeMCC3 | (2)QP21 / Dash, Front & Rear BH Evaps, skirt cond, 135 BTU, 120 AMPS | AC-1331W1W133 | N/A | N/A | N/A | N/A | 11,984 | 11,984 | 11,984 | 11,984 | 11,984 | 11,984 | |
| AC-LukeMCC3-Ford | (2)QP21 / Dash, Front & Rear BH Evaps, skirt cond, 135 BTU, 120 AMPS | Ford engines only. Includes 280 AMP L/N | N/A | N/A | N/A | N/A | 11,531 | 11,531 | 11,531 | 11,531 | 11,531 | 11,531 | |
| AC-LukeMCC4 AC-Vanner | (1)QP-43 (1)-QP16 / Dash, F&R BH Evaps, skirt cond, 153K BTU, 128 AMPS Vanner power module, battery module, 48v generator and harnesses | AC-1531W1W1133 Electric Add On (in addition to base system) | N/A N/A | N/A N/A | N/A 20,500 | N/A 20,500 | 13,741 20,500 | 13,741 20,500 | 13,741 20,500 | 13,741 20,500 | 13,741 20,500 | 13,741 20,500 | |
| AC-Vanner AC-Trans/Air1 | (1)QP16 / Dash and Rear BH evap, skirt cond, 75K BTU, 74 AMPS | 55-3L-Dash-Tie | 7,509 | 7,509 | N/A | N/A | N/A | N/A | 20,500 N/A | N/A | N/A | N/A | |
| AC-Trans/Air2 | (2)QP21 / Dash, Front and Rear BH Evaps, skirt cond, 120K BTU, 128 AMPS | 55-55-3L-Dash Tie | N/A | N/A | 9,619 | 9,619 | N/A | N/A | N/A | N/A | N/A | N/A | |
| AC-Trans/Air3 | (2)QP25 / Dash, Side, Front and Rear evaps, 150K BTU, 138 AMPS | 55-55-93-3L-3L-Dash Tie | N/A | N/A | N/A | N/A | 12,334 | 12,194 | 12,334 | 12,194 | 12,334 | 12,194 | |
| ADDITIONAL AIR-CONDITION | | | 1.010 | 1.010 | 4.040 | 1.010 | 1.010 | 1.010 | 1.010 | 4.040 | 1.010 | 1.212 | |
| Bergstrom | Midship Ceiling mount evap addition Roof mount condensor upgrade in lieu of skirt | Bergstrom | 1,013 991 | 1,013 991 | 1,013 991 | 1,013 991 | 1,013 1,275 | 1,013 1,275 | 1,013 1,275 | 1,013 1,275 | 1,013 1,275 | 1,013 1,275 | |
| Bergstrom Bergstrom | TM-43 compressor upgrade | Bergstrom Valeo | 1,758 | 1,758 | 1,758 | 1,758 | 1,758 | 1,758 | 1,758 | 1,758 | 1,758 | 1,758 | |
| | TM-55 compressor upgrade | Valeo | 1,858 | 1,858 | 1,858 | 1,858 | 1,858 | 1,858 | 1,858 | 1,858 | 1,858 | 1,858 | |
| Bergstrom | Battery Charging Solar Panel, installed | 50 watt / 80 watt | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | |
| Bergstrom | Eaton Aero-Quip Hose and Fittings in liue of Standard | All Models | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | |
| Trans/Arctic Trans/Arctic | TM55 inlieu of TM21 on Type C Add Mid Ship Evap EM-7 | N/A on Ford engines All Models | NA NA | NA NA | 1,900 1,195 | 1,900 1,195 | 1,900 1,195 | 1,900 1,195 | 1,900 STD | 1,900 STD | 1,900 STD | 1,900 STD | |
| Trans/Arctic | 3 Compressor with dash dedicated TM16, single fan condenser, 5 YR Warranty | Trans/Arctic Systems 1-4, Cummins | 2,300 | 2,300 | 2,300 | 2,300 | 2,300 | 2,300 | 2,300 | 2,300 | 2,300 | 2,300 | |
| Trans/Arctic | Stand Alone Dash A/C cool only, TM16, single fan condenser, 5 YR Warranty | DASH AIR ONLY | 3,400 | 3,400 | 3,400 | 3,400 | 3,400 | 3,400 | 3,400 | 3,400 | 3,400 | 3,400 | |
| Trans/Arctic | Aero-Quip Type "E" flex click hose STD on Trans/Arctic Systems 1,2,3,4 | AC-Trans/Arctic Systesms 1,2,3,4 | NA | NA | STD | STD | STD | STD | STD | STD | STD | STD | |
| LukeMCC | Roof mount condensor upgrade in lieu of skirt | MCC | 1,337 | 1,337 | 2,947 | 2,947 | 3,165 | 3,165 | 3,165 | 3,165 | 3,165 | 3,165 | |
| LukeMCC LukeMCC | Midship Ceiling mount evap addition TM-43 compressor upgrade in lieu of (2) QP-21 | MCC MCC | 2,140 N/A | 2,140 N/A | 2,140 N/A | 2,140 N/A | 2,140 1,200 | 2,140 1,200 | 2,140 1,200 | 2,140 1,200 | 2,140 1,200 | 2,140 1,200 | |
| LukeMCC | TM-55 compressor upgrade in lieu of (2) QP-21 | MCC | N/A | N/A N/A | N/A | N/A | 1,927 | 1,927 | 1,927 | 1,927 | 1,927 | 1,927 | |
| | TM-43 compressor upgrade | Trans/Air | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 | |
| Manuf | Description | | | | | | | | | | | | |
| Manuf | Description | | | | | | | | | | | | |
| Cummins, B6.7, 220/520 | les . | | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | N/A | N/A | |
| Cummins B6.7, 240/560 | | | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | -1600 | -1600 | |
| Cummins, B6.7, 250/660 | | | 2860 | 2860 | 2860 | 2860 | 2860 | 2860 | 2860 | 2860 | STD | STD | |
| Ford 6.8L Gas Engine, 320HP/460lb-ft, Ford 6R140 6-speed transmission (5) | | 1 | N/A | N/A | -3600 | -3600 | -4100 | -4100 | -3300 | -3300 | -5000 | -5000 | |
| Ford 6.8L LPG Engine, 320HP/460lb-ft, Ford 6R140 6-speed transmission (5) Ford 6.8L CNG Engine, 269HP/386lb-ft, Ford 6R140 6-speed transmission (5) | | + | N/A N/A | N/A N/A | 6650 N/A | 5139 N/A | 5766 26250 | 6656 26250 | 6157 28450 | 6603 28450 | 4026 29650 | 4492 29650 | |
| Ford 7.3L Gas Engine, 350HP/468lb-ft*, Ford 6R140 6-speed transmission (*ratings subject to EPA/CARB ce | ert) (5) | Available Fall 2020 | N/A | N/A | -3600 | -3600 | -4100 | -4100 | -3300 | -3300 | -5000 | -5000 | |
| Ford 7.3L LPG Engine, 350HP/468lb-ft*, Ford 6R140 6-speed transmission (*ratings subject to EPA/CARB ce | | Available Fall 2020 | N/A | N/A | 6650 | 5139 | 5766 | 6656 | 6157 | 6603 | 4026 | 4492 | |
| TM4 Electric Motor; 315HP/2176lb-ft (6) | | Electric option only | N/A | N/A | N/A | N/A | N/A | N/A | 233548 | 233548 | N/A | N/A | |
| SEATING CAPACITY FOR FRONT MOUNTED LIFT EQUIPPED BUSES WITH RAISED/FLAT FLOOR | | | NI/A | 2 | A1/A | 2 | 81/4 | 2 | A1/A | 2 | A1/A | 2 | |
| Standard Number of Wheelchair Spaces: Maximum Number of Wheelchair Spaces: | | + | N/A N/A | <u> </u> | N/A N/A | 7 | N/A N/A | 11 | N/A N/A | 3 11 | N/A N/A | 3 12 | |
| Maximum Number of Wheelchair Spaces: Maximum Number of Passengers in Regular Seats with Standard (3) Wheelchair Spaces: | | Please consult w/FTS for seat plan | N/A N/A | 10 | N/A N/A | 12 | N/A N/A | 26 | N/A N/A | 26 | N/A N/A | 30 | |
| SEATING CAPACITY FOR REAR MOUNTED LIFT EQUIPPED BUSES WITH RAISED/FLAT FLOOR | | | | | <u> </u> | | | | , | | | | |
| Standard Number of Wheelchair Spaces: | | | N/A | 3 | |
| Maximum Number of Wheelchair Spaces: | | Disease seems in terror | N/A | 7 | N/A | 7 | N/A | 11 | N/A | 11 | N/A | 12 | |
| Maximum Number of Passengers in Regular Seats with Standard (3) Wheelchair Spaces: SEATING CAPACITY FOR FRONT MOUNTED LIFT EQUIPPED BUSES | | Please consult w/FTS for seat plan | N/A | 12 | N/A | 24 | N/A | 42 | N/A | 45 | N/A | 54 | |
| Standard Number of Wheelchair Spaces: | | | N/A | N/A | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 | |
| Maximum Number of Wheelchair Spaces: | | | N/A | N/A | N/A | 3 | N/A | 8 | N/A | 9 | N/A | 9 | |
| Maximum Number of Passengers in Regular Seats with Standard (3) Wheelchair Spaces: | | Please consult w/FTS for seat plan | N/A | N/A | N/A | 14 | N/A | 26 | N/A | 30 | N/A | 32 | |
| SEATING CAPACITY FOR REAR MOUNTED LIFT EQUIPPED BUSES | | | | | | | | _ | | _ | -:/- | | |
| Standard Number of Wheelchair Spaces: Maximum Number of Wheelchair Spaces: | | + | N/A N/A | N/A N/A | N/A N/A | 3 | N/A N/A | 3 | N/A N/A | 3 | N/A N/A | 3 | |
| Maximum Number of Wheelchair Spaces: Maximum Number of Passengers in Regular Seats with Standard (3) Wheelchair Spaces: | | Please consult w/FTS for seat plan | N/A N/A | N/A N/A | N/A N/A | 14 | N/A N/A | 42 | N/A N/A | 45 | N/A N/A | 54 | |
| | | The same of the same points | 1 | • 4 | | | | ·- | | | 11 | | |

| | | COMMENTS/NOTES | | | | | | | | | | |
|--|---|---|---------------------|-------------------------------|---------------------|-------------------------------|---------------------|-------------------------------|---------------------|-------------------------------|---------------------|-------------------------------|
| | | | TYPE C: 29 Capacity | TYPE C: 29 Capacity with Lift | TYPE C: 47 Capacity | TYPE C: 47 Capacity with Lift | TYPE C: 65 Capacity | TYPE C: 65 Capacity with Lift | TYPE C: 71 Capacity | TYPE C: 71 Capacity with Lift | TYPE C: 77 Capacity | TYPE C: 77 Capacity with Lift |
| Extended Engine Warranty WARRANTY OPTION | S Cummins B6.7, 60 Months/200,000 Miles | EXC Coverage | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 |
| | Cummins B6.7, 60 Months/Unlimited Miles | EXC Coverage | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 |
| Extended Engine Warranty | Cummins B6.7, 120 Months/200,000 Miles | EXC Coverage | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 |
| | Cummins B6.7, 120 Months/Unlimited Miles | EXC Coverage | 4900 | 4900 | 4900 | 4900 | 4900 | 4900 | 4900 | 4900 | 4900 | 4900 |
| | Roush, CNG, 7 YR/Unlimitied Mileage for Roush CleanTech components | Roush CleanTech CNG | N/A | N/A N/A | N/A N/A | N/A 815 | 1150 815 | 1150 | 1150 | 1150 | 1150 | 1150 |
| | Roush, LPG/Gas, 7 YR/Unlimited Mileage for Roush CleanTech components Roush, LPG/CNG, 10 YR/Unlimited Mileage for Roush CleanTech components | Roush CleanTech Gas/LPG Roush CleanTech LPG/CNG | N/A N/A | N/A N/A | 1730 | 1730 | 1730 | 815 1730 | 815 1730 | 815 1730 | 815 1730 | 815 1730 |
| | Roush, Gas, 10 YR/Unlimited Mileage for Roush CleanTech components | Roush CleanTech Gas | N/A | N/A | 1015 | 1015 | 1015 | 1015 | 1015 | 1015 | 1015 | 1015 |
| | Ford 7 Years Engine, 7 Years Transmission (31300-75) | Ford Engines/Transmissions Only | N/A | N/A | 3010 | 3010 | 3010 | 3010 | 3010 | 3010 | 3010 | 3010 |
| Towing Warranty | 60 Months/Unlimited Miles | | N/A | N/A |
| * By taking this warranty credit, the purchasing district is declining the standard chassis warranty and the standard (NO EXCEPTIONS) from the updated in-service date of the bus. | 12 Months/12,000 Miles ONLY (* see note) tandard body warranty and will only have warranty coverage for 12 Months/12,000 | See Appendix I for Coverage Details | -3200 | -3200 | -3200 | -3200 | -3200 | -3200 | -3200 | -3200 | -3200 | -3200 |
| BAGGAGE COMPARTMENTS (Price is | for ONE per bus) | | | | | | | | | | | |
| Single Door, 16 cubic feet | | | N/A | N/A | 700 | 700 | 700 | 700 | 700 | 700 | 700 | 700 |
| Double Door, 22.7 cubic feet | | | N/A | N/A | N/A | N/A | 1035 | 1035 | 1035 | 1035 | 1035 | 1035 |
| Double Door, 28.4 cubic feet Luggage compartment availability may be limited based | d on ontional equipment selections | | N/A | N/A | N/A | N/A | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 |
| Edgage compartment availability may be inniced bases | on optional equipment selections. | | | | | | | | | | | |
| ADDITIONAL OPTION | IS | | | | | | | | | | | |
| 325 AMP Leece Neville brushless alternator | | Leece/Neville | 470 | 470 | 470 | 470 | 470 | 470 | 470 | 470 | 470 | 470 |
| Convert ACME connector to Euro/Stuabli | | Type C BBCV | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 |
| Exterior light, LED, boarding area, 50W | | Blue Bird | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 |
| Exterior light, LED, boarding area, both sides 110W each light (over entrance door & driver window) | | Blue Bird Blue Bird | 515 200 | 515 200 | 515 200 | 515 200 | 515 200 | 515 200 | 515 200 | 515 | 515 200 | 515 200 |
| Heated Mirrors Route Changer Sign | | Reflective Imaging | 75 | 75 | 200 75 | 75 | 75 | 200 75 | 200 75 | 75 | 200 75 | 75 |
| 80K BTU rear wall mounted heater | | Blue Bird | 700 | 700 | 700 | 700 | 700 | 700 | 700 | 700 | 700 | 700 |
| Convection heating system for electric bus | | Electric Bus Only | N/A | N/A | N/A | N/A | N/A | N/A | 1350 | N/A | N/A | N/A |
| Tag and Title processing, per unit | | FTS - Tag/Title | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 |
| VGT Exhaust Brake (N/A with Ford Engine) | | Cummins Only | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 |
| Two-way radio installed, district provided | | FTS -2Way | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |
| Open View mirror system | | Blue Bird | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 |
| Rosco Back-up camera and mirror | | Rosco | 454 | 454 365 | 454 365 | 454 | 454 365 | 454 365 | 454 365 | 454 365 | 454 365 | 454 365 |
| Stainless Steel exhaust Extended range tank for LPG engine on Vision, 98gal | | Blue Bird Blue Bird LPG only | 365 N/A | N/A | N/A | N/A | N/A | N/A | 900 | 900 | 900 | 900 |
| CNG dual fill front for CNG with Blue Bird Vision | | Blue Bird CNG only | N/A | N/A | N/A | N/A N/A | 1155 | 1155 | 1155 | 1155 | 1155 | 1155 |
| CNG dual fill rear for CNG with Blue Bird Vision | | Blue Bird CNG only | N/A | N/A | N/A | N/A | 1335 | 1335 | 1335 | 1335 | 1335 | 1335 |
| CNG fast fill for CNG with Blue Bird Vision | | Blue Bird CNG only | N/A | N/A | N/A | N/A | 2100 | 2100 | 2100 | 2100 | 2100 | 2100 |
| Bus Numbers on roof | | FTS-#'s | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 |
| ES Compleat OAT Coolant Factory Fill (N/A with Ford engine) | | Cummins Only | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 |
| ADA Handrail in stepwell (specify front, rear or both) | | Blue Bird | 129 each | 129 each |
| Air tank drain valve (specify electric or manual-same cost) | | Blue Bird Bostrom | 295 325 | 295 325 |
| Bostrom Routemaster Air Suspension Driver's Seat Driver's 6" auxiliary cooling fan | | Blue Bird | N/C | N/C |
| Stainless Steel battery tray | | Blue Bird | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 |
| Glove box and LH console storage | | BLue Bird | 104 | 104 | 104 | 104 | 104 | 104 | 104 | 104 | 104 | 104 |
| Cup Holder | | Blue Bird | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| Extra ignition keys (2 per bus provided, keyed alike) | | FTS -Keys | 5/each | 5/each |
| Level 2 AC Charging Station, 19.2 kW charge rate | | Nuvee Corporation | N/A | N/A | N/A | N/A | 2000 | 2000 | 2000 | 2000 | N/A | N/A |
| V2G Integration, electric bus | | Blue Bird | N/A | N/A | N/A | N/A | 6500 | 6500 | 6500 | 6500 | N/A | N/A |
| PowerPort Mount Pedestal DC Fast Charging Station, 60kW | | Nuvee Corporation Nuvee Corporation | N/A N/A | N/A N/A | N/A N/A | N/A N/A | 1500 65000 | 1500 65000 | 1500 65000 | 1500 65000 | N/A N/A | N/A N/A |
| Contract Labor Service Charge | | FTS -LaborSVC | 105/hr | 105/hr |
| CE White Portable Child Restraint (call for volume purchase discounts) | | CEW-PCR 900-474 | 125/ea | 125/ea |
| Bergstrom, warranty credit for base 3 YR warranty in lieu of 5 years | | 3 Years / Unlimited Miles | -1022 | -1022 | -1022 | -1022 | -1200 | -1200 | -1200 | -1200 | -1200 | -1200 |
| Trans/Arctic, warranty credit for base 3 YR warranty in lieu of 5 years (Systems 1-4) | | 3 Years / Unlimited Miles | NA | NA | -1,020 | -1,020 | -1,020 | -1,020 | -1,235 | -1,235 | -1,235 | -1,235 |
| LukeMCC warranty credit for base 3 YR warranty in lieu of 5 years, TM55 system | | 3 Years / Unlimited Miles | -280 | -280 | -280 | -280 | -310 | -310 | -310 | -310 | -310 | -310 |
| Emergency Evacuation Blanket, Tie-Tech Evac-Aide | | Blue Bird | 160 N/C | 160 N/C |
| Grey rubber flooring Two piece curved windshield | | Blue Bird Blue Bird | N/C 110 | N/C 110 |
| Tailpipe, under bumper LH with turndown | | BBCV | N/C | N/C |
| Grey painted wheels, 8.25x22.5 5 HH | | MFSAB | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| Aluminum wheels, 8.25x22.5 DSC Hub Piloted | | MFSAB | 2,200 | 2,200 | 2,200 | 2,200 | 2,200 | 2,200 | 2,200 | 2,200 | 2,200 | 2,200 |
| Aluminum wheels, 8.25x22.5 DSC Hub Piloted w/o -hub covers, lugnut covers, valve extensions | | MFSAB | 1,450 | 1,450 | 1,450 | 1,450 | 1,450 | 1,450 | 1,450 | 1,450 | 1,450 | 1,450 |
| Covers, wheels, polished stainless steel | TIONS | MFSAB | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 |
| HSM 3pt Seat belt seat, Track Mounted, 30" | HUNS | HSM | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 |
| HSM 3pt Seat belt seat, Track Mounted, 39" | | HSM | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 |
| HSM 3pt Seat belt seat with child restraint, 39" | | HSM | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 |
| HSM 3pt Seat belt seat with child restraint, Track Mounted, 39" | | HSM | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 |
| HSM child restraint seat with lap belts, 30" | | HSM | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 |
| HSM child restraint seat with lap belts, Track Mounted, 30" | | HSM | 640 | 640 | 640 | 640 | 640 | 640 | 640 | 640 | 640 | 640 |
| HSM child restraint seat with lap belts. Track Mounted, 39" | | HSM National | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 |
| Arm rest, National Driver's Seat, LH Arm rest, National Driver's Seat, RH | | National National | 33 | 33 | 33 | 33 | 33 | 33 | 33 22 | 33 | 33 | 33 |
| Freedman Family Seat, 35" | | Freedman | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 |
| Freedman Family Seat, 35" Davenport | | Freedman | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 |
| Freedman Family Seat, 3pt seat belt seat, 35" | | HSM | 685 | 685 | 685 | 685 | 685 | 685 | 685 | 685 | 685 | 685 |
| HSM LATCH positions (\$45/one, \$82/two) | | HSM | 50 | 50 | 60 | 60 | 75 | 75 | 90 | 90 | 100 | 100 |
| Retractable seat belts in lieu of lap belts, per bus | | | | | | | | | | | | |
| Please consult with FTS for seat plans | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

VENDOR: Florida Transportation Systems, Inc.

TYPE D [FE] SCHOOL BUSES

Blue Bird / Florida Transportation Systems

| | | Blue Bird / Florid | | Toyotemo | | | | |
|---|---|--|--|------------------------------|---------------------------|------------------------------|--|--|
| LECEND. | CTANDARD FOLLOWERS / DACE DUC DRICE | COMMENTS (MOTES | TVDE D CDONT CNOWS | TYPE D EDON'T ENGINE | TYPE D EDON'T ENGINE | TYPE D EDON'T ENGINE | TYPE D EDON'T ENGINE | TYPE D EDONT ENGINE |
| LEGEND: | STANDARD EQUIPMENT / BASE BUS PRICE | COMMENTS/NOTES | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE |
| [CTD] - CTANDARD FOLUDAFNIT | Standard Fraince Manuf Madel IID Towns | | (FE): 71 Capacity | (FE): 71 Capacity with Lift | (FE): 77 Capacity | (FE): 77 Capacity with Lift | (FE): 83 Capacity | (FE): 83 Capacity with Lift |
| | Standard Engine: Manuf, Model, HP, Torque Standard Transmission: Manuf, Model, # of fwd ranges | | Cummins B6.7, 200/520 Alllison 2500PTS, 5 SP | Cummins B6.7, 200/520 | Cummins B6.7, 250/660 | Cummins B6.7, 250/660 | Cummins B6.7, 250/660 Allison 3000PTS, 5 SP | Cummins B6.7, 250/660 Allison 3000PTS, 5 SP |
| <u> </u> | | | | Alllison 2500PTS, 5 SP | Allison 3000PTS, 5 SP | Allison 3000PTS, 5 SP | | · |
| <u> </u> | Standard Tire: Manuf, Model, Size, Load Range Standard Wheelchair Lift: Manuf, Model, #Capacity | | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA |
| • | Standard Wheelchair Lift: Manuf, Model, #Capacity Standard Wheelchair Tie Down: Manuf, Model | | N/A | Braun, NCL919FIB, 800 LB | N/A | Braun, NCL919FIB, 800 LB | N/A | Braun, NCL919FIB, 800 LB |
| | Base School Bus Price \$\$ | | N/A 105616 | Q'Straint Q8106-L2 109873 | N/A 111849 | Q'Straint Q8106-L2 116086 | N/A 112543 | Q'Straint Q8106-L2 117096 |
| | Base MFSAB Price \$\$ | Pasa price includes 2nt seet helt seets | | No Bid | No Bid | | | No Bid |
| | DPTIONAL CHASSIS EQUIPMENT PRICES | Base price includes 3pt seat belt seats | 110269 | INO BIO | INO BIO | No Bid | 118043 | INO BIO |
| [C1A] Front Tow Hooks | OFFICINAL CHASSIS EQUIFINENT PRICES | | 53 (34 tow eyes) | 53 (34 tow eyes) | 53 (34 tow eyes) | 53 (34 tow eyes) | 53 (34 tow eyes) | 53 (34 tow eyes) |
| [C1B] Rear Tow Hooks | | | 170 (51 tow eyes) | 170 (51 tow eyes) | 170 (51 tow eyes) | | 170 (51 tow eyes) | 170 (51 tow eyes) |
| [C2] Spare Disc Wheel | | | 215 | 215 | 215 | 170 (51 tow eyes) 215 | 215 | 215 |
| [C3] Auto Trans Warranty (5 yr ur | nlimitad\ | | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited |
| [C4] 75-100 Gallon Fuel Tank* | minited) | | 370 | 370 | 370 | 370 | 370 | 370 |
| [C5] Low-Profile Radial Tires** | | | -125 | -125 | -125 | -125 | -125 | -125 |
| | cion | | | | | | | |
| [C7] Type D Front Air Ride Suspen [C6] 270 Amp L/N 4864 Alternator | | (1) 280 AMP L/N Brushless | 945 330 (1) | 945 330 (1) | 945 330 (1) | 945 330 (1) | 945 330 (1) | 945 330 (1) |
| | | (1) 280 AMP L/N Brushless | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
| [C8] Adjustable Pedals | | | 4285 | 4285 | STD | | | STD |
| [C9] 3000-PTS Transmission | | | | | | STD | STD | |
| [C10] Air Ride Rear Suspension | | (2) Straight flooring air ride rear sugn | 1021 | 1021 | 1021 | 1021 | 1021 | 1021 |
| [C12] Straight Floor | | (2) Straight floor inc. air ride rear susp | N/A | 400(2) | N/A | N/A | N/A | N/A |
| [C13] Auto Headlamp System | | (2) aution does NOT require sin supremier | STD | STD | STD | STD | STD | STD |
| [C14] Air Disc Brakes | ORTIONAL BODY FOLLIBRATAL PRICES | (3) option does NOT require air suspension | 1789 (3) | 1789 | 1789 | 1789 | 1789 | 1789 |
| | OPTIONAL BODY EQUIPMENT PRICES | | 120 | 120 | 120 | 120 | 120 | 120 |
| [B1] Pro Lo Hatch | | Amazarianatah 2750 aribia irahas afataran | 120 STD | 120 | 120 STD | 120 | 120 | 120 |
| [B3] Vandal Box w/Key | | Approximately 2750 cubic inches of storage | STD | STD | STD | STD | STD | STD |
| [B4] 76" High Headroom (minimu | um) | | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] |
| [B5A] Intercom/PA [B5B] PA with Radio | | | 395 550 | 395 | 395 | 395 | 395 | 395 |
| | | | 465 | 550 465 | 550 | 550 465 | 550 465 | 550 465 |
| [B5C] Stereo Radio (no PA) | | | | | 465 N/C | | | |
| [B6] Locking Door at Fuel Tank | lockycink Cook | | N/C | N/C | N/C | N/C | N/C | N/C |
| [B7A] CE White Integrated Child R | estraint Seat | | 620 N/A | 620 | 620 N/A | 620 | 620 | 620 |
| [B7B] IMMI Child Safety Seat | atura int Colot | | N/A | N/A | N/A | N/A | N/A | N/A |
| [B7C] Syntech Integrated Child Restrai | | | N/A | N/A | N/A | N/A | N/A | N/A |
| [B7D] BTI Integrated Child Restrai | III Seat | | N/A 185 | N/A 185 | N/A 185 | N/A 185 | N/A 185 | N/A 185 |
| [B8] Exterior Body Light Monitor | ED LINIT - no reduction in coating canacity/*** | Standard for MESAR, Dries included in hear | | | | | | |
| | ER UNIT - no reduction in seating capacity) *** | Standard for MFSAB; Price included in base | 6936 629 | 4624 629 | 7514 629 | 4842 629 | 7532 629 | 5111 629 |
| [B12] Full Perf. Ceiling Panel | | + | 320 | 320 | | 320 | 320 | 320 |
| [B13] Bus Lockup System | | | | | 320 N/A | | | |
| [B14] Wire Pupil Crossing Arm | m (with non-corrossive brackets & fasteners) | | N/A | N/A [STD] | N/A | N/A | N/A | N/A |
| | | | [STD] N/C | N/C | [STD] N/C | [STD] N/C | [STD] N/C | [STD] N/C |
| [B16] Battery Disconnect Switch L | abei | | | <u> </u> | | | | |
| [B17] Red Light Emergency Door | | (A) Heater may be limited to FOV PTU | 14 | 14 | 14 | 14 | 14 | 14 |
| [B18] Underseat Rear Heater | | (4) Heater may be limited to 50K BTU | 555 (4) | 555 (4) | 555 (4) | 555 (4) | 555 (4) | 555 (4) |
| [B19] Tailpipe through Bumper | | | STD | STD | STD | STD | STD | STD |
| [B20] Powder-Coated Windows | d Coat Polt | | 220 | 220 | 220 | 220 | 220 | 220 |
| [B21] Driver's Seat with Integrated | | Uife Bur Oall V | 475 N/A | 475 | 475 | 475 | 475 | 475 |
| [B22] Delete W/C - Add Seat (Lift | • | (Lift Bus Only) | N/A | -426 | N/A | -426 | N/A | -426 |
| [B23] Delete Seat - Add W/C (Lift | • | (Lift Bus Only) | N/A | 426 | N/A | 426 | N/A | 426 |
| [B24] Wheelchair Securement Are | | (Lift Bus Only) | N/A | 125 per position | N/A | 125 per position | N/A | 125 per position |
| [B25] Track Seating (Lift Bus Only) | | (Lift Bus Only) | N/A | 4820 | N/A | 5400 | N/A | 5970 |
| [B26] Standard Track-seating Seat | ` '' | (Lift Bus Only) | N/A | 372 | N/A | 372 | N/A | 372 |
| [B27] Driver's Seat with Integrated | a Seat Reit | | 475 | 475 | 475 | 475 | 475 | 475 |

VENDOR: Florida Transportation Systems, Inc.

TYPE D [FE] SCHOOL BUSES

| VENDOR. TIONAA TIANSPORTA | | | | | | | | |
|--|---|---------------------------------------|-----------------------|-----------------------------|-----------------------|-----------------------------|-----------------------|-----------------------------|
| | | | | | | | | |
| | | COMMENTS/NOTES | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE |
| (ODT4) Time | Cookings 11P32 F I DI Fodurence DCA | | (FE): 71 Capacity | (FE): 71 Capacity with Lift | | (FE): 77 Capacity with Lift | (FE): 83 Capacity | (FE): 83 Capacity with Lift |
| (OPT1) Tire (OPT2) Tire | Goodyear, 11R22.5, LRH Endurance RSA Goodyear, 255/70R22.5, LRH Endurance RSA | | 455 595 | 455 595 | 455 595 | 455 595 | 455 595 | 455 595 |
| (OPT4) Tire | Michelin, 255/70R22.5, LRH XZE | | 375 | 375 | 375 | 375 | 375 | 375 |
| (OPT5) Tire | Cooper, 11R22.5, LRH, RHA | | 200 | 200 | 200 | 200 | 200 | 200 |
| (OF 13) THE | OPTIONAL WHEELCHAIR LIFT #1 | | 200 | 200 | 200 | 200 | 200 | 200 |
| (Opt 1) Lift | Braun, NCL1000FIB | | N/A | 305 | N/A | 305 | N/A | 305 |
| (Opt 2) Lift | Ricon, RIS5510 1000 LB | | N/A | 755 | N/A | 755 | N/A | 755 |
| (Opt 3) Lift | Ricon, RIK5510 1000 LB | | N/A | 920 | N/A | 920 | N/A | 920 |
| | ELCHAIR TIEDOWN/OCCUPANT RESTRAINT SYSTEM (WTORS) | | 14/74 | 320 | NA | 320 | N/A | 320 |
| (OPT1)WTORS | Sure-Lok FF612S-4C7 | Replaces all three sets | N/A | 60 | N/A | 60 | N/A | 60 |
| (OPT2)WTORS | AMF Bruns, Silver Series, J-Hook, 3Pt Retractabe Height Adj, Pouch, L-tra | Replaces all three sets | N/A | 180 | N/A | 180 | N/A | 180 |
| (OPT3)WTORS | AMF Bruns, Silver Series, J-Hook, 3Pt Retractabe Height Adj, Pouch, L-tra | \$460/each extra | N/A | 460/ea | N/A | 460/ea | N/A | 460/ea |
| (OPT4)WTORS | Manuf, Model | y roof each extra | 1.471 | 100/00 | 1.47. | 100,00 | , | 1007 00 |
| | | | | | | | | |
| | [AC-1] OPTIONAL AIR-CONDITIONING | | | | | | | |
| AC-Blue Bird ComfortAire-2 | BB, ComfortAire, 130,000 BTU, 126, includes 280 AMP L/N Alternator | Dash, Front & Rear Bulkhead, (2) QP21 | 9,000 | 9,000 | 9,000 | 9,000 | 9,000 | 9,000 |
| AC-Bergstrom1 | (2) TM-21 / Front & Rear BH evaps, skirt cond; 136K BTU, 111AMPS | RBH2FBH2SM1SC3SC3-2121 | 9,573 | 9,433 | N/A | N/A | N/A | N/A |
| AC-Bergstrom2 | (2) TM-21 / Front & Rear BH evaps, skirt cond; 140K BTU, 126AMPS | RBH2FBH2SM1SM1SC3SC3-2121 | N/A | N/A | 10,634 | 10,494 | 10,634 | 10,494 |
| AC-Trans/Arctic1 | (2)TM-21 / Dash, Side, Front & Rear BH evaps, skirt cond; 124 BTU, 140 A | AC-12iw17iw133d | 11,065 | 11,065 | 11,065 | 11,065 | 11,065 | 11,065 |
| AC-Trans/Arctic2 | (2)TM-21 / Dash, Side, Front & Rear BH evaps, roof cond; 124 BTU, 140 A | AC-12iw17iw1cr4cr4d | 12,520 | 12,520 | 12,520 | 12,520 | 12,520 | 12,520 |
| AC-LukeMCC1 | (2)QP-21 / Dash, Front & Rear BH evaps, skirt cond; 135 BTU, 120 AMPS | AC-1332W1W133 | 12,775 | 12,775 | 12,775 | 12,775 | 12,775 | 12,775 |
| | ADDITIONAL AIR-CONDITIONER OPTIONS | | | | | | | |
| Bergstrom | Battery Charging Solar Panel, installed | 50 watt / 80 watt | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) | 625 (50W) / 825 (80W) |
| Bergstrom | Eaton Aero-Quip Hose and Fittings in-liue of Standard | All Models | 315 | 315 | 315 | 315 | 315 | 315 |
| LukeMCC | Roof Mounted Conidenser in Lieu of Skirt 5 year | | 3,165 | 3,165 | 3,165 | 3,165 | 3,165 | 3,165 |
| LukeMCC | Mid Side Ceiling Evaporator 5 year | | 2,140 | 2,140 | 2,140 | 2,140 | 2,140 | 2,140 |
| Trans/Arctic | Aero-Quip Type "E" flex click hose STD on Trans/Arctic Systems 1 & 2 | AC-Trans/Arctic Systesms 1 & 2 | STD | STD | STD | STD | STD | STD |
| | OPTIONAL ENGINES | | | | | | | |
| Cummins, B6.7, 220/520 | | | 530 | 530 | N/A | N/A | N/A | N/A |
| Cummins, B6.7, 240/520 | | | 990 | 990 | N/A | N/A | N/A | N/A |
| Cummins, B6.7, 250/660 | | | 2860 | 2860 | N/A | N/A | N/A | N/A |
| Cummins, B6.7, 260/660 | | | N/A | N/A | 490 | 490 | 490 | 490 |
| Cummins, B6.7, 280/660 | T MACHINITED LIET FOLUDDED DUCES WITH DAISED /FLAT FLOOD | | N/A | N/A | 2310 | 2310 | 2310 | 2310 |
| | T MOUNTED LIFT EQUIPPED BUSES WITH RAISED/FLAT FLOOR | | N1/A | 2 | NI/A | NI/A | NI/A | NI/A |
| Standard Number of Wheelch | | | N/A | 3 | N/A | N/A | N/A | N/A |
| Maximum Number of Wheelch | · | Diagram annuit /FTC for cost alon | N/A | 8 | N/A | N/A | N/A | N/A |
| | ers in Regular Seats with Standard (3) Wheelchair Spaces: MOUNTED LIFT EQUIPPED BUSES WITH RAISED/FLAT FLOOR | Please consult w/FTS for seat plan | N/A | 30 | N/A | N/A | N/A | N/A |
| Standard Number of Wheelcha | | | N/A | 2 | N/A | N/A | N/A | N/A |
| Maximum Number of Wheelch | · | | N/A N/A | <u>a</u> | N/A N/A | N/A N/A | N/A | N/A |
| | ers in Regular Seats with Standard (3) Wheelchair Spaces: | Please consult w/FTS for seat plan | N/A | 45 | N/A | N/A | N/A | N/A |
| | T MOUNTED LIFT EQUIPPED BUSES | Flease collsuit w/113 for seat plan | IN/A | 45 | IN/A | IN/A | IN/A | IN/A |
| Standard Number of Wheelcha | · | | N/A | 3 | N/A | 3 | N/A | 3 |
| Maximum Number of Wheelch | · | | N/A | 8 | N/A | 8 | N/A | 9 |
| | ers in Regular Seats with Standard (3) Wheelchair Spaces: | Please consult w/FTS for seat plan | N/A | 26 | N/A | 34 | N/A | 38 |
| | MOUNTED LIFT EQUIPPED BUSES | ricuse consult w/r 15 for seat plan | 18/7 | 20 | 14/7 | J4 | 1¥/ /\ | 30 |
| Standard Number of Wheelcha | · | | N/A | 3 | N/A | 3 | N/A | 3 |
| Maximum Number of Wheelch | · | | N/A | 8 | N/A | 9 | N/A | 9 |
| | ers in Regular Seats with Standard (3) Wheelchair Spaces: | Please consult w/FTS for seat plan | N/A | 45 | N/A | 51 | N/A | 57 |
| The state of the s | WARRANTY OPTIONS | - I state to the state plant | , | .5 | | 51 | | <u>.</u> |
| Extended Engine Warranty | Cummins B6.7, 60 Months/200,000 Miles | EXC Coverage | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 |
| Extended Engine Warranty | Cummins B6.7, 60 Months/Unlimited Miles | EXC Coverage | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 |
| Extended Engine Warranty | Cummins B6.7, 120 Months/200,000 Miles | EXC Coverage | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 |
| Extended Engine Warranty | Cummins B6.7, 120 Months/Unlimited Miles | EXC Coverage | 4900 | 4900 | 4900 | 4900 | 4900 | 4900 |
| Towing Warranty | 60 Months/Unlimited Miles | | N/A | N/A | N/A | N/A | N/A | N/A |
| Warranty Credit Option | 12 Months/12,000 Miles ONLY (* see note) | See Appendix I for Coverage Details | -2800 | -2800 | -2800 | -2800 | -2800 | -2800 |
| | it, the purchasing district is declining the standard chassis warranty and the | | | | | | | |
| -, taming and training area | , paramating and the destination and the stationard and the stationard and the | only nav | Jordinge for 12 | | mem and apo | and an activity date of the | | |

| | 1 | | | | | | |
|---|---------------------------|---------------------|-----------------------------|---------------------|-----------------------------|---------------------|--|
| | COMMENTS/NOTES | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE | TYPE D FRONT ENGINE |
| | | (FE): 71 Capacity | (FE): 71 Capacity with Lift | | (FE): 77 Capacity with Lift | (FE): 83 Capacity | (FE): 83 Capacity with Lift |
| Single Door, 16 cubic feet | | 700 | 700 | 700 | 700 | 700 | 700 |
| Double Door, 22.7 cubic feet | | 1035 | 1035 | 1035 | 1035 | 1035 | 1035 |
| Double Door, 28.4 cubic feet | | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 |
| Luggage compartment availability may be limited based on optional equipment selections. | | | | | | | |
| ADDITIONAL OPTIONS | | | | | | | |
| 325 AMP Leece Neville brushless alternator | Leece/Neville | 470 | 470 | 470 | 470 | 470 | 470 |
| Exterior light, LED, boarding area, 50W | Blue Bird | 250 | 250 | 250 | 250 | 250 | 250 |
| Exterior light, LED, boarding area, both sides 110W each light (over entrance door & driver window) | Blue Bird | N/A | N/A | 515 | 515 | 515 | 515 |
| Heated Mirrors | Blue Bird | 200 | 200 | 200 | 200 | 200 | 200 |
| Route Changer Sign | Reflective Imaging | 75 | 75 | 75 | 75 | 75 | 75 |
| 80K BTU rear wall mounted heater | Blue Bird | 700 | 700 | 700 | 700 | 700 | 700 |
| Tag and Title processing, per unit | FTS - Tag/Title | 225 | 225 | 225 | 225 | 225 | 225 |
| VGT Exhaust Brake (N/A with Ford Engine) | Cummins Only | 72 | 72 | 72 | 72 | 72 | 72 |
| Two-way radio installed, district provided | FTS -2Way | 150 | 150 | 150 | 150 | 150 | 150 |
| Open View mirror system | Blue Bird | 236 | 236 | 236 | 236 | 236 | 236 |
| Rosco Back-up camera and mirror | Rosco | 454 | 454 | 454 | 454 | 454 | 454 |
| Stainless Steel exhaust | Blue Bird | 365 | 365 | 365 | 365 | 365 | 365 |
| Bus Numbers on roof | FTS-#'s | 125 | 125 | 125 | 125 | 125 | 125 |
| ES Compleat OAT Coolant Factory Fill (N/A with Ford engine) | Cummins Only | 125 | 125 | 125 | 125 | 125 | 125 |
| ADA Handrail in stepwell (specify front, rear or both) | Blue Bird | 129 each | 129 each | 129 each | 129 each | 129 each | 129 each |
| Air tank drain valve (specify electric or manual-same cost) | Blue Bird | 295 | 295 | 295 | 295 | 295 | 295 |
| Bostrom Routemaster Air Suspension Driver's Seat | Bostrom | 325 | 325 | 325 | 325 | 325 | 325 |
| Driver's 6" auxiliary cooling fan | Blue Bird | N/C | N/C | N/C | N/C | N/C | N/C |
| Stainless Steel battery tray | Blue Bird | 145 | 145 | 145 | 145 | 145 | 145 |
| Glove box and LH console storage | BLue Bird | 104 | 104 | 104 | 104 | 104 | 104 |
| Cup Holder | Blue Bird | 45 | 45 | 45 | 45 | 45 | 45 |
| Extra ignition keys (2 per bus provided, keyed alike) | FTS -Keys | 5/each | 5/each | 5/each | 5/each | 5/each | 5/each |
| Swing out radiator | Blue Bird | 330 | 330 | 330 | 330 | 330 | 330 |
| Contract Labor Service Charge | FTS -LaborSVC | 105/hr | 105/hr | 105/hr | 105/hr | 105/hr | 105/hr |
| CE White Portable Child Restraint (call for volume purchase discounts) | CEW-PCR 900-474 | 125/ea | 125/ea | 125/ea | 125/ea | 125/ea | 125/ea |
| Bergstrom, warranty credit for base 3 YR warranty in lieu of 5 years | 3 Years / Unlimited Miles | -1022 | -1022 | -1022 | -1022 | -1022 | -1022 |
| Trans/Arctic, warranty credit for base 3 YR warranty in lieu of 5 years | 3 Years / Unlimited Miles | -1,235 | -1,235 | -1,235 | -1,235 | -1,235 | -1,235 |
| LukeMCC, warranty credit for base 3 YR warranty in lieu of 5 years | 3 Years / Unlimited Miles | -310 | -310 | -310 | -310 | -310 | -310 |
| Grey rubber flooring | Blue Bird | N/A | N/A | N/C | N/C | N/C | N/C |
| Two piece curved windshield | Blue Bird | N/A | N/A | 110 | 110 | 110 | 110 |
| Grey painted wheels, 8.25x22.5 5 HH | MFSAB | N/A | N/A | 50 | 50 | 50 | 50 |
| Aluminum wheels, 8.25x22.5 DSC Hub Piloted | MFSAB | N/A | N/A | 2,200 | 2,200 | 2,200 | 2,200 |
| Aluminum wheels, 8.25x22.5 DSC Hub Piloted w/o -hub covers, lugnut covers, valve extensions | MFSAB | N/A | N/A | 1,450 | 1,450 | 1,450 | 1,450 |
| Covers, wheels, polished stainless steel | MFSAB | N/A | N/A | 425 | 425 | 425 | 425 |
| Emergency Evacuation Blanket, Tie-Tech Evac-Aide | Blue Bird | 160 | 160 | 160 | 160 | 160 | 160 |
| ADDITIONAL SEATING OPTIONS | Bide Bild | 100 | 100 | 100 | 100 | 100 | 100 |
| HSM 3pt Seat belt seat, Track Mounted, 30" | HSM | 550 | 550 | 550 | 550 | 550 | 550 |
| HSM 3pt Seat belt seat, Track Mounted, 39" | HSM | 650 | 650 | 650 | 650 | 650 | 650 |
| HSM 3pt Seat belt seat with child restraint, 39" | HSM | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 |
| HSM 3pt Seat belt seat with child restraint, Track Mounted, 39" | HSM | 880 | 880 | 880 | 880 | 880 | 880 |
| HSM child restraint seat with lap belts, 30" | HSM | 605 | 605 | 605 | 605 | 605 | 605 |
| HSM child restraint seat with lap belts, 50" | HSM | 640 | 640 | 640 | 640 | 640 | 640 |
| Arm rest, National Driver's Seat, LH | HSM | 33 | 33 | 33 | 33 | 33 | 33 |
| Arm rest, National Driver's Seat, RH | National | 33 | 33 | 33 | 33 | 33 | 33 |
| Freedman Family Seat, 35" | National | 460 | 460 | 460 | 460 | 460 | 460 |
| Freedman Family Seat, 35 Freedman Family Seat, 35 Davenport | Freedman | 465 | 465 | 465 | 465 | 465 | 465 |
| Freedman Family Seat, 35 Davenport Freedman Family Seat, 35 Davenport | Freedman | 685 | 685 | 685 | 685 | 685 | 685 |
| HSM LATCH positions (\$45/one, \$82/two) | HSM | 45/82 | 45/82 | 45/82 | 45/82 | 45/82 | 45/82 |
| Retractable seat belts in lieu of lap belts, per bus | HSM | · | 45/82 60 | 45/82 75 | | · | · · · · · · · · · · · · · · · · · · · |
| Please consult with FTS for a seat plan | ПЭІЛІ | 60 | DU DU | /5 | 75 | 90 | 90 |
| ricase consult with ris for a seat plan | | + | | | | | |
| | 1 | _1 | I | | | l | |

Blue Bird / Florida Transportation Systems

| | | Ta / Horida Harisportation 5 ys | | | | | | |
|--|--|---|---------------------------|---------------------------------------|--------------------------|---------------------------------------|---------------------------------------|---------------------------|
| LEGEND: | STANDARD EQUIPMENT / BASE BUS PRICE | COMMENTS/NOTES | TYPE D REAR ENGINE (RE): | TYPE D DEAD ENGINE (DE). | TYPE D REAR ENGINE (RE): | TYPE D DEAD ENGINE (DE). | TYPE D REAR ENGINE (RE): | TYPE D REAR ENGINE (RE): |
| LEGEND. | STANDARD EQUIPIVIENT / BASE BOS PRICE | COMMUNICIONAL | 72 Capacity | 72 Capacity with Lift | 78 Capacity | 78 Capacity with Lift | 84 Capacity | 84 Capacity with Lift |
| [STD] = STANDARD EQUIPMENT | Standard Engine: Manuf, Model, HP, Torque | | Cummins B6.7, 220/520 | Cummins B6.7, 220/520 | Cummins B6.7, 250/660 | Cummins B6.7, 250/660 | Cummins B6.7, 250/660 | Cummins B6.7, 250/660 |
| N/A = NOT APPLICABLE | Standard Transmission: Manuf, Model, # of fwd ranges | | Allison 2500PTS, 5 SP | Allison 2500PTS, 5 SP | Allison 3000PTS, 6 SP | Allison 3000PTS, 6 SP | Allison 3000PTS, 6 SP | Allison 3000PTS, 6 SP |
| N/C= NO CHARGE | Standard Tire: Manuf, Model, Size, Load Range | | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA | , | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA | Cooper, 11R22.5, LRG, RHA |
| N/B= NO BID | Standard Wheelchair Lift: Manuf, Model, #Capacity | | N/A | Braun, NCL919FIB, 800 LB | N/A | Braun, NCL919FIB, 800 LB | N/A | Braun, NCL919FIB, 800 LB |
| N/D- NO DID | Standard Wheelchair Tie Down: Manuf, Model | | N/A | Q'Straint Q8106-L2 | N/A | Q'Straint Q8106-C2 | N/A | Q'Straint Q8106-C2 |
| | Base School Bus Price \$\$ | | 114646 | 116271 | 118738 | 122925 | 119323 | 123150 |
| | Base MFSAB Price \$\$ | Base price includes 3pt seat belt seats | 119162 | No Bid | No Bid | No Bid | 117773 | No Bid |
| OPTIONAL CHASS | SIS EQUIPMENT PRICES | base price includes 5pt seat belt seats | 119102 | NO BIG | NO BIG | 140 Bld | 117773 | NO Bid |
| [C1A] Front Tow Hooks | SIS EQUIT MENT TRICES | | 53 | 53 | 53 | 53 | 53 | 53 |
| [C1B] Rear Tow Hooks | | | 170 | 170 | 170 | 170 | 170 | 170 |
| [C2] Spare Disc Wheel | | | 215 | 215 | 215 | 215 | 215 | 215 |
| [C3] Auto Trans Warranty (5 yr unlimited) | | | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited | 7 Years Unlimited |
| [C4] 75-100 Gallon Fuel Tank* | | | 370 | 370 | 370 | 370 | 370 | 370 |
| [C5] Low-Profile Radial Tires** | | | -125 | -125 | -125 | -125 | -125 | -125 |
| [C7] Type D Front Air Ride Suspension | | | 945 | 945 | 945 | 945 | 945 | 945 |
| [C6] 270 Amp L/N 4864 Alternator | | (1) 280 AMP L/N Brushless | 330 (1) | 330 (1) | 330 (1) | 330 (1) | 330 (1) | 330 (1) |
| [C8] Adjustable Pedals | | (1) 200 AIVIF L/IV DIUSIIIESS | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
| [C9] 3000-PTS Transmission | | | 4285 | 4285 | 4285 | 4285 | 4285 | 4285 |
| [C10] Air Ride Rear Suspension | | | 1021 | 1021 | 1021 | 1021 | 1021 | 1021 |
| [C12] Straight Floor | | | N/A | N/A | N/A | N/A | N/A | N/A |
| [C13] Auto Headlamp System | | | STD | STD | STD | STD | STD | STD |
| [C14] Air Disc Brakes | | (2) antion does NOT require air suspension | 1789 (2) | 1789 | 1789 | 1789 | 1789 | 1789 |
| | Y EQUIPMENT PRICES | (2) option does NOT require air suspension | 1789 (2) | 1789 | 1789 | 1789 | 1789 | 1789 |
| [B1] Pro Lo Hatch | F EQUIPMENT PRICES | | 120 | 120 | 120 | 120 | 120 | 120 |
| · · | | Approximately 2750 cubic inches of storage | 120 STD | 120 | 120 STD | 120 STD | 120 | 120 STD |
| [B3] Vandal Box w/Key | | Approximately 2750 cubic inches of storage | | STD | [STD] | [STD] | STD | |
| [B4] 76" High Headroom (minimum) [B5A] Intercom/PA | | | [STD] 395 | [STD] 395 | 395 | 395 | [STD] | [STD] |
| [B5B] PA with Radio | | | 550 | 550 | 550 | 550 | 395 550 | 395 550 |
| | | | | | | | | |
| [B5C] Stereo Radio (no PA) [B6] Locking Door at Fuel Tank | | | 465 N/C | 465 N/C | 465 N/C | 465 N/C | 465 N/C | 465 N/C |
| [B7A] CE White Integrated Child Restraint Seat | | | 620 | 620 | · | 620 | · · · · · · · · · · · · · · · · · · · | • |
| | | | | | 620 N/A | | 620 | 620 N/A |
| [B7B] IMMI Child Safety Seat | | | N/A N/A | N/A | N/A N/A | N/A N/A | N/A N/A | N/A N/A |
| [B7C] Syntech Integrated Child Restraint Seat | | | <u>'</u> | N/A | · | , | · · · · · · · · · · · · · · · · · · · | • |
| [B7D] BTI Integrated Child Restraint Seat | | | N/A | N/A 195 | N/A | N/A | N/A | N/A 105 |
| [B8] Exterior Body Light Monitor | | Chandand for NATCAD, Dries in alcohol in hose | 185 | 185 | 185 | 185 | 185 | 185 |
| [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seating capacity) *** | | Standard for MFSAB; Price included in base | 6936 629 | 4046 629 | 7514 629 | 4624 629 | 7532 629 | 4624 629 |
| [B12] Full Perf. Ceiling Panel | | | | | | | | 374 |
| [B13] Bus Lockup System [B14] Wire Pupil Crossing Arm | | | 374 N/A | 374 N/A | 374 N/A | 374 N/A | 374 N/A | 3/4 N/A |
| | | | , | · · · · · · · · · · · · · · · · · · · | · | · · · · · · · · · · · · · · · · · · · | • | - |
| [B15] Stainless Steel Mirror System (with non-corrossive brackets & fasteners) | | | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] |
| [B16] Battery Disconnect Switch Label | | | N/C | N/C | N/C | N/C | N/C | N/C |
| [B17] Red Light Emergency Door | | (2) Hooter may be limited to FOV DT!! | 14 | 14 | 14 | 14 | 14 | 14 |
| [B18] Underseat Rear Heater | | (3) Heater may be limited to 50K BTU | 555 (3) | 555 (3) | 555 (3) | 555 (3) | 555 (3) | 555 (3) |
| [B19] Tailpipe through Bumper | | | N/C | N/C | N/C | N/C | N/C | N/C |
| [B20] Powder-Coated Windows | | | 220 | 220 | 220 | 220 | 220 | 220 |
| [B21] Driver's Seat with Integrated Seat Belt | | /I:fa Duc (0.1.) | 475 | 475 | 475 | 475 | 475 | 475 |
| [B22] Delete W/C - Add Seat (Lift Bus Only) | | (Lift Bus Only) | N/A | -426 426 | N/A | -426 | N/A | -426 |
| [B23] Delete Seat - Add W/C (Lift Bus Only) | | (Lift Bus Only) | N/A | 426 | N/A | 426 | N/A | 426 |
| [B24] Wheelchair Securement Area Lighting (Lift Bus Only) | | (Lift Bus Only) | N/A | 125 per position | N/A | 125 per position | N/A | 125 per position |
| [B25] Track Seating (Lift Bus Only) | | (Lift Bus Only) | N/A | 5150 | N/A | 5275 | N/A | 5275 |
| [B26] Standard Track-seating Seat (Lift Bus Only) | | (Lift Bus Only) | N/A | 372 | N/A | 372 | N/A | 372 |
| [B27] Driver's Seat with Integrated Seat Belt | | | 475 | 475 | 475 | 475 | 475 | 475 |

| | Ontional Tire | COMMENTS/NOTES | TYPE D REAR ENGINE (RE): 72 Capacity | TYPE D REAR ENGINE (RE): 72 Capacity with Lift | TYPE D REAR ENGINE (RE): 78 Capacity | TYPE D REAR ENGINE (RE): 78 Capacity with Lift | TYPE D REAR ENGINE (RE): 84 Capacity | TYPE D REAR ENGINE (RE): 84 Capacity with Lift |
|---|---|------------------------------------|--------------------------------------|---|--------------------------------------|---|---|---|
| (OPT1) Tire | Optional Tire Goodyear, 11R22.5, LRH Endurance RSA | | 455 | 455 | 455 | 455 | 455 | 455 |
| (OPT2) Tire | | | 595 | | 595 | 595 | | |
| (OPT4) Tire | Goodyear, 255/70R22.5, LRH Endurance RSA Michelin, 255/70R22.5, LRH XZE | | 375 | 595 375 | 375 | 375 | 595 375 | 595 375 |
| | · · · · | | | | 200 | | | |
| (OPT5) Tire | Cooper, 11R22.5, LRH, RHA ONAL WHEELCHAIR LIFT #1 | | 200 | 200 | 200 | 200 | 200 | 200 |
| | Braun, NCL1000FIB | | NI/A | 205 | NI/A | 205 | N/A | 205 |
| (Opt 1) Lift | , , | | N/A | 305 | N/A | 305 | <u> </u> | 305 755 |
| (Opt 2) Lift | Ricon, RIS5510 1000 LB | | N/A | 755 | N/A | 755 | N/A | |
| (Opt 3) Lift | Ricon, RIK5510 1000 LB | | N/A | 920 | N/A | 920 | N/A | 920 |
| | DOWN/OCCUPANT RESTRAINT SYSTEM (WTORS) | 5 1 11.1 | | 60 | 21/2 | 60 | 21/2 | 60 |
| (OPT1)WTORS | Sure-Lok FF612S-4C7 | Replaces all three sets | 60 | 60 | N/A | 60 | N/A | 60 |
| (OPT2)WTORS | AMF Bruns, Silver Series, J-Hook, 3Pt Retractabe Height Adj, Pouch, L-track | Replaces all three sets | N/A | 180 | N/A | 180 | N/A | 180 |
| (OPT3)WTORS | AMF Bruns, Silver Series, J-Hook, 3Pt Retractabe Height Adj, Pouch, L-track | \$460/each extra | N/A | 460/ea | N/A | 460/ea | N/A | 460/ea |
| <u> </u> | OPTIONAL AIR-CONDITIONING | | | | | | | |
| AC-Electric1 | Valeo/Spheros REVO E Global, Ducted, Roof Mounted | Electric option only | 36250 | 36250 | 36250 | 36250 | 36250 | 36250 |
| AC-Bergstrom1 | (2) TM-21 / Side, Front & Rear BH evaps, skirt cond; 140K BTU, 126AMPS | RBH2FBH2SM1SC3SC3-2121 | 9173 | 9173 | 10234 | 10234 | 10234 | 10234 |
| AC-Trans/Arctic1 | (2)TM-21 / Dash, Side, Front & Rear BH evaps, skirt cond; 124 BTU, 140 AMPS | AC-12iw17iw133d | 11065 | 11065 | 11065 | 11065 | 11065 | 11065 |
| AC-Trans/Arctic2 | (2)TM-21 / Dash, Side, Front & Rear BH evaps, roof cond; 124 BTU, 140 AMPS | AC-12iw17iw1cr4cr4d | 12520 | 12520 | 12520 | 12520 | 12520 | 12520 |
| AC-Trans/Arctic3 | (1) 05G, 32KW BTU, Integrated 24 Volt, Rooftop system | DC-353-28D | 23285 | 23285 | 23285 | 23285 | 23285 | 23285 |
| AC-Trans/Arctic4 | (1)QP55, Integrated Rooftop system | DC-353D-55 | 19012 | 19012 | 19012 | 19012 | 19012 | 19012 |
| AC-Trans/Arctic5 | (2)QP25, 28KW, 136 AMPS Intergrated Rooftop system | DC-T340D-25 | 15975 | 15975 | 15975 | 15975 | 15975 | 15975 |
| AC-LukeMCC1 | (2)QP-21 / Dash, Front & Rear evaps, skirt cond; 135 BTU, 120 AMPS | AC-1332W1133 | 13070 | 13070 | N/A | N/A | N/A | N/A |
| AC-LukeMCC2 | (2)QP-25 / Dash, Front & Rear evaps, skirt cond; 140 BTU, 130 AMPS | AC-1432W13314 | N/A | N/A | 13747 | 13607 | 13747 | 13607 |
| AC-Trans/Air1 | (1)TM-65, 150K BTU, 125 AMPS | 77-55-SC3-SC3-Dash Tie | 14001 | 13861 | 13885 | 13745 | 13789 | 13649 |
| ADDITION | IAL AIR-CONDITIONER OPTIONS | | | | | | | |
| Bergstrom | Roof mount condensor upgrade | 78,84 Cap RE-Type D | N/A | N/A | 1275 | 1275 | 1275 | 1275 |
| Bergstrom | TM-43 Compressor upgrade Valeo | L9 Only | 1758 | 1758 | 1758 | 1758 | 1758 | 1758 |
| Bergstrom | TM-55 Compressor upgrade Valeo | B6.7 / L9 | 1858 | 1858 | 1858 | 1858 | 1858 | 1858 |
| Bergstrom | Battery Charging Solar Panel, installed | 50 watt / 80 watt | 625 (50W) / 825 (80W) | 550 | 550 | 550 | 550 | 550 |
| Bergstrom | Eaton Aero-Quip Hose / Fittings in-liue of Standard | | 315 | 315 | 315 | 315 | 315 | 315 |
| Trans/Arctic | TM55 inlieu of TM21 on Type CD RE | | 1,900 | 1,900 | 1,900 | 1,900 | 1,900 | 1,900 |
| LukeMCC | Roof mount condenser in lieu of skirt | | 3,165 | 3,165 | 3,165 | 3,165 | 3,165 | 3,165 |
| LukeMCC | Mid Side Ceiling Evaporator 5 year | | 2,140 | 2,140 | 2,140 | 2,140 | 2,140 | 3,165 |
| LukeMCC | L9 CNG install upcharge | L9 CNG Only | N/A | N/A | N/A | N/A | 1,000 | 1,000 |
| Trans/Arctic | Aero-Quip Type "E" flex click hose STD on Trans/Arctic Systems 1 & 2 | AC-Trans/Arctic Systesms 1 & 2 | STD | STD | STD | STD | STD | STD |
| | OPTIONAL ENGINES | , | | | | | | |
| Cummins, B6.7, 240/560 | | | 450 | 450 | N/A | N/A | N/A | N/A |
| Cummins, B6.7, 250/660 | | | 1615 | 1615 | N/A | N/A | N/A | N/A |
| Cummins, B6.7, 280/660 | | | N/A | N/A | 2310 | 2310 | 2310 | 2310 |
| Cummins, L9, 270/720 - Allison 3000PTS, 5SP | | | 11800 | 11800 | N/A | N/A | N/A | N/A |
| Cummins, L9, 270/720 | | | N/A | N/A | 7890 | 7890 | 7890 | 7890 |
| Cummins, L9, 300/860 | | | N/A | N/A | 8970 | 8970 | 8970 | 8970 |
| Cummins, L9, XXXX/XXXX CNG | | CNG 84P RE | N/A | N/A | N/A | N/A | 41395 | 41395 |
| TM4 Electric Motor; 315HP/2176lb-ft (6) | | Electric option only | N/A | N/A | N/A | N/A | 218761 | 218761 |
| SEATING CAPACITY FOR FRONT MOUNTED LIFT EQUIPPED BUSES | | | | | | | | |
| Standard Number of Wheelchair Spaces: | | | N/A | 3 | N/A | 3 | N/A | 3 |
| Maximum Number of Wheelchair Spaces: | | | N/A | 5 | N/A | 5 | N/A | 5 |
| Maximum Number of Passengers in Regular Seats with Standard (3) Wheelchair Spaces | | Please consult w/FTS for seat plan | N/A | 42 | N/A | 48 | N/A | 48 |

| | | COMMENTS/NOTES | TYPE D REAR ENGINE (RE): | TYPE D REAR ENGINE (RE |
|--------------------------|--|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------------------------|
| | | COMMENTS/NOTES | 72 Capacity | 72 Capacity with Lift | 78 Capacity | 78 Capacity with Lift | 84 Capacity | 84 Capacity with Lift |
| | WARRANTY OPTIONS | | | | | | | |
| Extended Engine Warranty | Cummins B6.7, 60 Months/200,000 Miles | EXC Coverage | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 |
| Extended Engine Warranty | Cummins B6.7, 60 Months/Unlimited Miles | EXC Coverage | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 |
| Extended Engine Warranty | Cummins B6.7, 120 Months/200,000 Miles | EXC Coverage | 4250 | 4250 | 4250 | 4250 | 4250 | 4250 |
| Extended Engine Warranty | Cummins B6.7, 120 Months/Unlimited Miles | EXC Coverage | 4900 | 4900 | 4900 | 4900 | 4900 | 4900 |
| Extended Engine Warranty | Cummins L9, 60 Months/Unlimited Miles | EXC Coverage | 2650 | 2650 | 2650 | 2650 | 2650 | 2650 |
| Extended Engine Warranty | Cummins L9, 120 Months/Unlimited Miles | EXC Coverage | 6050 | 6050 | 6050 | 6050 | 6050 | 6050 |
| Extended Engine Warranty | Cummins L9Gas, 60 Months/Unlimited Miles | CWF Coverage | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 |
| Extended Engine Warranty | Cummins L9Gas, 84 Months/150,000 Miles | CWB Coverage | 3950 | 3950 | 3950 | 3950 | 3950 | 3950 |
| Towing Warranty | 60 Months/Unlimited Miles | | N/A | N/A | N/A | N/A | N/A | N/A |
| Warranty Credit Option | 12 Months/12,000 Miles ONLY (* see note) | See Appendix I for Coverage Details | -2800 | -2800 | -2800 | -2800 | -2800 | -2800 |

| warranty credit Option 12 Months 12,000 N | villes Olver (See Hote) | See Appendix 1101 Coverage Details | -2800 | -2800 | -2000 | -2000 | -2800 | -2800 |
|--|---|---|------------------|----------|----------|----------|----------|----------|
| | | | | | | | | |
| * By taking this warranty credit, the purchasing district is declining the standard chassis warranty and the standard body warrar BAGGAGE COMPARTMENTS (Price is for ONE per bus) | nty and will only have warranty coverage for 12 | Months/12,000 Miles (NO EXCEPTIONS) from the updated in-service | date of the bus. | | 1 | | | |
| Single Door, 16 cubic feet | | | 700 | 700 | 700 | 700 | 700 | 700 |
| Double Door, 22.7 cubic feet | | | 1035 | 1035 | 1035 | 1035 | 1035 | 1035 |
| Double Door, 28.4 cubic feet | | | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 |
| Double Door, Pass Through, 94 cubic feet | | | 4425 | 4425 | N/A | N/A | N/A | N/A |
| Double Door, Pass Through, 122 cubic feet | | | N/A | N/A | 4600 | 4600 | 4600 | 4600 |
| Luggage compartment availability may be limited based on optional equipme | ent selections | | IN/A | IV/A | 4000 | 4000 | 4000 | 4000 |
| ADDITIONAL OPTIONS | THE SCIECTIONS. | | | | | | | |
| 325 AMP Leece Neville brushless alternator | | Leece/Neville | 470 | 470 | 470 | 470 | 470 | 470 |
| Convert ACME connector to Euro/Stuabli | | Type C BBCV | 275 | 275 | 275 | 275 | 275 | 275 |
| Exterior light, LED, boarding area, 50W | | Blue Bird | 250 | 250 | 250 | 250 | 250 | 250 |
| Exterior light, LED, boarding area, both sides 110W each light (over entrance door & driver window) | | Blue Bird | N/A | N/A | 515 | 515 | 515 | 515 |
| Heated Mirrors | | Blue Bird | 200 | 200 | 200 | 200 | 200 | 200 |
| Route Changer Sign | | Reflective Imaging | | 75 | 75 | 75 | 75 | 75 |
| 80K BTU rear wall mounted heater | | Blue Bird | 700 | 700 | 700 | 700 | 700 | 700 |
| Tag and Title processing, per unit | | FTS - Tag/Title | 225 | 225 | 225 | 225 | 225 | 225 |
| VGT Exhaust Brake (N/A with Ford Engine) | | Cummins Only | 72 | 72 | 72 | 72 | 72 | 72 |
| Two-way radio installed, district provided | | FTS -2Way | 150 | 150 | 150 | 150 | 150 | 150 |
| Open View mirror system | | Blue Bird | 236 | 236 | 236 | 236 | 236 | 236 |
| Rosco Back-up camera and mirror | | Rosco | 454 | 454 | 454 | 454 | 454 | 454 |
| CNG dual fill front for CNG with Blue Bird Vision | | Blue Bird CNG only | N/A | N/A | N/A | N/A | 1155 | 1155 |
| CNG dual fill rear for CNG with Blue Bird Vision | | Blue Bird CNG only | N/A | N/A | N/A | N/A | 1335 | 1335 |
| Stainless Steel exhaust | | Blue Bird | 365 | 365 | 365 | 365 | 365 | 365 |
| Bus Numbers on roof | | FTS-#'s | 125 | 125 | 125 | 125 | 125 | 125 |
| ES Compleat OAT Coolant Factory Fill (N/A with Ford engine) | | Cummins Only | 125 | 125 | 125 | 125 | 125 | 125 |
| ADA Handrail in stepwell (specify front, rear or both) | | Blue Bird | 129 each | 129 each | 129 each | 129 each | 129 each | 129 each |
| Air tank drain valve (specify electric or manual-same cost) | | Blue Bird | 295 | 295 | 295 | 295 | 295 | 295 |
| Bostrom Routemaster Air Suspension Driver's Seat | | Bostrom | 325 | 325 | 325 | 325 | 325 | 325 |
| Driver's 6" auxiliary cooling fan | | Blue Bird | N/C | N/C | N/C | N/C | N/C | N/C |
| Stainless Steel battery tray | | Blue Bird | 145 | 145 | 145 | 145 | 145 | 145 |
| Glove box and LH console storage | | BLue Bird | 104 | 104 | 104 | 104 | 104 | 104 |
| Cup Holder | | Blue Bird | 45 | 45 | 45 | 45 | 45 | 45 |
| Extra ignition keys (2 per bus provided, keyed alike) | | FTS -Keys | 5/each | 5/each | 5/each | 5/each | 5/each | 5/each |
| Level 2 AC Charging Station, 19.2 kW charge rate | | Nuvee Corporation | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 |
| PowerPort Mount Pedestal | | Nuvee Corporation | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 |
| V2G Integration, electric bus | | Blue Bird | 6500 | 6500 | 6500 | 6500 | 6500 | 6500 |
| DC Fast Charging Station, 60kW | | Nuvee Corporation | 65000 | 65000 | 65000 | 65000 | 65000 | 65000 |
| Contract Labor Service Charge | | FTS -LaborSVC | 105/hr | 105/hr | 105/hr | 105/hr | 105/hr | 105/hr |
| CE White Portable Child Restraint (call for volume purchase discounts) | | CEW-PCR 900-474 | 125/ea | 125/ea | 125/ea | 125/ea | 125/ea | 125/ea |
| Bergstrom, warranty credit for base 3 YR warranty in lieu of 5 years | | 3 Years / Unlimited Miles | -1,383 | -1,383 | -1,383 | -1,383 | -1,383 | -1,383 |
| Trans/Arctic, warranty credit for base 3 YR warranty in lieu of 5 years | | 3 Years / Unlimited Miles | -1,235 | -1,235 | -1,235 | -1,235 | -1,235 | -1,235 |
| LukeMCC, warranty credit for base 3 YR warranty in lieu of 5 years | | 3 Years / Unlimited Miles | -290 | -290 | -350 | -350 | -350 | -350 |
| Grey rubber flooring | | Blue Bird | N/A | N/A | N/C | N/C | N/C | N/C |
| Two piece curved windshield | | Blue Bird | N/A | N/A | 110 | 110 | 110 | 110 |
| Grey painted wheels, 8.25x22.5 5 HH | | MFSAB | N/A | N/A | 50 | 50 | 50 | 50 |
| | | | | | | | | |

| Aluminum wheels, 8.25x22.5 DSC Hub Piloted w/o -hub covers, lugnut covers, valve extensions | MFSAB | N/A | N/A | 1,450 | 1,450 | 1,450 | 1,450 |
|---|---------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Covers, wheels, polished stainless steel | MFSAB | N/A | N/A | 425 | 425 | 425 | 425 |
| Emergency Evacuation Blanket, Tie-Tech Evac-Aide | Blue Bird | 160 | 160 | 160 | 160 | 160 | 160 |
| | CORARACNITO (NIOTEC | TYPE D REAR ENGINE (RE): |
| | COMMENTS/NOTES | 72 Capacity | 72 Capacity with Lift | 78 Capacity | 78 Capacity with Lift | 84 Capacity | 84 Capacity with Lift |
| HSM 3pt Seat belt seat, Track Mounted, 30" | HSM | 550 | 550 | 550 | 550 | 550 | 550 |
| HSM 3pt Seat belt seat, Track Mounted, 39" | HSM | 650 | 650 | 650 | 650 | 650 | 650 |
| HSM 3pt Seat belt seat with child restraint, 39" | HSM | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 |
| HSM 3pt Seat belt seat with child restraint, Track Mounted, 39" | HSM | 880 | 880 | 880 | 880 | 880 | 880 |
| HSM child restraint seat with lap belts, 30" | HSM | 605 | 605 | 605 | 605 | 605 | 605 |
| HSM child restraint seat with lap belts, Track Mounted, 30" | HSM | 640 | 640 | 640 | 640 | 640 | 640 |
| HSM child restraint seat with lap belts. Track Mounted, 39" | HSM | 800 | 800 | 800 | 800 | 800 | 800 |
| Arm rest, National Driver's Seat, LH | HSM | 33 | 33 | 33 | 33 | 33 | 33 |
| Arm rest, National Driver's Seat, RH | National | 33 | 33 | 33 | 33 | 33 | 33 |
| Freedman Family Seat, 35" | National | 460 | 460 | 460 | 460 | 460 | 460 |
| Freedman Family Seat, 35" Davenport | Freedman | 465 | 465 | 465 | 465 | 465 | 465 |
| Freedman Family Seat, 3pt seat belt seat, 35" | Freedman | 685 | 685 | 685 | 685 | 685 | 685 |
| HSM LATCH positions (\$45/one, \$82/two) | HSM | 45/82 | 45/82 | 45/82 | 45/82 | 45/82 | 45/82 |
| Retractable seat belts in lieu of lap belts, per bus | HSM | 60 | 60 | 75 | 75 | 90 | 90 |
| Please consult with FTS for seat plans | | | | | | | |

APPENDIX I

VENDOR: Florida Transportation Systems, Inc.

| Blue Bird / Florida Transportation Systems | |
|--|----------------------------------|
| BIDDERS NOTES | |
| Bidder's notes from pricing pages: | |
| (1) Blue Bird will provide a Leece/Neville 280 AMP Brushless alterantor | |
| (2) For Blue Bird straight floor buses, the option price listed INCLUDES the option of air ride rear suspension and low profile tires. | |
| (3) Blue Bird's option for air disc brakes does NOT require the additional cost for an air ride rear suspension. They can be used independently. | |
| (4) In some cases, a rear underseat heater may be limited to 50K BTU due to seat size. Rear wall mounted heater is available in the additional options section. | |
| (5) Type C buses with gas, LPG or CNG Roush engines will be combined with the Ford 6R140 transmssion. These engines and tramissions are covered by a 5 Year, Unlimit | ted Mileage warranty. |
| (6) Type A, C and D electric buses are not compatible with underseat heaters and non-electric air conditoning systems. Specific options for these electric powertrains are | e listed in the |
| additonal options sections. | |
| | |
| | |
| Warranty Credit Option: Please note that warranty credit option still offers the following base coverages at no charge for Type C&D: | |
| (3) Reduced warranty still provides 7 YR Unlimited Mileage Transmission Warranty (2500PTS), 5 YR/100,000 Mile Cummins warranty, 5 YR paint warranty (adhesion), | |
| 5 YR/100,000 Mile chassis frame, body shell, school bus seat/barrier frame defects in structural integrity, 4 YR/50,000 Miles coverage on front and rear axle assemblies | |
| 2 YR coverage on school bus passenger and driver windows, 2 YR coverage on paint gloss and color retention, 2 YR/24,000 Mile coverage on suspension and driveshaft | 1 |
| All other items not listed subject to 12 Months / 12,000 Mile coverage. Ford Gas/LPG/CNG Engines/Transmission provide 5 YR Unlimited Mileage warranty as STD. | |
| | |
| | |
| Yellows MSI Software by Yellows Tech, Digital Monthly School Inspections | 1-100 buses, \$5 month/per bus |
| DOE compliant, digital MSI (Monthly Safety Inspections) using mobile app and Web. | 101-200 buses, \$4 month/per bus |
| Inspectors easily perform, manage and print MSI paper Form-IF 2017. | 201-300 buses, \$3 month/per bus |
| Includes unlimited calendar, repair assignments, digitized Form IF 2017, mobile inspection app, search and print capabilities. | 301-500 buses, \$2 month/per bus |
| | 501 + buses, \$1 month/per bus |
| | |

DELIVERY PRICES

| VENDOR: | Florida Transportati | on Systems, Inc | <u>.</u> | | |
|------------|----------------------|-----------------|----------------------|--------------------|----------------|
| DELIVERY | UPCHARGE | FOR | PROPANE | PLEASE ADD | \$0 |
| DELIVERY | UPCHARGE | FOR | CNG | PLEASE ADD | \$750 |
| DELIVERY | UPCHARGE | FOR | ELECTRIC C/D | PLEASE ADD | \$2,800 |
| DELIVERY | UPCHARGE | FOR | ELECTRIC Type | PLEASE ADD | \$1,100 |
| DELIVERY | UPCHARGE | FOR | MFSAB | PLEASE ADD | \$0 |
| DELIVERY | UPCHARGE | FOR | | PLEASE ADD | \$ |
| | | 3000 Girardin, | 402 Blue Bird Blvd., | | Same As School |
| FRO | M: ADDRESS | Drummondville | Ft. Valley, GA | Blvd., Ft. Valley, | Bus A, C and D |
| | | J2E 0A1 | 31030 | GA 31030 | Delivery |
| E | BUS TYPE | Α | C | D | MFSAB? |
| | 1 | DELIVERY \$ | DELIVERY \$ | DELIVERY \$ | DELIVERY \$ |
| REGION 1 | COUNTY SEAT | <u>\$2,850</u> | <u>\$1,150</u> | <u>\$1,150</u> | N/A |
| Bay | Panama City | | | | |
| Calhoun | Blountstown | | | | |
| Escambia | Pensacola | | | | |
| Franklin | Apalachicola | | | | |
| Gulf | Port St. Joe | | | | |
| Holmes | Bonifay | | | | |
| Jackson | Marianna | | | | |
| Liberty | Bristol | | | | |
| Okaloosa | Crestview | | | | |
| Santa Rosa | Milton | | | | |
| Walton | Defuniak Springs | | | | |
| Washington | Chipley | | | | |
| REGION 2 | COUNTY SEAT | <u>\$2,400</u> | <u>\$1,000</u> | <u>\$1,000</u> | N/A |
| Alachua | Gainesville | | | | |
| Baker | Macclenny | | | | |
| Bradford | Starke | | | | |
| Clay | Green Cove Springs | | | | |
| Columbia | Lake City | | | | |
| Dixie | Cross City | | | | |
| Duval | Jacksonville | | | | |
| Gadsden | Quincy | | | | |
| Gilchrist | Trenton | | | | |
| Hamilton | Jasper | | | | |
| Jefferson | Monticello | | | | |
| Lafayette | Mayo | | | | |
| Leon | Tallahassee | | | | |
| Levy | Bronson | | | | |
| Madison | Madison | | | | |
| Nassau | Fernandina Beach | | | | |
| Suwannee | Live Oak | | | | |
| Taylor | Perry | | | | |
| Union | Lake Butler | | | | |
| Wakulla | Crawfordville | | | | |

DELIVERY PRICES

| REGION 3 | COUNTY SEAT | \$2,300 | \$900 | \$900 | N/A |
|--------------|--------------------|---------|---------|---------|-----|
| Citrus | Inverness | | | | |
| Flagler | Bunnell | | | | |
| Hernando | Brooksville | | | | |
| Hillsborough | Tampa | | | | |
| Lake | Tavares | | | | |
| Marion | Ocala | | | | |
| Orange | Orlando | | | | |
| Pasco | New Port Richey | | | | |
| Pinellas | Clearwater | | | | |
| Putnam | Palatka | | | | |
| St. Johns | St. Augustine | | | | |
| Seminole | Sanford | | | | |
| Sumter | Bushnell | | | | |
| Volusia | DeLand | | | | |
| REGION 4 | COUNTY SEAT | \$2,350 | \$900 | \$900 | N/A |
| Brevard | Cocoa | | | | |
| Charlotte | Punta Gorda | | | | |
| DeSoto | Arcadia | | | | |
| Glades | Moore Haven | | | | |
| Hardee | Wauchula | | | | |
| Hendry | LaBelle | | | | |
| Highlands | Sebring | | | | |
| Indian River | Vero Beach | | | | |
| Lee | Fort Myers | | | | |
| Manatee | Bradenton | | | | |
| Martin | Stuart | | | | |
| Okeechobee | Okeechobee | | | | |
| Osceola | Kissimmee | | | | |
| Polk | Bartow | | | | |
| St. Lucie | Fort Pierce | | | | |
| Sarasota | Sarasota | | | | |
| REGION 5 | COUNTY SEAT | \$2,563 | \$1,040 | \$1,040 | N/A |
| Broward | Ft. Lauderdale | | | | |
| Collier | Naples | | | | |
| Miami-Dade | Miami | | | | |
| Monroe | Key West | | | | |
| Palm Beach | W. Palm Beach | | | | |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| | Blue Bird / Florida Transportation Systems | | |
|--------------------|---|-------|------------|
| MANUF, MODEL | DESCRIPTION | Notes | Price |
| | ALL CAMERA SYSTEMS WILL REQUIRE ONE OF THE FOLLOWING INSTALLATION OPTIONS | | |
| FTS INSTALL 1 | CAMERA INSTALL OF 4 CAMERAS OR LESS (REGARDLESS OF CAMERA VENDOR) | | \$350.00 |
| FTS INSTALL 2 | CAMERA INSTALLATION OF 5 CAMERAS OR MORE (REGARDLESS OF CAMERA SYSTEM VENDOR) | | \$500.00 |
| REI CAMERA SYSTEMS | | | |
| HD5-600-2-1TB | 6 CH HD5 DVR, 1 TB Drive, 2 Cam, Passive GPS, Signals & Panic Button, Cable kit, VMS software | | \$1,850.00 |
| HD5-600W-2-1TB | 6 CH DVR w/ WiFi, 1 TB Drive, 2 Cam, Passive GPS, Signals & Panic Button, Cable kit, VMS software | | \$2,050.00 |
| HD5-600WC-2-1TB | 6 CH DVR w/ Cellular & WiFi, 1 TB Drive, 2 Cam, Cable kit, VMS software (Requires 210168) | | \$2,350.00 |
| HD51200W-5-1TB | 12 CH DVR w/ WiFi, 1 TB Drive, 5 Cam, Passive GPS, Signals & Panic Button, Cable kit, VMS software | | \$2,750.00 |
| HD5-1200WC-5-1TB | 12 CH DVR w/ Cellular & WiFi, 1 TB Drive, 5 Cam, Passive GPS, Signals & Panic Button, Cable kit, VMS software | | \$3,150.00 |
| REI-CAM | Add additional AHD Cameras Mini box, Wedge, Dome, windshield (1.7mm, 2.4mm, 2.8mm, 4.0mm, 6.0mm, 8.0mm) | | \$250.00 |
| REI-IPCAM | Add IP Cameras to HD5 DVR System (ea) | | \$400.00 |
| STOPCAMKIT | Stop Arm Camera Kit | | \$300.00 |
| REI-2 TB HD | Upgrade to 2TB Hard Drive | | \$350.00 |
| 210168 | WiFi / Cellular / GPS Combo Antenna | | \$325.00 |
| 710610 | WiFi Dongle - HD5 DVR | | \$60.00 |
| 750364 | End Cap Kit Front of HD5 DVR | | \$40.00 |
| 750363 | End Cap Kit Rear of HD5 DVR | | \$30.00 |
| 710673 | Lock Box for HD5 DVR | | \$100.00 |
| | REI SD-300 DVR SYSTEM | | |
| SD300-2-64 | 3 CH DVR, SD-300 w/WiFi, 128GB SD, 2 Cam, Cable Kit, VMS Software | | \$1,050.00 |
| 710753 | Add 3rd Camera to SD-300 System - IP Eyeball Turret camera 2.8mm | | \$300.00 |
| 256SD-UPGRADE | Upgrade to 256GB SD Card | | \$225.00 |
| 512SD-UPGRADE | Upgrade to 512GB SD Card | | \$325.00 |
| | INDIVIDUAL COMPONENT PRICING: | | |
| 710639 | 1 TB Hard Drive for HD5 DVR | | \$425.00 |
| 690695 | 64 GB SD Card | | \$100.00 |
| 690820 | 128 GB SD Card | | \$150.00 |
| 690821 | 256 GB SD Card | | \$300.00 |
| 710607 | HD5-600 DVR (6 Channel) | | \$1,050.00 |
| 710608 | HD5-600W DVR (6 Channel with WiFi/GPS) | | \$1,250.00 |
| 710609 | HD5-1200W (12 Channel with WiFi/GPS) | | \$1,800.00 |
| SV-360HD SYS 4 | SV-360HD SYS W/7" Monitor (Includes Installation) | | \$2,500.00 |

VENDOR: Florida Transportation Systems, Inc.

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| SEON CAMERA SYSTEMS | | |
|--|---|------------|
| Trooper TH4 | | |
| TH4H1T0 | Trooper TH4 DVR 4 HD channels, audio, security front cover with lock set, mounting bracket, power harness, 1TB HD | \$975.00 |
| TH4 SD Card Based - Basic DVR's | | |
| TH4C256 | TH4C DVR 4 HD channels, audio, mounting bracket, power harness, 256GB Card. | \$875.00 |
| Trooper TH6 | | |
| TH6H1T0 | Trooper TH DVR 6 HD channels, audio, security front cover with lock set, mounting bracket, power harness, 1TB HD | \$1,375.00 |
| Trooper TH8 | | |
| TH8H2T0 | TH8 DVR, 8 HD Channels, 2 IP Channels, Audio, Security Front Cover, Mounting Bracket, Power Harness, 2TB Single HDD | \$1,800.00 |
| TH8H4T0-2HDD | TH8 DVR, 8 HD Channels, 2 IP Channels, Audio, Security Front Cover Mounting Bracket, Power Harness, 4TB Dual HDD | \$2,050.00 |
| Video Expansion Option for TH8 DVR | | |
| TH4C0 | TH4C0 DVR 4 HD channels, audio, mounting bracket, power harness, 1.5' CAT 5 Patch Cable | \$700.00 |
| SD Card Video Back Up for TH /series DVR's | | |
| SDCARD128 | SD Card, 128GB, for backup video storage | \$150.00 |
| SDCARD256 | SD Card, 256GB, for backup video storage | \$300.00 |
| SDCARD512 | SD Card, 512GB, for backup video storage | \$650.00 |
| Trooper TH4 - Solid State | | |
| TH4S500 | Trooper TH4 DVR 4 HD channels, audio, security front cover with lock set, mounting bracket, power harness, 500GB SSD | \$1,385.00 |
| Trooper TH6 - Solid State | | |
| TH6S500 | Trooper TH DVR 6 HD channels, audio, security front cover with lock set, mounting bracket, power harness, 500GB SSD | \$1,575.00 |
| Hard Drive Upgrade | | |
| DVRUPGRDPLT | Upgrade to Larger Available Hard Drive for TH4 & TH6 DVR | \$350.00 |
| Trooper TH8 - Solid State | | |
| TH8S2T0 | TH8 DVR, 8 HD Channels, Audio, Security Front Cover with Lock Set, Mounting Bracket, Power Harness, 2TB Single SSD | \$2,725.00 |
| TH8S4T0-2SSD | TH8 DVR, 8 HD Channels, Audio, Security Front Cover with Lock Set, Mounting Bracket, Power Harness, 4TB Dual SSD | \$3,865.00 |
| Explorer NH16 | | |
| NH16H2T0 | NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, Power Harness 2TB Single HDD | \$4,100.00 |
| NH16H4T0-2HDD | NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, Power Harness 4TB (2X2TB) Dual HDD | \$4,280.00 |
| Explorer NH16 - Solid State | | |
| NH16S2T0 | NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, Security Front Cover with Lock Set, Mounting | |
| | Bracket, Power Harness, 2TB Single SSD | \$5,020.00 |
| NH16S4T0-2SSD | NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, Security Front Cover with Lock Set, Mounting | 70/0-000 |
| | Bracket, Power Harness, 4TB (2X2TB) Dual SSD | \$6,150.00 |
| | | |
| DVR Wiring Bundles | | |
| WT1D20S20G4 | Trooper TH & NH16 wiring bundle, diagnostic indicator/alarm button cable, five signal input, Passive GPS mount | \$185.00 |

VENDOR: Florida Transportation Systems, Inc.

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| HD1QxxAI50 | HD Camera, Dome, internal, audio, IR TDN 50' Harness to use with TH-Series DVRs - 2.6mm or 3.6mm | \$30 | 00.00 | | | |
|-------------------------------------|--|-------|-------|--|--|--|
| Camera AHD 720P Exterior Wedge TH | Series DVR's | | | | | |
| HD1WxxEI50 | \$40 | 00.00 | | | | |
| Camera AHD 720P Stop Arm Exterior \ | Camera AHD 720P Stop Arm Exterior Wedge TH Series DVR's | | | | | |
| HD1S16EI50 | \$42 | 25.00 | | | | |
| | | | | | | |

VENDOR: Florida Transportation Systems, Inc.

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| SEON CAMERA SYSTEMS (CONT.) | | |
|--|--|------------|
| Camera AHD 1080P Ultra-Wide - Interior for TH6 8 | TH8 DVR's Only | |
| HD3U01AN50 | HD Camera, Ultra Wide, 1.72mm, internal, audio, IR, TDN, 50' harness — to use with TH6 or TH8 DVR | \$400.00 |
| Camera AHD 1080P Interior TH6/TH8 | | |
| HD3QxxA50 | HD Camera, Dome, internal, audio, IR TDN, 50' harness — to use with TH6 DVR - 2.8mm or 3.6mm | \$400.00 |
| Camera AHD 1080P Exterior TH6/TH8 | | |
| HD3WxxEI50 | HD Camera, Wedge, external, IR TDN, 50' harness, to use with TH6 and TH8 DVRs - 2.8mm, 3.6mm, 16mm or 25mm | \$450.00 |
| Camera AHD 1080P Stop Arm TH6/TH8 | | |
| HD3SxxEI50 | HD Camera, Wedge,Stop Arm,external,IR TDN, 50' harness,to use with TH6 & TH8 DVRs - 16mm or 25mm | \$450.00 |
| Camera CA Analog Wedge Exterior | | |
| CA10xxEI50 | Day/Night 700 TVL camera, exterior (w infrared, no audio), 50 ft. harness - 2.9mm, 3.6mm, 16mm or 25mm | \$450.00 |
| Camera IP - C3Q Interior Dome - Progressive Scan | | |
| C3Q9PDxxA50 | IP Camera, PoE, dome, white, 3MP progressive scan, interior, IR Day/Night, audio, 50 ft. harness - to use with TH8 or NH16 - 2.8mm | \$475.00 |
| TH8POEKIT48 | ASSY, POE KIT, 48V - (One Required Per C3 Camera (Max x2/TH8 DVR) | \$175.00 |
| Camera IP - C3W Exterior Wedge - Progressive Sca | n e e e e e e e e e e e e e e e e e e e | |
| C3W9PDxxA50 | IP Camera, PoE, wedge, 3MP progressive scan, exterior, IR Day/Night, audio, 20 ft. harness - to use with TH8 or NH16 - 2.8mm or | \$600.00 |
| TH8POEKIT48 | ASSY, POE KIT, 48V - (One Required Per C3 Camera (Max x2/TH8 DVR) | \$175.00 |
| Camera CJ Analog Dome Interior - NO IR | | |
| CJ9xxA50 | Dome Day/Night 600TVL camera, audio, 50 ft. harness (no infrared) - 2.9mm or 3.6mm | \$300.00 |
| CJ902A50 | Dome Day/Night 600TVL camera, audio, 50 ft. harness - 2.5mm | \$300.00 |
| Camera CQ Analog Dome Interior - INFRARED | | |
| CQ9xxA50 | Integrated IR Dome Day/Night 600TVL, audio, 50 ft. harness - 2.9mm or 3.6mm | \$300.00 |
| CQ902A20 | Integrated IR Dome Day/Night 600TVL camera, audio, 2.5mm lens, 20 ft. harness - 2.5mm | \$300.00 |
| CQ902A50 | Integrated IR Dome Day/Night 600TVL camera, audio, 2.5mm lens, 50 ft. harness - 2.5mm | \$300.00 |
| Rear Vision Camera & Monitor Options | | |
| RVC400E75 | RVC400 Camera with 75 ft. Weatherproof Harness | \$300.00 |
| RVM2-SP | Rear Vision 7 Inch LCD Monitor, cables, and video splitter, for use with all DVR's, no delay due to DVR/NVR boot up | \$325.00 |
| Camera InView 360 Exterior System | | |
| SAV-INV360 | inView 360 Monitoring System (includes 1 front, 1 rear and 2 side cameras, 4 camera housings, 1 electronic control unit, Installation, | |
| | monitor and associated cabling) | \$3,000.00 |
| | | |
| Predictive Stop Arm Radar | | |
| PSA2S | Predictive Stop Arm, 2 Radars, 2 Horns, Installation & Cables | \$3,000.00 |
| MANULTING CDC O Valida A 11 11 | | |
| vMax Live GPS & Vehicle Activation VLP-LMUV1Y1 | vMax Live+, LMU, PWR Harness, Signal Cable, GPS, Antenna, Activation Fee, Verizon Data, Health Check | 4.55.5- |
| VLP-LMUV1 | vMax Live+, LMU, PWR Harness, Signal Cable, GPS, Antenna, Activation Fee, No Data, Health Check | \$600.00 |
| VLY-LIVIUVI | viviax Live+, Livio, PWK namess, Signal Cable, GPS, America, Activation Fee, No Data, Health Check | \$600.00 |

VENDOR: Florida Transportation Systems, Inc.

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| vMax Live Stream Video Hardware & Vehicle Activation | | | | | | |
|--|---|--|------------|--|--|--|
| SRC-MP70LTE-AWF | SmartReach Cellular Router Kit, MP70 w WiFi & 4G LTE Advanced (HSPA+ fallback), Wiring, Antenna, No SIM, No DATA | | \$1,750.00 | | | |
| LVST-ACT | Live Video Streaming One Time Activation, per vehicle, no data (includes service up to 1 year - until anniversary date) | | \$45.00 | | | |
| | | | | | | |

VENDOR: Florida Transportation Systems, Inc.

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| SEON CAMERA SYSTEMS (CONT.) | | | |
|---|---|-------|---|
| | Activation (Must be integrated with Seon MDT or Seon LMU Live GPS Hardware) | | |
| VML-MDT-STR1UY1 | vMax Trac for Student Tracking with 1 year of service, operates with MDT or LMU Live GPS | | \$300.00 |
| vMax Navigator Live GPS Tablet - MDT & Vehi | | | |
| VNAV-MDT | "Navigator Mobile Data Terminal (MDT), including: Android OS, vMax Navigator application software, GPS input, USB port, Cellular modem" | | \$1,050.00 |
| VNAV-INSTKT | "Navigator installation kit, Mounting pedestal, Power & communication cable, GPS /Cellular antenna, GPS adapter cable, GPS extension cable, In-line fuse connectors for +ve & ignition, Allen key and pedestal mounting screws, Stop Arm cable" | | \$200.00 |
| VNAV-ACT | Activation of cellular modem (per MDT cellular modem) | | \$100.00 |
| Commander 5.0 Bridges & Vehicle Activation | | | |
| VMC5V | vMax Commander 5.0: Vehicle One Time Activation (per vehicle) | | \$275.00 |
| SRLN07NP | SmartReach Lite,2.4/5GHz,ANT,No POE,-N - For TH DVR's | | \$625.00 |
| SRLAC07NP | SmartReach Lite,2.4/5GHz,ANT,No POE,-N - For TH DVR's | | \$625.00 |
| CAM-WINDMOUNT | CA/CHW/HD1W/HD3W mounting post | | \$75.00 |
| MANUF, MODEL | DESCRIPTION | Notes | Price |
| SAFETY VISION CAMERA SYSTEMS | | | |
| FL-SV-4000-512GB-1Cam | Observer 4000-5 Channel HVR (4AHD, 1IP) 512GB SD Card (2 x 256GB), 1-Cam 720p, Signal Harness, Passive GPS, Panic Button | | \$1,550.00 |
| FL-SV-4112-2TB-4CAM | Observer 4112-12 Channel HVR (8HD, 4IP) 2TB HD, 4-Cam 1080p, Signal Harness, Passive GPS, Panic Button | | \$2,500.00 |
| FL-SV-CAM-720P | ADDITIONAL 720P CAMERA | | \$300.00 |
| FL-SV-CAM-1080P | ADDITIONAL 1080P CAMERA | | \$300.00 |
| FL-SV-CAM-IP | ADDITIONAL IP CAMERA | | \$425.00 |
| MANUF, MODEL | DESCRIPTION | Notes | Price |
| ANGELTRAX CAMERA SYSTEMS | | | |
| AT-VULCAN5 | Vulcan 5 DVR SYSTEM, 1 TB HARD DRIVE, POWER HARNESS, PASSIVE GPS, SIGNALS & DRIVER ALERT | | \$1,250.00 |
| AT-VULCAN12 | Vulcan 12 DVR SYSTEM, 1 TB HARD DRIVE, POWER HARNESS, PASSIVE GPS, SIGNALS & DRIVER ALERT | | \$1,350.00 |
| AT-CAM | ADDITIONAL INTERIOR CAMERA | | \$350.00 |
| AT-IPCAM | ADDITIONAL IP CAMERA | | \$450.00 |
| AT-CP4 MONITOR | CP4 TOUCH SCREEN MONITOR | | \$275.00 |
| AT-HARD DRIVE UPGRADE | UPGRADE TO 2TB HARD DRIVE | | \$350.00 |
| AT-HARD DRIVE UPGRADE SOLID STATE | UPGRADE TO 1TB HARD DRIVE SOLID STATE | | \$400.00 |
| AT-SDCARD128 | SD Card, 128GB, for backup video storage | | \$150.00 |
| AT-SDCARD256 | SD Card, 256GB, for backup video storage | | \$325.00 |
| AT-SDCARD512 | SD Card, 512GB, for backup video storage | | \$700.00 |
| | | | |

VENDOR: Florida Transportation Systems, Inc.

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| GATEKEEPER CAMERA SYSTEMS | | |
|-----------------------------------|--|------------|
| Gatekeeper, Y35 V2-1HD, 256GB | Y35 V2 with 1 hi-def camera, driver alert, 256GB SD card, Includes Driver Panic Button, & Signal Harness | \$1,400.00 |
| Gatekeeper, Y35 HD-1HD | Y35 with 1 hi-def camera, driver alert, 1 TB hard drive, Includes Driver Panic Button, & Signal Harness | \$1,250.00 |
| Gatekeeper, Y58-1HD | Y58 with 1 hi-def camera, driver alert, 1TB hard drive, Includes Driver Panic Button, & Signal Harness | \$1,550.00 |
| Gatekeeper, 508HD4a-1HD | 508HD4a with 1 hi-def camera, driver alert,1 TB hard drive, Includes Driver Panic Button, & Signal Harness | \$1,950.00 |
| Gatekeeper, Y16-1 HD | Y16 with 1 hi-def camera, driver alert, 1 TB hard drive, Includes Driver Panic Button, & Signal Harness | \$2,725.00 |
| Gatekeeper, Y62 1 Cam Kit | Y62 DVR with 1 hi def camera and GPS | \$650.00 |
| Gatekeeper, Y62 1 Cam Kit & Cell | Y62 DVR with 1 hi def camera, GPS and Cell | \$875.00 |
| Gatekeeper, INTERIOR Camera | HD INTERIOR CAMERA | \$300.00 |
| Gatekeeper, INTERIOR IP camera | HD IP CAMERA | \$425.00 |
| Gatekeeper, G4-GPS | GPS Puck antenna | \$150.00 |
| Gatekeeper, Foot switch | Foot switch | \$100.00 |
| Gatekeeper, Rear Cable Cover | Rear Cable Covers | \$20.00 |
| Gatekeeper, SP15 IP Camera | SP15 IP Stop arm camera with cable | \$525.00 |
| Gatekeeper, SP25 IP Camera Kit | 2 SP15 stop arm cameras with cables | \$975.00 |
| Gatekeeper, 4K Camera | 4 K Camera | \$525.00 |
| Gatekeeper, DVRIMORM-701S-4 | Rear View Monitor | \$325.00 |
| Gatekeeper, DVRIMORM-901Q | Rear View Monitor | \$425.00 |
| Gatekeeper, G4-SD64GB | 64GB SD card | \$120.21 |
| Gatekeeper, G4-SD128GB | 128GB SD card | \$192.33 |
| Gatekeeper, G4-SD256GB | 256GB SD card | \$384.67 |
| Gatekeeper, G4-Upgrade 2TB | G4-Upgrade to 2TB | \$350.00 |
| Gatekeeper, G4-Upgrade 4TB | G4-Upgrade to 4TB | \$600.00 |
| Gatekeeper, G4-Upgrade to 1TB SSD | G4-Upgrade to 1TB SSD | \$400.00 |
| Gatekeeper, 1 TB Drive | Spare hard drive | \$425.00 |
| Gatekeeper, 2 TB Drive | Spare hard drive | \$525.00 |
| Gatekeeper, BSD System | Blind Spot detection system | \$2,250.00 |
| Gatekeeper, Adv BSD | Advanced blind spot detection add on | \$1,000.00 |
| Gatekeeper, 360 INT CAM | Interior 360° camera | \$1,101.06 |
| Gatekeeper, 360 EXT CAM | 360° Exterior camera | \$1,750.00 |
| Gatekeeper, Mobile monitor | Monitor for 360° camera system | \$425.00 |
| Gatekeeper, 360° Mirror | 360° Mirror Monitor & Calibration Kit | \$2,000.00 |
| Gatekeeper, ADKIT Plus | ADKIT kit with ADAS and DSM | \$1,050.00 |
| Gatekeeper, ADKIT Basic | ADKIT kit with DSM | \$1,000.00 |
| Gatekeeper, Al Box | Artificial Intelligence Box | \$1,350.00 |
| Gatekeeper, XPAD | Xpad | \$1,450.00 |
| Gatekeeper, XPAD kit | Xpad cables and mount | \$425.00 |
| Gatekeeper SV System | Side view system | \$1,000.00 |
| Gatekeeper, LCD TV | LCD monitor | \$275.00 |
| Gatekeeper, ICD Monitor | Interactive control display | \$350.00 |
| Gatekeeper, G4-Connect-WiFiDongle | WIFI Dongle | \$115.00 |
| Gatekeeper Tablet | Android Tablet | \$525.00 |
| Gatekeeper, WINDSHIELD MOUNT | Windshield Drop mount | \$90.00 |
| Gatekeeper, Wedge | Camera mounting wedge | \$65.00 |
| Gatekeeper, WIFI Antenna | Dual Band WIFI Antenna and NMO with cable | \$175.00 |
| Gatekeeper, External WIFI | Vehicle WIFI Kit | \$475.00 |

| TB 2020-16 PRICING SHEETS /ENDOR: <u>Florida Transportation Systems, Inc.</u> | VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS | |
|--|---|---|
| | | |
| | | 1 |

VENDOR: Florida Transportation Systems, Inc.

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | Notes | Price |
|------------------------------|---|-------|----------------------|
| PRO VISION CAMERA SYSTEMS | | | |
| DVR-808M-64 | Pro-Vision 16 channel, 1080P High Definition Solid State DVR, (1) Wide Angle 1080P HD Mini Dome Camera, GPS | | \$1,100.00 |
| DVR-808S-4G-64 | Pro-Vision 16 channel, 1080P HD Solid State DVR, 4G Ready (1) Wide Angle 1080P HD Camera, GPS | | \$1,250.00 |
| DVR-808M-4G-256 | Pro-Vision 16 channel, 1080P HD Solid State DVR, 4G Ready (1) Wide Angle 1080P HD Camera, GPS, 256gb | | \$1,850.00 |
| DVR-808SA | Pro-Vision Stop Arm Camera Package. 1080P HD DVR, Dual Stop-Arm Camera, Wireless File Transfer | | \$1,550.00 |
| DR-200-64 | Pro-Vision 3 channel, 1080P High Definition Solid State DVR, Passive GPS | | \$650.00 |
| DR-200-4G-64 | Pro-Vision 3 channel, 1080P High Definition Solid State DVR, Passive GPS, 4G Ready | | \$950.00 |
| DVR-810 | Pro-Vision 1080P High Definition Dome Camera | | \$350.00 |
| DVR-813 | Pro-Vision 1080P High Definition Dash Camera | | \$350.00 |
| DVR-814 | Pro-Vision 1080P High Definition Exterior Side mounted Camera | | \$425.00 |
| DVR-820 | Pro-Vision 1080P High Definition Exterior Wide Angle Low Profile Camera | | \$425.00 |
| DVR-821 | Pro-Vision 1080P High Definition Interior Wide Angle Mini Dome Camera | | \$525.00 |
| DVR-824 | Pro-Vision 1080P High Definition Dual Facing Stop-Arm Camera | | \$725.00 |
| | <u> </u> | | |
| PLE-1810 | Additional Trigger Package | | \$75.00 |
| DVR-718 | 64gb SDXC Card, Compatible with Pro-Vision System | | \$75.00 |
| DVR-728 | 128gb SDXC Card, Compatible with Pro-Vision System | | \$150.00 |
| DVR-738 | 256gb SDXC Card, Compatible with Pro-Vision System | | \$325.00 |
| DVR-831 | 1TB Solid State Drive, Compatible with Pro-Vision System | | \$550.00 |
| DVR-828 | Automatic Wireless File Transfer Software | | \$325.00 |
| TV-505A | Pro-Vision, Back up Camera Kit with 7" LCD Monitor / Night Vision and Audio | | \$575.00 |
| DVR-750 | GPS Module | | \$175.00 |
| DVR-710 | Enhanced Event Marker Button | | \$100.00 |
| SYNOVIA GPS SYSTEMS | | | |
| FLA-GPS | GPS Hardware Kit with Antenna, I/O Expander and Wiring Harness, 8 Inputs, Panic Button | | \$1,150.00 |
| FLA-JPOD | JPOD (Integrated Engine Diagnostics Package) | | \$425.00 |
| FLA-OPK | Driver/Operator Panel and Kit | | \$300.00 |
| FLA-TABLET | Driver/Operator Tablet and Kit | | \$750.00 |
| FLA-BARCODE LOOSE-INSTALL | Barcode Reader Kit Installation of District Provided GPS System Equipment (Per Bus) | | \$425.00 \$225.00 |
| LOOSE-INSTALL | Installation of District Frovided of C System Equipment (Fer Bus) | | 3223.00 |
| MANUF, MODEL | DESCRIPTION | Notes | Price |
| ZONAR GPS SYSTEMS | | | |
| V3000-H | V3 GPS System Stand Alone | | \$700.00 |
| V3/EVIR-2010 | V3 High Def GPS & Vehicle Inspection Report | | \$1,100.00 |
| V3/EVIR-2020 | V3 High Def GPS & Vehicle Inspection Report, 2020 tablet | | \$1,350.00 |
| Z-Pass | Z-PASS (Includes V3 System installed) | | \$925.00 |
| LOOSE-INSTALL | Installation of District Provided GPS System Equipment (Per Bus) | | \$225.00 |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

VENDOR: Florida Transportation Systems, Inc.

| \perp |
|-----------|
| |
| |
| S Price |
| |
| \$2,350.0 |
| \$1,250.0 |
| \$1,100.0 |
| \$500.00 |
| \$1,250.0 |
| \$1,750.0 |
| es |

THOMAS BUILT BUSES / MATTHEWS BUS ALLIANCE, INC.

| | THOWAS BOILT B | OSES / WIATTI | | V 3 DO | J ALLIA | 714 | CL, III | <u> </u> | | | | |
|-----------------------------------|--|-----------------------------|-----|-----------------------|--------------------------------|-------|---------------------|-------------------------------|-----|------------------------|----------|-------------|
| LEGEND: | STANDARD EQUIPMENT / BASE BUS PRICE | COMMENTS/NOTES | | YPE A: 18 Capacity | TYPE A: 18 Capacity with Li | | TYPE A: 27 Capacity | TYPE A: 27 Capacity with I | | TYPE A: 29 Capacity | | YPE A: 29 |
| [STD] = STANDARD EQUIPMENT | Standard Engine: GM STD Chassis | MDL/HP and TQ Vary Per Size | CG3 | 3503 342/373 | CG33503 342/3 | 73 CG | 33803 342/373 | CG33803 342/3 | 373 | CG33803 342/373 | CG33 | 803 342/373 |
| N/A = NOT APPLICABLE | Standard Transmission: GM 8 Spd Auto | | | | | | | | | | | |
| N/C= NO CHARGE | Standard Tire: LT 225/75 R16 E All Season Black Wall Tires | Manufacturer may Vary | | | | | | | | | | |
| N/B= NO BID | Standard Wheelchair Lift: Braun NCL919IB, 800lbs | | | N/A | | | N/A | | | N/A | | |
| | Standard Wheelchair Tie Down: Sure-Lok - FF612S-4C-9 Retract | able Series L | | N/A | | | N/A | | | N/A | | |
| | Base School Bus Price \$\$ | | \$ | 58,048 | \$ 60,77 | 0 \$ | 61,867 | \$ 64,5 | 89 | \$ 62,074 | \$ | 64,795 |
| | Base MFSAB Price \$\$ | | \$ | 56,477 | \$ 59,19 | 9 \$ | 60,174 | \$ 62,8 | 96 | \$ 60,297 | \$ | 63,019 |
| Ol | PTIONAL CHASSIS EQUIPMENT PRICES | | | | | | | | | | | |
| [C1A] Front Tow Hooks | | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| [C1B] Rear Tow Hooks | | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| [C2] Spare Disc Wheel | | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| [C3] Auto Trans Warranty (5 yr | unlimited) | | | STD | STD | | STD | STD | | STD | | STD |
| [C4] 75-100 Gallon Fuel Tank* | | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| [C5] Low-Profile Radial Tires** | | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| [C7] Type D Front Air Ride Suspe | ension | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| [C6] 270 Amp L/N 4864 Alternate | | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| [C8] Adjustable Pedals | | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| [C9] 3000-PTS Transmission | | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| [C10] Air Ride Rear Suspension | | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| [C12] Straight Floor | | Raised Floor | | N/A | \$ 50 | 8 | N/A | \$ 5 | 08 | N/A | \$ | 508 |
| [C13] Auto Headlamp System | | | | STD | STD | | STD | STD | | STD | | STD |
| [C14] Air Disc Brakes | | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| | OPTIONAL BODY EQUIPMENT PRICES | | | | | | | | | | | |
| [B1] Pro Lo Hatch | | | | STD | STD | | STD | STD | | STD | | STD |
| [B3] Vandal Box w/Key | | | \$ | 15 | \$ 1 | 5 \$ | 15 | \$ | 15 | \$ 15 | \$ | 15 |
| [B4] 76" High Headroom (minim | um) | 72" Headroom on Type A | | [STD] | [STD] | | [STD] | [STD] | | [STD] | | [STD] |
| [B5A] Intercom/PA | · | | \$ | 533 | \$ 53 | 3 \$ | 533 | \$ 5 | 33 | \$ 533 | \$ | 533 |
| [B5B] PA with Radio | | | \$ | 627 | | 7 \$ | 627 | \$ 6 | 27 | \$ 627 | \$ | 627 |
| [B5C] Stereo Radio (no PA) | | | \$ | 500 | | 0 \$ | 500 | | 00 | \$ 500 | \$ | 500 |
| [B6] Locking Door at Fuel Tank | | | \$ | 10 | \$ 1 | 0 \$ | 10 | \$ | 10 | \$ 10 | \$ | 10 |
| [B7A] CE White Integrated Child | Restraint Seat | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| [B7B] IMMI Child Safety Seat | | | \$ | 575 | | 5 \$ | | \$ 5 | 75 | \$ 575 | \$ | 575 |
| [B7C] Syntech Integrated Child R | Restraint Seat | | \$ | 551 | | 1 \$ | 551 | \$ 5 | 51 | \$ 551 | \$ | 551 |
| [B7D] BTI Integrated Child Restra | | | 1 | N/A | N/A | Ť | N/A | N/A | 一 | N/A | | N/A |
| [B8] Exterior Body Light Monitor | | | | N/A | N/A | | N/A | N/A | | N/A | | N/A |
| , , | PER UNIT - no reduction in seating capacity) *** | | | STD | STD | | STD | STD | 一 | STD | | STD |
| [B12] Full Perf. Ceiling Panel | 5 1 77 | | \$ | 575 | \$ 57 | 5 \$ | 575 | \$ 5 | 75 | \$ 575 | \$ | 575 |
| [B13] Bus Lockup System | | | \$ | 182 | - | _ | 182 | - | .82 | - | _ | 182 |
| [B14] Wire Pupil Crossing Arm | | | 1 | N/A | N/A | Ť | N/A | N/A | 一 | N/A | <u> </u> | N/A |

VENDOR: Matthews Bus Alliance, Inc.

| [B15] Stainless Steel Mirror System (with non-corrosive brackets & fasteners) | | [STD] | | [STD] | [| STD] | [STD] | [STI | D] | [STD] |
|---|------------------------------|---------|------|-------------|----|-------|-------------|------|-------|-------------|
| [B16] Battery Disconnect Switch Label | | \$ | 10 | \$ 10 | \$ | 10 | \$ 10 | \$ | 10 | \$ 10 |
| [B17] Red Light Emergency Door | | \$ | 60 | \$ 60 | \$ | 60 | \$ 60 | \$ | 60 | \$ 60 |
| [B18] Underseat Rear Heater | | \$ | 441 | \$ 441 | \$ | 441 | \$ 441 | \$ | 441 | \$ 441 |
| [B19] Tailpipe through Bumper | | N/A | | N/A | | N/A | N/A | N/ | Α | N/A |
| [B20] Powder-Coated Windows | | STD | | STD | | STD | STD | STI | D | STD |
| [B21] Driver's Seat with Integrated Seat Belt | | N/A | | N/A | | N/A | N/A | N/ | A | N/A |
| [B22] Delete W/C - Add Seat (Lift Bus Only) | (Lift Bus Only) | N/A | | \$ (534) | | N/A | \$ (534) | N/ | A | \$ (534) |
| [B23] Delete Seat - Add W/C (Lift Bus Only) | (Lift Bus Only) | N/A | | \$ 534 | | N/A | \$ 534 | N/ | A | \$ 534 |
| [B24] Wheelchair Securement Area Lighting (Lift Bus Only) | (Lift Bus Only) | N/A | | N/A | | N/A | N/A | N/ | A | N/A |
| [B25] Track Seating (Lift Bus Only) | (Lift Bus Only) | N/A | | \$ 1,481 | | N/A | \$ 1,481 | N/ | A | \$ 1,481 |
| [B26] Standard Track-seating Seat (Lift Bus Only) | (Lift Bus Only) | N/A | | 392 | | N/A | 392 | N/ | A | 392 |
| [B27] Driver's Seat with Integrated Seat Belt | | \$ | 500 | \$ 500 | \$ | 500 | \$ 500 | \$ | 500 | \$ 500 |
| OPTIONAL WHEELCHAIR LIFT #1 | | | | | | | | | | |
| (Opt 1) Lift Braun NCL954FIB3454-2 | Braun 1000lbs Lift | N/A | | \$ 700 | | N/A | \$ 700 | N/ | Α | \$ 700 |
| OPTIONAL WHEELCHAIR TIEDOWN/OCCUPANT RESTRAINT SYSTEM (WTORS) | | | | | | | | | | |
| (OPT1)WTORS Q-Straint - 8300A1-SC | STD in STARS Package #3 Only | | | | | | | | | |
| [AC-1] OPTIONAL AIR-CONDITIONING | | | | | | | | | | |
| AC-1 Rifled Air - BH2020, 60,000 BTU, 60 Amps | | \$ 5 | ,400 | \$ 5,400 | \$ | 5,400 | \$ 5,400 | \$ | 5,400 | \$ 5,400 |

| | COMMENTS/NOTES | TY | PE A: 18 | T | YPE A: 18 | TYPE A | 27 | Т | TYPE A: 27 | TYPE A | A: 29 | 7 | TYPE A: 29 |
|--|--------------------------------|----|----------|--------------|-----------------|---------|-------|----------|-----------------|--------|-------|-----|-----------------|
| | | С | Capacity | Capa | acity with Lift | Capac | ity | Сара | acity with Lift | Capa | city | Сар | acity with Lift |
| OPTIONAL ENGINES | | | | | | | | | | | | | |
| Ford, E-350 7.3L, 300HP/425 lb ft, Gasoline | Requires E-350 Chassis | \$ | 6,225 | \$ | 6,225 | N/A | 1 | | N/A | N/ | A | | N/A |
| Ford, E-450, 7.3L, 350HP/468 lb ft, Gasoline | Requires E-450 Chassis | | N/A | | N/A | \$ | 7,585 | \$ | 7,585 | \$ | 7,585 | \$ | 7,585 |
| SEATING CAPACITY FOR REAR MOUNTED LIFT EQUIPPED BUSES WITH RAISED/FLAT FLOOR | | | | | | | | | | | | | |
| Standard Number of Wheelchair Spaces: | | | N/A | | N/A | N/A | 1 | | 1 | N/ | A | | 1 |
| Maximum Number of Wheelchair Spaces: | | | N/A | | N/A | N/A | \ | | 3 | N/ | Α | | 3 |
| Maximum Number of Passengers in Regular Seats with Standard (3) Wheelchair Spaces: | STD 1 WC Space | | N/A | | N/A | N/A | \ | | 6 | N/ | Α | | 6 |
| SEATING CAPACITY FOR REAR MOUNTED LIFT EQUIPPED BUSES | | | | | | | | | | | | | |
| Standard Number of Wheelchair Spaces: | | | N/A | | N/A | N/A | ١ | | 1 | N/ | A | | 1 |
| Maximum Number of Wheelchair Spaces: | | | N/A | | N/A | N/A | \ | | 3 | N/ | Α | | 3 |
| Maximum Number of Passengers in Regular Seats with Standard (3) Wheelchair Spaces: | STD 1 WC Space | | N/A | | N/A | N/A | \ | | 15 | N/ | Α | | 17 |
| WARRANTY OPTIONS | | | | | | | | | | | | | |
| Warranty Credit Option 12 Months/12,000 Miles ONLY (* see note) | | (! | \$2,500) | | (\$2,500) | (\$2,50 | 00) | | (\$2,500) | (\$2,5 | 00) | | (\$2,500) |
| * By taking this warranty credit, the purchasing district is declining the standard chassis warranty | | | | | | | | | | | | | |
| and the standard body warranty and will only have warranty coverage for 12 Months/12,000 Miles | | | | | | | | | | | | | |
| (NO EXCEPTIONS) from the updated in-service date of the bus. | | | | | | | | | | | | | |
| ADDITIONAL OPTIONS | | | | | | | | | | | | | |
| Tag and Title - Minotour | County Schools | \$ | 257 | _ | 257 | \$ | 257 | | 257 | - | 257 | | 257 |
| Tag and Title - Minotour | Non-County Tags | \$ | 475 | + | 475 | \$ | 475 | | 475 | - | 475 | | 475 |
| Pro Low Hatch with Static Vent in Lieu of STD Vent | | \$ | 275 | _ | 275 | \$ | 275 | _ | 275 | - | 275 | | 275 |
| STARS Package #1 - Continuous Track | See Appendix I for details | \$ | 751 | + | 751 | \$ | 751 | | 751 | | 751 | | 751 |
| STARS Package #2 - Non-Contiuous Track | See Appendix I for details | \$ | 777 | \$ | 777 | \$ | 777 | \$ | 777 | \$ | 777 | \$ | 777 |
| STARS Package #3 - Slide and Click | See Appendix I for details | \$ | 1,098 | \$ | 1,098 | \$ | 1,098 | _ | 1,098 | | 1,098 | | 1,098 |
| Additional Stars Mount Positions for Package #1 and #2 | See Appendix I for details | \$ | 657 | \$ | 657 | \$ | 657 | <u> </u> | 657 | \$ | 657 | | 657 |
| Additional Stars Mount Positions for Package #3 (2 Seats) | See Appendix I for details | \$ | 784 | \$ | 784 | \$ | 784 | | 784 | \$ | 784 | | 784 |
| Driver's Door Enterance Step | | \$ | 100 | _ | 100 | \$ | 100 | _ | 100 | \$ | 100 | _ | 100 |
| Freedman Family 3 Point Wall Mount Seat | Price is Per Double Seat | \$ | 692 | | 692 | \$ | 692 | | 692 | - | 692 | | 692 |
| US Armrests | Freedman Seats Only (Per Seat) | \$ | 40 | | 40 | | | \$ | 40 | | | \$ | 40 |
| Rooftop Lettering | | \$ | 90 | | 90 | | 90 | _ | 90 | | 90 | | 90 |
| Certificate Holder | | \$ | | \$ | 5 | \$ | | \$ | 5 | • | | \$ | 5 |
| 2 Way Radio Bracket Only (No Install) | | \$ | 50 | <u> </u> | 50 | \$ | 50 | | 50 | • | 50 | | 50 |
| Customer Supplied 2 Way Radio Install | Includes Bracket | \$ | 275 | - | 275 | \$ | 275 | _ | 275 | | 275 | | 275 |
| ISO and Lap Belt Rows 2 and 3 | | \$ | 250 | _ | 250 | \$ | 250 | _ | 250 | | 250 | - | 250 |
| Rosco Back Up Mirror and Camera | | \$ | 950 | | 950 | \$ | 950 | | 950 | | 950 | _ | 950 |
| Rosco Intergration with Seon | | \$ | 100 | _ | 100 | \$ | 100 | _ | 100 | - | 100 | | 100 |
| Route Changer 4 Digit - Hinged | | \$ | 65 | _ | 65 | \$ | 65 | _ | 65 | | 65 | _ | 65 |
| Route Changer 4 Digit - Suction Cup | | \$ | 65 | _ | 65 | \$ | 65 | _ | 65 | - | 65 | _ | 65 |
| Syntec Seat (Integrated Child Seat) 3 Point (Price per Seat) | | \$ | 400 | _ | 400 | \$ | 400 | _ | 400 | - | 400 | | 400 |
| Wifi | | \$ | 225 | _ | 225 | \$ | 225 | _ | 225 | | 225 | | 225 |
| Flush Mounted LED Enterance Light | | \$ | 133 | - | 133 | | 133 | \$ | 133 | | 133 | \$ | 133 |
| Ford, E-350 7.3L, 300HP/425 lb ft, Gasoline | Requires E-350 Chassis | \$ | 6,225 | \$ | 6,225 | N/A | | | N/A | N/ | | | N/A |
| Ford, E-450, 7.3L, 350HP/468 lb ft, Gasoline | Requires E-450 Chassis | | N/A | | N/A | \$ | 7,585 | \$ | 7,585 | \$ | 7,585 | \$ | 7,585 |

VENDOR: Matthews Bus Alliance, Inc.

| | ADDITIONAL OPTIONS | | | | | | | |
|----------------------|--------------------|----|-------|----------|----------|----------|----------|----------|
| MFSAB Options Only | | | | | | | | |
| Guardrails One Color | | \$ | 970 | \$ 970 | \$ 970 | \$ 970 | \$ 970 | \$ 970 |
| Beltline One Color | | \$ | 1,380 | \$ 1,380 | \$ 1,380 | \$ 1,380 | \$ 1,380 | \$ 1,380 |
| Solid One Color | | \$ | 1,596 | \$ 1,596 | \$ 1,596 | \$ 1,596 | \$ 1,596 | \$ 1,596 |
| Two Color | | \$ | 2,760 | \$ 2,760 | \$ 2,760 | \$ 2,760 | \$ 2,760 | \$ 2,760 |
| | | | | | | | | |

| | TH | OMAS / MATTHEWS BUS ALLIA | NCE, INC. | | | | | | | | | |
|--|---|---|--|---|---|--|---|---|--|---|---|---|
| | | | | | | | | | | | | |
| LEGEND: | STANDARD EQUIPMENT / BASE BUS PRICE | COMMENTS/NOTES | | TYPE C: 29 | | TYPE C: 47 | | TYPE C: 65 | | TYPE C: 71 | | |
| | | | TYPE C: 29 | Capacity with | TYPE C: 47 | Capacity with | TYPE C: 65 | Capacity with | TYPE C: 71 | Capacity with | TYPE C: 77 | TYPE C: 77 |
| | | | Capacity | Lift | Capacity | Lift | Capacity | Lift | Capacity | Lift | Capacity | Capacity with Lift |
| [STD] = STANDARD EQUIPMENT | Standard Engine: Cummins, B 6.7L | HP/Torque vary per config | 200hp/520 lb ft | 200hp/520 lb ft | 200hp/520 lb ft | | 220hp/600 lb ft | • | 220hp/600 lb ft | 220hp/600 lb ft | 250hp/660 lb ft | 250hp/660 lb ft |
| N/A = NOT APPLICABLE | Standard Transmission: Allison, 2500 PTS, # of fwd ranges - 6 | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| N/C= NO CHARGE | Standard Tire: Hankook AH37, 11RR22.5 14 Ply (G) | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| N/B= NO BID | Standard Wheelchair Lift: Braun NCL919IB, 800lbs | | N/A | STD | N/A | STD | N/A | STD | N/A | STD | N/A | STD |
| | Standard Wheelchair Tie Down: Sure-Lok - FF612S-4C-9 Retractable Series L | | N/A | STD | N/A | STD | N/A | STD | N/A | STD | N/A | STD |
| | Base School Bus Price \$\$ | | \$ 82,206 | | · · | \$ 89,219 | | | \$ 89,036 | | \$ 90,479 | |
| | Base MFSAB Price \$\$ | | \$ 92,206 | \$ 97,729 | \$ 94,306 | \$ 99,219 | \$ 98,199 | \$ 102,670 | \$ 99,036 | \$ 102,872 | \$ 100,879 | \$ 105,511 |
| [C1A] Front Tow Hooks | OPTIONAL CHASSIS EQUIPMENT PRICES | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| [C1B] Rear Tow Hooks | | | \$ 95 | | | | | | | | | |
| [C1] Spare Disc Wheel | | | \$ 95 | · · | · | • | | · | - | | | |
| [C2] Spare Disc Wheel [C3] Auto Trans Warranty (7 yr unlimited) | | | \$ 162 STD | STD STD | \$ 162 STD | \$ 162 STD | \$ 162 STD | \$ 162 STD | \$ 162 STD | \$ 162 STD | \$ 162 STD | \$ 162 STD |
| [C4] 75-100 Gallon Fuel Tank* | | See Appendix I for details | N/A | N/A | N/A | N/A | \$ 350 | | | | | |
| [C5] Low-Profile Radial Tires - Hankook Tires | | STD w/ Flat Floor | N/A N/C | N/C | N/C | N/C | \$ 350 N/C | ν/C | \$ 350 N/C | \$ 350 N/C | ⇒ 350 N/C | \$ 350 N/C |
| [C7] Type D Front Air Ride Suspension | | Not available on C2 | N/A | N/C N/A | N/A | N/C N/A | N/A | N/A | N/A | N/A | N/C N/A | N/A |
| [C6] 270 Amp L/N 4864 Alternator | | | \$ 693 | , | , | 14/11 | , | , | <u> </u> | 14/71 | , | • |
| [C8] Adjustable Pedals | | See Appendix I | \$ 693 | | \$ 693 | | • | · | | | | |
| [C9] 3000-PTS Transmission | | | N/A | N/A | γ 4 <i>9</i> 2 N/A | γ 4 <i>9</i> 2 N/A | N/A | N/A | ۶ 492 N/A | N/A | N/A | N/A |
| [C10] Air Ride Rear Suspension | | | \$ 888 | , | • | • | - | - | - | , | • | • |
| [C12] Straight Floor | | Requires Air Ride Suspension | \$ 650 | <u> </u> | | | • | | <u>'</u> | | | |
| [C13] Auto Headlamp System | | Requires All Nide Suspension | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| [C14] Air Disc Brakes | | Requires Air Ride Suspension | \$ 2,042 | | \$ 2,042 | \$ 2,042 | \$ 1,586 | | \$ 1,586 | | \$ 1,586 | \$ 1,586 |
| [CI4] All Disc Blakes | OPTIONAL BODY EQUIPMENT PRICES | Requires All Mide Suspension | ÿ 2,042 | \$ 2,042 | 7 2,042 | 7 2,042 | 7 1,360 | 7 1,380 | 7 1,560 | 7 1,380 | 7 1,360 | 7 1,380 |
| [B1] Pro Lo Hatch | | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| [B3] Vandal Box w/Key | | | \$ 15 | l , | | | | | | t . | | |
| [B4] 76" High Headroom (minimum) | | | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] |
| [B5A] Intercom/PA | | Not wired for speakers | \$ 533 | | | | | | | | | |
| [B5B] PA with Radio | | | \$ 627 | | | | | | | | | |
| [B5C] Stereo Radio (no PA) | | | \$ 500 | | • | • | | • | | | • | <u>'</u> |
| [B6] Locking Door at Fuel Tank | | | \$ 10 | | | | | | | | | |
| [B7A] CE White Integrated Child Restraint Seat | | | N/A | | N/A | 21/2 | 21/2 | 21/2 | · | | • | <u>'</u> |
| [B7B] IMMI Child Safety Seat | | Control of the state of the | IN/A | ' N/A , | IN/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| · | | See Appendix I for details | The second secon | N/A \$ 575 | • | • | N/A \$ 575 | N/A \$ 575 | N/A \$ 575 | · · · · · · | • | N/A \$ 575 |
| [[B7C] Syntech Integrated Child Restraint Seat | | See Appendix I for details | \$ 575 \$ 551 | \$ 575 | \$ 575 | \$ 575 | \$ 575 | \$ 575 | \$ 575 | \$ 575 | \$ 575 | \$ 575 |
| [B7C] Syntech Integrated Child Restraint Seat [B7D] BTI Integrated Child Restraint Seat | | See Appendix I for details | \$ 575 | \$ 575 | \$ 575 | \$ 575 | \$ 575 | \$ 575 | \$ 575 | \$ 575 | \$ 575 | \$ 575 |
| <u> </u> | | See Appendix I for details | \$ 575 \$ 551 | \$ 575 \$ 551 N/A | \$ 575 \$ 551 N/A | \$ 575 \$ 551 N/A | \$ 575 \$ 551 N/A | \$ 575 \$ 551 N/A | \$ 575 \$ 551 N/A | \$ 575 \$ 551 N/A | \$ 575 \$ 551 N/A | \$ 575 \$ 551 N/A |
| [B7D] BTI Integrated Child Restraint Seat | g capacity) *** | See Appendix I for details | \$ 575 \$ 551 N/A | \$ 575 \$ 551 N/A \$ 125 | \$ 575 \$ 551 N/A \$ 125 | \$ 575 \$ 551 N/A \$ 125 | \$ 575 \$ 551 N/A \$ 125 | \$ 575 \$ 551 N/A \$ 125 | \$ 575 \$ 551 N/A \$ 125 | \$ 575 \$ 551 N/A \$ 125 | \$ 575 \$ 551 N/A \$ 125 | \$ 575 \$ 551 N/A \$ 125 |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor | ıg capacity) *** | See Appendix I for details | \$ 575 \$ 551 N/A \$ 125 | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin | ng capacity) *** | See Appendix I for details | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 |
| [B7D] BTI Integrated Child Restraint Seat[B8] Exterior Body Light Monitor[B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin[B12] Full Perf. Ceiling Panel | ng capacity) *** | See Appendix I for details | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin [B12] Full Perf. Ceiling Panel [B13] Bus Lockup System | | See Appendix I for details | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 \$ 182 | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 \$ 182 | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 \$ 182 | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 \$ 182 | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 \$ 182 | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 \$ 182 | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 \$ 182 | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 575 \$ 182 | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 \$ 182 | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 \$ 182 |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin [B12] Full Perf. Ceiling Panel [B13] Bus Lockup System [B14] Wire Pupil Crossing Arm | | See Appendix I for details | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 \$ 182 N/A | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 \$ 182 N/A [STD] | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 \$ 182 N/A [STD] | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 \$ 182 N/A [STD] | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 \$ 182 N/A [STD] | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 \$ 182 N/A [STD] | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 \$ 182 N/A [STD] | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 575 \$ 182 N/A [STD] | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 \$ 182 N/A [STD] | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 \$ 182 N/A [STD] |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin [B12] Full Perf. Ceiling Panel [B13] Bus Lockup System [B14] Wire Pupil Crossing Arm [B15] Stainless Steel Mirror System (with non-corrosive brackets & | | See Appendix I for details LED | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 \$ 182 N/A [STD] | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 \$ 182 N/A [STD] \$ 10 | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 \$ 182 N/A [STD] \$ 10 | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 \$ 182 N/A [STD] \$ 10 | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 \$ 182 N/A [STD] \$ 10 | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 \$ 182 N/A [STD] \$ 10 | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 \$ 182 N/A [STD] \$ 10 | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 5,75 \$ 182 N/A [STD] \$ 10 | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 \$ 182 N/A [STD] \$ 10 | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 \$ 182 N/A [STD] \$ 10 |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin [B12] Full Perf. Ceiling Panel [B13] Bus Lockup System [B14] Wire Pupil Crossing Arm [B15] Stainless Steel Mirror System (with non-corrosive brackets & [B16] Battery Disconnect Switch Label [B17] Red Light Emergency Door [B18] Underseat Rear Heater | | | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 \$ 182 N/A [STD] \$ 10 | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 \$ 182 N/A [STD] \$ 60 |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin [B12] Full Perf. Ceiling Panel [B13] Bus Lockup System [B14] Wire Pupil Crossing Arm [B15] Stainless Steel Mirror System (with non-corrosive brackets & [B16] Battery Disconnect Switch Label [B17] Red Light Emergency Door [B18] Underseat Rear Heater [B19] Tailpipe through Bumper | | LED | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin [B12] Full Perf. Ceiling Panel [B13] Bus Lockup System [B14] Wire Pupil Crossing Arm [B15] Stainless Steel Mirror System (with non-corrosive brackets & [B16] Battery Disconnect Switch Label [B17] Red Light Emergency Door [B18] Underseat Rear Heater [B19] Tailpipe through Bumper [B20] Powder-Coated Windows | | LED | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 5,305 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin [B12] Full Perf. Ceiling Panel [B13] Bus Lockup System [B14] Wire Pupil Crossing Arm [B15] Stainless Steel Mirror System (with non-corrosive brackets & [B16] Battery Disconnect Switch Label [B17] Red Light Emergency Door [B18] Underseat Rear Heater [B19] Tailpipe through Bumper [B20] Powder-Coated Windows [B21] Driver's Seat with Integrated Seat Belt | | LED | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD \$ 500 | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 5,305 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin [B12] Full Perf. Ceiling Panel [B13] Bus Lockup System [B14] Wire Pupil Crossing Arm [B15] Stainless Steel Mirror System (with non-corrosive brackets & [B16] Battery Disconnect Switch Label [B17] Red Light Emergency Door [B18] Underseat Rear Heater [B19] Tailpipe through Bumper [B20] Powder-Coated Windows | | LED See Appendix I for details | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 60 \$ 441 \$ 84 STD \$ 500 | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 5,305 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin [B12] Full Perf. Ceiling Panel [B13] Bus Lockup System [B14] Wire Pupil Crossing Arm [B15] Stainless Steel Mirror System (with non-corrosive brackets & [B16] Battery Disconnect Switch Label [B17] Red Light Emergency Door [B18] Underseat Rear Heater [B19] Tailpipe through Bumper [B20] Powder-Coated Windows [B21] Driver's Seat with Integrated Seat Belt [B22] Delete W/C - Add Seat (Lift Bus Only) [B23] Delete Seat - Add W/C (Lift Bus Only) | | LED See Appendix I for details See Appendix I for details | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 60 \$ 441 \$ 84 STD \$ 500 | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 60 \$ 441 \$ 84 STD \$ 500 | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD \$ 500 | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD \$ 500 | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 5,305 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD \$ 500 | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 60 \$ 441 \$ 84 STD \$ 500 | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD \$ 500 |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin [B12] Full Perf. Ceiling Panel [B13] Bus Lockup System [B14] Wire Pupil Crossing Arm [B15] Stainless Steel Mirror System (with non-corrosive brackets & Battery Disconnect Switch Label [B17] Red Light Emergency Door [B18] Underseat Rear Heater [B19] Tailpipe through Bumper [B20] Powder-Coated Windows [B21] Driver's Seat with Integrated Seat Belt [B22] Delete W/C - Add Seat (Lift Bus Only) | | LED See Appendix I for details See Appendix I for details (Lift Bus Only) | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 N/A | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 N/A | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 N/A | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 N/A | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 5,305 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 N/A | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin [B12] Full Perf. Ceiling Panel [B13] Bus Lockup System [B14] Wire Pupil Crossing Arm [B15] Stainless Steel Mirror System (with non-corrosive brackets & [B16] Battery Disconnect Switch Label [B17] Red Light Emergency Door [B18] Underseat Rear Heater [B19] Tailpipe through Bumper [B20] Powder-Coated Windows [B21] Driver's Seat with Integrated Seat Belt [B22] Delete W/C - Add Seat (Lift Bus Only) [B23] Delete Seat - Add W/C (Lift Bus Only) | | LED See Appendix I for details See Appendix I for details (Lift Bus Only) (Lift Bus Only) | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 N/A N/A | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) \$ 534 N/A \$ 1,481 | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 N/A | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) \$ 534 | \$ 575 \$ 551 N/A \$ 125 \$ 8,339 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 N/A N/A | \$ 575 \$ 551 N/A \$ 125 \$ 4,928 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) \$ 534 | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD \$ 500 N/A N/A | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 5,305 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) \$ 534 | \$ 575 \$ 551 N/A \$ 125 \$ 9,272 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD \$ 500 N/A N/A | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) \$ 534 |
| [B7D] BTI Integrated Child Restraint Seat [B8] Exterior Body Light Monitor [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seatin [B12] Full Perf. Ceiling Panel [B13] Bus Lockup System [B14] Wire Pupil Crossing Arm [B15] Stainless Steel Mirror System (with non-corrosive brackets & Batery Disconnect Switch Label [B17] Red Light Emergency Door [B18] Underseat Rear Heater [B19] Tailpipe through Bumper [B20] Powder-Coated Windows [B21] Driver's Seat with Integrated Seat Belt [B22] Delete W/C - Add Seat (Lift Bus Only) [B23] Delete Seat - Add W/C (Lift Bus Only) [B24] Wheelchair Securement Area Lighting (Lift Bus Only) | | LED See Appendix I for details See Appendix I for details (Lift Bus Only) (Lift Bus Only) (Lift Bus Only) | \$ 575 \$ 551 N/A \$ 125 \$ 4,549 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 N/A N/A N/A | \$ 575 \$ 551 N/A \$ 125 \$ 1,137 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) \$ 534 | \$ 575 \$ 551 N/A \$ 125 \$ 6,065 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 N/A N/A N/A N/A N/A N/A | \$ 575 \$ 551 N/A \$ 125 \$ 2,635 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) \$ 534 N/A \$ 2,667 \$ 392 | \$ 575 N/A \$ 125 \$ 8,339 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD \$ 500 N/A N/A N/A N/A N/A | \$ 575 \(\text{N/A} \) \(\text{N/A} \) \(\text{125} \) \(\text{4,928} \) \(\text{575} \) \(\text{182} \) \(\text{N/A} \) \(\text{[STD]} \) \(\text{5 d0} \) \(5 | \$ 575 \$ 551 N/A \$ 125 \$ 9,097 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD \$ 500 N/A N/A N/A N/A N/A N/A | \$ 575 \$ 551 N/A \$ 125 \$ 5,305 \$ 5,305 \$ 575 \$ 182 N/A [STD] \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) \$ 534 N/A \$ 4,851 \$ 392 | \$ 575 N/A \$ 125 \$ 9,272 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 N/A N/A N/A N/A N/A N/A | \$ 575 \$ 551 N/A \$ 125 \$ 5,803 \$ 575 \$ 182 N/A [STD] \$ 10 \$ 60 \$ 441 \$ 84 STD \$ 500 \$ (534) \$ 534 |

| | | COMMENTS/NOTES | | TYPE C: 29 | | TYPE C: 47 | | TYPE C: 65 | | TYPE C: 71 | | |
|---|---|--|------------|---------------|------------|---------------|------------|---------------|------------|---------------|---------------|-------------------|
| | | | TYPE C: 29 | Capacity with | TYPE C: 47 | Capacity with | | Capacity with | TYPE C: 71 | Capacity with | TYPE C: 77 | TYPE C: 77 |
| | | | Capacity | Lift | Capacity | Lift | Capacity | Lift | Capacity | Lift | Capacity C | apacity with Lift |
| | Optional Tire | | | | | | | | | | | |
| (OPT1) Tire | Michelin XZE 255/70R22.5 16 Ply (G) | | \$ 1,050 | | | | | \$ 1,050 | \$ 1,050 | | | 1,050 |
| (OPT2) Tire | Bridgestone ECO R268 11R22.5 14 PLY (G) | | \$ 850 | \$ 850 | \$ 850 | \$ 850 | \$ 850 | \$ 850 | \$ 850 | \$ 850 | \$ 850 \$ | 850 |
| 0 | PTIONAL WHEELCHAIR LIFT #1 | | | | | | | | | | | |
| (Opt 1) Lift | Braun NCL954FIB3454-2 | Braun 1000lbs Lift | \$ 700 | \$ 700 | \$ 700 | \$ 700 | \$ 700 | \$ 700 | \$ 700 | \$ 700 | \$ 700 \$ | 700 |
| OPTIONAL WHEELCHAIR | R TIEDOWN/OCCUPANT RESTRAINT SYSTEM (WTORS) | | | | | | | | | | | |
| (OPT1)WTORS | Q-Straint - 8300A1-SC | STD in STARS Package #3 Only. See Appendix I | | | | | | | | | | |
| [AC- | 1] OPTIONAL AIR-CONDITIONING | | | | | | | | | | | |
| AC-1 | Rifled Air - RAC-BH1141, 116,000 BTU W/ DASH, 80 AMPS | See Appendix I for details | \$ 12,985 | \$ 12,985 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| AC-2 | Rifled Air -RAC-BH2241, 150,000 BTU W/ DASH, 96 AMPS | See Appendix I for details | N/A | N/A | \$ 13,527 | \$ 13,527 | \$ 13,527 | \$ 13,527 | \$ 13,527 | \$ 13,527 | \$ 13,527 \$ | 13,527 |
| AC-3 | Rifled Air -RAC-BH1122, 116,000 BTU W/ DASH, 70 AMPS | See Appendix I for details | \$ 11,070 | \$ 11,070 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| AC-4 | Rifled Air -RAC-BH2233, 150,000 BTU W/ DASH, 103 AMPS | See Appendix I for details | N/A | N/A | \$ 11,550 | \$ 11,550 | \$ 11,550 | \$ 11,550 | \$ 11,550 | \$ 11,550 | \$ 11,550 \$ | 11,550 |
| AC-5 | Transarctic, C240, 180,000 BTU, 128 AMPS | See Appendix I for details | \$ 20,350 | \$ 20,350 | \$ 20,350 | \$ 20,350 | \$ 20,350 | \$ 20,350 | \$ 20,350 | \$ 20,350 | \$ 20,350 \$ | 20,350 |
| AC-6 | Vanner Revolution System w/ Electric Compressor | See Appendix I for details | \$ 27,000 | \$ 27,000 | \$ 27,000 | \$ 27,000 | \$ 27,000 | \$ 27,000 | \$ 27,000 | \$ 27,000 | \$ 27,000 \$ | 27,000 |
| ADDIT | TIONAL AIR-CONDITIONER OPTIONS | | | | | | | | | | | |
| VALEO | TM-43 in Lieu of (2) TM-21 system. Includes TM16 independent dash | See Appendix I for details | \$ 1,500 | \$ 1,500 | \$ 1,500 | \$ 1,500 | \$ 1,500 | \$ 1,500 | \$ 1,500 | \$ 1,500 | \$ 1,500 \$ | 1,500 |
| RAC | 7th Year Warranty on RAC Systems | On BH2233 and BH2241 Only | N/A | N/A | N/A | N/A | \$ 1,500 | \$ 1,500 | \$ 1,500 | \$ 1,500 | \$ 1,500 \$ | 1,500 |
| RAC | Add Additional Evap | | \$ 1,000 | \$ 1,000 | \$ 1,000 | \$ 1,000 | \$ 1,000 | \$ 1,000 | \$ 1,000 | \$ 1,000 | \$ 1,000 \$ | 1,000 |
| | OPTIONAL ENGINES | | | | | | | | | | | |
| Detroit DD5 - HP/Torque vary per config | | See Appendix I for HP/Torque Info | N/C | N/C | N/C | N/C | N/C | N/C | N/C | N/C | N/C | N/C |
| PI 8.0-LPG V8. 339HP/495 Torque, Propane | | See Appendix I For Package Details | N/A | N/A | N/A | N/A | \$ 18,553 | \$ 18,553 | \$ 18,553 | \$ 18,553 | \$ 18,553 \$ | 18,553 |
| Cummins B6.7 N, 240HP/560 LB FT | | See Alternate Fuel Engine Letter | N/A | N/A | N/A | N/A | \$ 30,000 | \$ 30,000 | \$ 30,000 | \$ 30,000 | \$ 30,000 \$ | 30,000 |
| Thomas (Jouley), EV, 220kWh energy storage system, Electric | | See Appendix II For Details | N/A | N/A | N/A | N/A | \$ 260,365 | \$ 260,365 | \$ 260,365 | \$ 260,365 | \$ 260,365 \$ | 260,365 |

| | | COMMENTS/NOTES | TYPE C: 29 Capacity | TYPE C: 29 Capacity with Lift | TYPE C: 47 Capacity | TYPE C: 47 Capacity with Lift | TYPE C: 65 Capacity | TYPE C: 65 Capacity with Lift | TYPE C: 71 Capacity | TYPE C: 71 Capacity with Lift | TYPE C: 77 Capacity | TYPE C: 77 Capacity with Lift |
|---|---|----------------------------|---------------------|-------------------------------------|------------------------|-------------------------------|---------------------|-------------------------------------|---------------------|-------------------------------------|---------------------|-------------------------------|
| SEATING CAPACITY FOR FRONT MOUNTED LIFT EQUIPPED BUS | ES WITH RAISED/FLAT FLOOR | | | | | | | | | | | |
| Standard Number of Wheelchair Spaces: | | | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 |
| Maximum Number of Wheelchair Spaces: | | | N/A | 3 | N/A | 5 | N/A | 9 | N/A | 10 | N/A | 12 |
| Maximum Number of Passengers in Regular Seats with Standard | d (3) Wheelchair Spaces: | | N/A | 9 | N/A | 21 | N/A | 39 | N/A | 42 | N/A | 51 |
| SEATING CAPACITY FOR REAR MOUNTED LIFT EQUIPPED BUSES | S WITH RAISED/FLAT FLOOR | | | | | | | | | | | |
| Standard Number of Wheelchair Spaces: | | | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 |
| Maximum Number of Wheelchair Spaces: | | | N/A | 3 | N/A | 5 | N/A | 9 | N/A | 10 | N/A | 12 |
| Maximum Number of Passengers in Regular Seats with Standard | d (3) Wheelchair Spaces: | | N/A | 9 | N/A | 21 | N/A | 39 | N/A | 42 | N/A | 51 |
| SEATING CAPACITY FOR FRONT MOUNTED LIFT EQUIPPED BUS | ES | | | | | | | | | | | |
| Standard Number of Wheelchair Spaces: | | | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 |
| Maximum Number of Wheelchair Spaces: | | | N/A | 3 | N/A | 5 | N/A | 9 | N/A | 9 | N/A | 9 |
| Maximum Number of Passengers in Regular Seats with Standard | d (3) Wheelchair Spaces: | | N/A | 8 | N/A | 16 | N/A | 32 | N/A | 34 | N/A | 51 |
| SEATING CAPACITY FOR REAR MOUNTED LIFT EQUIPPED BUSES | S | | | | | | | | | | | |
| Standard Number of Wheelchair Spaces: | | | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 |
| Maximum Number of Wheelchair Spaces: | | | N/A | 3 | N/A | 5 | N/A | 9 | N/A | 9 | N/A | 9 |
| Maximum Number of Passengers in Regular Seats with Standard | d (3) Wheelchair Spaces: | | N/A | 9 | N/A | 16 | N/A | 32 | N/A | 34 | N/A | 51 |
| | WARRANTY OPTIONS | | | | | | | | | | | |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 60 Months/150,000 Miles | See Appendix I for details | \$ 1,700 | \$ 1,700 | \$ 1,700 | \$ 1,700 | \$ 1,700 | \$ 1,700 | \$ 1,700 | \$ 1,700 | \$ 1,700 | \$ 1,700 |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 60 Months/200,000 Miles | See Appendix I for details | \$ 2,000 | \$ 2,000 | \$ 2,000 | \$ 2,000 | \$ 2,000 | \$ 2,000 | \$ 2,000 | \$ 2,000 | \$ 2,000 | \$ 2,000 |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 60 Months/Unlimited Miles | See Appendix I for details | \$ 2,125 | \$ 2,125 | \$ 2,125 | \$ 2,125 | \$ 2,125 | \$ 2,125 | \$ 2,125 | \$ 2,125 | \$ 2,125 | \$ 2,125 |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 120 Months/200,000 Miles | See Appendix I for details | \$ 4,350 | \$ 4,350 | \$ 4,350 | \$ 4,350 | \$ 4,350 | \$ 4,350 | \$ 4,350 | \$ 4,350 | \$ 4,350 | \$ 4,350 |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 120 Months/Unlimited Miles | See Appendix I for details | \$ 4,900 | \$ 4,900 | \$ 4,900 | \$ 4,900 | \$ 4,900 | \$ 4,900 | \$ 4,900 | \$ 4,900 | \$ 4,900 | \$ 4,900 |
| Warranty Credit Option | 12 Months/12,000 Miles ONLY (* see note) | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 12 Months/12,000 Miles (NO EXCEPTIONS) from the updated i | | e for | | | | | | | | | | |
| | AGGAGE COMPARTMENTS (Price is for ONE per bus) | Lash and 2 may project CTD | N/A | 21/2 | ć 240 | ć 240 | ć 240 | ć 240 | ć 240 | 6 240 | ¢ 240 | ć 240 |
| 8.9 cu ft 30"W x 20"H | | Lock and 2 gas springs STD | N/A | N/A | \$ 310 | | • | | | | | |
| 17.8 cu ft 60" W x 20"H | | Lock and 2 gas springs STD | N/A | N/A | \$ 975 | | • | | | | | |
| 25.7 cu ft 100"W x 20"H | | Lock and 2 gas springs STD | N/A | N/A | N/A | N/A | \$ 1,175 | | | | | |
| Fiberglass Baggage Compartment - 26 Cubic Feet | | | N/A | N/A | N/A | N/A | \$ 4,600 | \$ 4,600 | \$ 4,600 | \$ 4,600 | \$ 4,600 | \$ 4,600 |
| Luggage compartme | ent availability may be limited based on optional equipment selections. | | | | | | | | | | | |

| March Marc | | | | TYPE C: 29 | | TYPE C: 47 | | TYPE C: 65 | | TYPE C: 71 | | |
|--|--|---|----------|---------------|---------------------------------------|---------------|----------|---------------|----------|---------------|-------------|-------------------|
| Color | | COMMENTS/NOTES | | Capacity with | | Capacity with | | Capacity with | | Capacity with | | |
| Part | ADDITIONAL OPTIONS | | Capacity | Liit | Сарасіту | Liit | Capacity | LIIC | Сарасіту | LIIC | Capacity | apacity with Lift |
| The content of the | Cruise Control | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| Teacher Peace Pe | Exhaust Brake | Cummins Engines Only | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| Section Sect | Electronic Stability Control | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| March 1986 | Engine Electronic Diagnostics and Familiarization | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| TRANSPORT PROPRET OF THE PROPRET OF | Engine Brake | Detroit Engines Only | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| Section 2. | Heavy Duty Bumper | | | | STD | | STD | | STD | | STD | |
| West Control | Noise Suppression Switch | | | | | | | | | | | |
| The content of the | | | | | STD | | | | | | | |
| March Control Contro | | | | | | | | | | | _ | |
| 92 Man 1419 (1 galled member Company 1 man 1419) (1 man 1 | | | | | | | * | | | | | |
| Antimate to the section of the secti | | | | ' | | · | | | | • | | |
| Signey, 5 (1964). Application of the control of the | | | | | | | | | | | | |
| Seminative | ÿ . | Only Available on C2 | | | • | | | - | | | | • |
| Amount A | | | | | | | • | | | | | |
| Overlands and all eventures 3 | | Only Available on C2 | 7 | 7 | • | | | | | ' | | |
| State of the content and the | | , | | | | | | • | | | | |
| Commons of the American Connection of the Continues of Manager (1986) 1.00 | | Only Available on C2 | | | | | | | | | | 925 |
| Scale of the Mean companies of Scale of the Mean companies of Scale of Scal | | | | | • | | · | - | | | | 250 |
| Column C | | | | | - | | • | | | | | 350 |
| Column C | | Requires respective FXC Warranty | | | | · | • | | | | | 2 200 |
| Column September Column September Column September S | · · · · · · · · · · · · · · · · · · · | • | | | · · · · · · · · · · · · · · · · · · · | | | • | | | | |
| Composition Programme Programm | · · · · · · · · · · · · · · · · · · · | , | • • | | | | | | • | | | 800 |
| Security | | , | | | • | | | • | | | | 900 |
| Cap Market | | • | | | - | | | | | | | |
| Product canber trained: | Cup Holders | , | | | | | | | | | | |
| Destroy Later 1. See Appendix (in covering the following) (in the covering the following) (in | | Includes custom bracket | | | | | | | | | | |
| Part December De | Def Tank Lock | | | | \$ 15 | \$ 15 | \$ 15 | \$ 15 | \$ 15 | \$ 15 | \$ 15 \$ | 15 |
| See Agencies 1 Control C | Detroit DD5 EW1 Extended Coverage - 60 Months/200,000 Miles | See Appendix II for coverage info | \$ 1,535 | \$ 1,535 | \$ 1,535 | \$ 1,535 | \$ 1,535 | \$ 1,535 | \$ 1,535 | \$ 1,535 | \$ 1,535 \$ | 1,535 |
| Semination Sem | Detroit DD5 EW1 Extended Coverage - 60 Months/Unlimited Miles | See Appendix II for coverage info | \$ 1,625 | \$ 1,625 | \$ 1,625 | \$ 1,625 | \$ 1,625 | \$ 1,625 | \$ 1,625 | \$ 1,625 | \$ 1,625 \$ | 1,625 |
| Part Decision See Appendix For converge ring S. 2,08 S | Detroit DD5 EW1 Extended Coverage - 84 Months/150,000 Miles | See Appendix II for coverage info | \$ 2,120 | \$ 2,120 | \$ 2,120 | \$ 2,120 | \$ 2,120 | \$ 2,120 | \$ 2,120 | \$ 2,120 | \$ 2,120 \$ | 2,120 |
| Proceedings Procedings Procedings Proceedings Pr | Detroit DD5 EW1 Extended Coverage - 96 Months/150,000 Miles | See Appendix II for coverage info | \$ 2,335 | \$ 2,335 | \$ 2,335 | \$ 2,335 | \$ 2,335 | \$ 2,335 | \$ 2,335 | \$ 2,335 | \$ 2,335 \$ | 2,335 |
| Detect of Devil Entered Converage and Market Systems (1985) 5 3,200 5 3, | Detroit DD5 EW1 Extended Coverage - 120 Months/120,000 Miles | See Appendix II for coverage info | · · | | | | | | | | | , 2,585 |
| See Apportisk Februaried Converge; 100 Monthly/100/film/indeed Melles See Apportisk Februaried Converge; 100 Monthly/100/film/indeed M | | | | | | | | | | | | , 2,870 |
| Decided 100F/WF Extended Coverage—Folk Months (2006) Marked (2007) 1,775 | | | | | | | | | | | | 3,290 |
| Decided Display Extended Coverage -01 Monthly/Limited Miles See Appendix for coverage in S. 2,031 S. | | | | | | | | | | | | 4,250 |
| Destroit DDS VMZ Extended Coverage - St Months/1/30,000 Miles See Appendix II for coverage in 16 S | | | | | | | | | | | | |
| Description Description See Appendix In Crocomage info S. 2,785 S. 2, | | | | | | | | | | | | 2,053 |
| Descript DUS FAVE Descripted Coverage - 100 Monthly/100,0000 Miles See Appendix II for coverage info S 3,470 S 3,4 | | ,, | | | | | | | | | | 2,435 |
| Descript Disposed Extended Coverage - 120 Months/250,000 Miles See Appendix If for coverage info S 3,650 | | | | | | | | | | | | 2,795 |
| Detail Dis XVV Extended Coverage - 1/20 Months/200,000 Miles See Appendix If or coverage info S | | • | | | | | | | | | | |
| Description DS FWA Extended Coverage - 100 Months/Unlimited Miles See Appendix If for coverage info \$ 2,300 \$ 2,300 \$ 5,300 | | | | | | | | | | | | |
| See Appendix For coverage info See Appendix | | | | | | | | | | | | 4,155 |
| Decrit OD DE WAY Extended Coverage - 60 Months/Unlimited Miles See Appendix If for coverage info S 2,785 | | | | | | | | | | | | |
| Decroit DDS EWA Extended Coverage - 8d Monthly/150,000 Miles See Appendix II for coverage info S | | | | | | | | | | | | |
| Detroit DDS EWA Extended Coverage - 100 Months/150,000 Miles \$4,300 \$ | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | | |
| Detroit DDS EWA Extended Coverage - 120 Months/Unlimited Miles See Appendix II for coverage info S S,200 S S,200 S S,300 | | | | | | | | · | | | | |
| Detroit DDS EW4 Extended Coverage - 120 Months/150,000 Miles See Appendix II for coverage info \$ 6,230 \$ 6,2 | | | | | | | | | | | | 5.350 |
| Debtroit DD5 EW4 Extended Coverage - 120 Months/200,000 Miles See Appendix II for coverage info | Detroit DD5 EW4 Extended Coverage - 120 Months/150,000 Miles | ,, | | | | | | | | | | |
| Detroit DDS EW4 Extended Coverage - 120 Months/Unlimited Miles See Appendix II for coverage info S 8,235 | | <u>``</u> | | | | | | | | | | 7,110 |
| Detroit DDS Extended After Treatment Coverage - 60 Months/Unlimited Miles S 825 \$ 825 | Detroit DD5 EW4 Extended Coverage - 120 Months/Unlimited Miles | | | | | | | | | | | 8,235 |
| Detroit DDS Extended After Treatment Coverage - 84 Months/150,000 Miles \$970 \$97 | Detroit DD5 Extended After Treatment Coverage - 60 Months/Unlimited Miles | | | | | | | | | | | 825 |
| Detroit DD5 Extended After Treatment Coverage - 120 Months/120,000 Miles \$ 1,740 \$ 1,7 | Detroit DD5 Extended After Treatment Coverage - 84 Months/150,000 Miles | | \$ 970 | \$ 970 | \$ 970 | \$ 970 | \$ 970 | \$ 970 | \$ 970 | \$ 970 | \$ 970 \$ | 970 |
| Detroit DD5 Extended After Treatment Coverage - 120 Months/120,000 Miles \$ 1,740 \$ 1,7 | Detroit DD5 Extended After Treatment Coverage - 90 Months/150,000 Miles | | | | \$ 1,325 | | \$ 1,325 | \$ 1,325 | | | \$ 1,325 | 1,325 |
| Detroit DDS Extended After Treatment Coverage - 120 Months/150,000 Miles 2,700 \$ | Detroit DD5 Extended After Treatment Coverage - 120 Months/120,000 Miles | | | | | | \$ 1,740 | \$ 1,740 | | | \$ 1,740 \$ | 1,740 |
| Detroit DD5 Extended After Treatment Coverage - 120 Months/Unlimited Miles Driver Seat Left and Right Arm Rests Driver Seat Left and Right Arm R | Detroit DD5 Extended After Treatment Coverage - 120 Months/150,000 Miles | | \$ 2,700 | \$ 2,700 | \$ 2,700 | \$ 2,700 | \$ 2,700 | \$ 2,700 | \$ 2,700 | \$ 2,700 | \$ 2,700 \$ | 2,700 |
| Driver Seat Left and Right Arm Rests \$ 100 \$ | Detroit DD5 Extended After Treatment Coverage - 120 Months/200,000 Miles | | \$ 2,105 | \$ 2,105 | \$ 2,105 | \$ 2,105 | | | | | | |
| Custom Driver Trash Can - Manufactured by Rifled Air Type C Only \$ 100 | Detroit DD5 Extended After Treatment Coverage - 120 Months/Unlimited Miles | | | | | | | | | | | 3,730 |
| Driver's Seat Pouch \$ 10 \$ 10 \$ 10 \$ 10 \$ 10 \$ 10 \$ 10 \$ 1 | Driver Seat Left and Right Arm Rests | | | | | - | | | | | | |
| Electrical Power Outlet 12V \$ 38 \$ 38 \$ 38 \$ 38 \$ 38 \$ 38 \$ 38 \$ 3 | Custom Driver Trash Can - Manufactured by Rifled Air | Type C Only | | | | | • | • | | | | |
| Electrical Power Outlet 12V 38 \$ \$ 38 \$ | Driver's Seat Pouch | | | · | · | | | - | | | | |
| Fleetshield Edge-Cover | Electrical Power Outlet 12V | | | <u> </u> | | | · | | | | | 38 |
| | Fleetshield Edge-Cover | | \$ 155 | \$ 155 | \$ 155 | \$ 155 | \$ 155 | \$ 155 | \$ 155 | \$ 155 | \$ 155 \$ | 155 |

TYPE C SCHOOL BUSES

| | | | TYPE C: 29 | | TYPE C: 47 | | TYPE C: 65 | | TYPE C: 71 | | |
|---|--|--------------------|-------------|---------------------------------------|---------------|------------------|---------------|------------|---------------|-------------------|---------------------------|
| | COMMENTS/NOTES | TYPE C: 29 | | TYPE C: 47 | Capacity with | TYPE C: 65 | Capacity with | TYPE C: 71 | Capacity with | TYPE C: 77 | TYPE C: 77 |
| | | Capacity | Lift | Capacity | Lift | Capacity | Lift | Capacity | Lift | Capacity | Capacity with Lift |
| ADDITIONAL OPTIONS | | | | | | | | | | | |
| Fleetshield Tuffcoat Bumpers | | \$ 300 | | | | • | | | | 1 | |
| Fleetshield Tuffcoat Fuel Tank | | \$ 475 \$ 230 | | | | | • | <u> </u> | | | • |
| Fleetshield Tuffcoat Stepwell Fog Lamps (C2 and Type D only) | | \$ 230 | | | | • | | | | | |
| Fuel Sense | Not Available on DD5 Engine | \$ 370 | | | | | | | | | |
| LED Headlights | Not / Validate on 223 Engine | \$ 525 | | | · | · | | | | | |
| Merritor HD Front Breaks Q 16x5 in Lieu of Standard | Available on 65-71 pass only | N/A | N/A | N/A | N/A | \$ 250 | | | | <u> </u> | STD |
| Mobileye Collision Avoidance System | Only Available on C2 | \$ 980 | \$ 980 \$ | 980 | \$ 980 | \$ 980 | \$ 980 | \$ 980 | \$ 980 | \$ 980 | |
| Non-Factory Bus Lock Up Installation | | \$ 810 | | \$ 810 | • | | | - | | | |
| Non-Factory Underseat Rear Heater Installation | | \$ 2,000 | | | | • | | | | | |
| Nylon Harness Covering | Only Available on C2 | \$ 350 | | | · | | | · · | | | \$ 350 |
| Petcock Plumed to Skirt | | \$ 38 | | | | • | | | | | |
| Pro Low Hatch with Static Vent in lieu of STD option | Only Augilable on C2 | \$ 875 | | | | • | | | | | • |
| PV 360 Camera System Radiator "Bug" Screen | Only Available on C2 Only Available on C2 | \$ 1,650 \$ 50 | | 5 1,650 5 50 | | · | | 1 | \$ 1,650 | \$ 1,650 \$ 50 | |
| Rooftop Lettering | Must be noted in PO Submission | \$ 90 | | | · | • | • | | | \$ 90 | |
| Rosco Back Up Mirror and Camera | Factory Install | \$ 950 | <u> </u> | | | | • | <u> </u> | | | |
| Rosco Integration with Seon | Includes harnesses and adaptor | \$ 100 | | | | | | | | | |
| Route Changer 4 Digit - Hinged | | \$ 65 | | | - | • | | | | \$ 65 | \$ 65 |
| Route Changer 4 Digit - Suction Cup | | \$ 65 | \$ 65 \$ | | \$ 65 | \$ 65 | \$ 65 | \$ 65 | \$ 65 | \$ 65 | \$ 65 |
| Seats Incorporated High Back Drivers Seat (Magnum) (Includes Armrests) | | \$ 560 | | | · · | · | | | | | • |
| Spare Disc Wheel (Not ordered with Bus) | | \$ 190 | | | • | | • | | | • | \$ 190 |
| Stainless Steel Heated Mirrors Crossview and Rear View | 2 | \$ 150 | | | | • | | <u> </u> | | | - |
| Stainless Steel Lower Radiator Pipes | Only Available on C2 | \$ 180 | | | · | · | | | | | • |
| STARS Package #1 - Continuous Track STARS Package #2 - Non-Continuous Track | See Appendix I for details | \$ 751 \$ 777 | | | | | | | | | |
| STARS Package #2 - Non-Continuous Track STARS Package #3 - Slide and Click | See Appendix I for details See Appendix I for details | \$ 1,098 | 1: | | | · . | : | 1 : | | 1 : | |
| Additional Stars Mount Positions for Package #1 and #2 | See Appendix I for details | \$ 657 | | | | | | | | | |
| Additional Stars Mount Positions for Package #3 (2 Seats) | See Appendix I for details | \$ 784 | <u> </u> | · · | · | · | | | | | - |
| Stepwell Heater | | \$ 250 | | | | | • | | | | |
| Syntec Seat (Integrated Child Seat) 3 Point (Price per Seat) | | \$ 400 | \$ 400 \$ | \$ 400 | \$ 400 | \$ 400 | \$ 400 | \$ 400 | \$ 400 | \$ 400 | \$ 400 |
| Tag and Title - County Tags | County Schools | \$ 257 | | | | • | | | | | |
| Tag and Title - Non-County Tags | Non-County Tags | \$ 475 | | | · | • | • | | | <u> </u> | • |
| Telescoping Steering Column Add to Tilt | 4 | \$ 110 | | | | • | • | | | | |
| Towing Warranty - 60 Months/Unlimited Miles | \$550 Cap per occurrence | \$ 1,000 \$ 350 | | · · · · · · · · · · · · · · · · · · · | | · | | | | | |
| Tuff Coat Stepwell Wifi | | \$ 350 | | 5 225 | | | | | | | |
| Yellow Trim Around Windows | | \$ (50 | | | | | | | | | |
| 2 Way Radio Bracket Only (No Install) | | \$ 50 | | ` ' | | | | | | | |
| 3 Point Child Safety Seat | | \$ 750 | <u> </u> | | | • | | <u> </u> | | | • |
| 3 Point Child Safety Track Seat | | \$ 850 | \$ 850 \$ | \$ 850 | \$ 850 | \$ 850 | \$ 850 | \$ 850 | \$ 850 | \$ 850 | |
| Allison DOC Transmission PTS 2000 And 3000 | | 0 \$ 1,100 | | | | | | | | | • |
| Nexiq USB Link 2 | | 0 \$ 600 | | | | | | | \$ 600 | <u> </u> | • |
| Panasonic ThoughBook | | 0 \$ 1,900 | | 1,900 | | | | | \$ 1,900 | | |
| Cummins Engine INSITE Software, Adapter, 1 Year Sub | · | 4 \$ 924 | | | | - | | - | | · | |
| Diagnostic Link Left Side Fuel Fill for CNC Engine | | 0 \$ 1,500 | | | • | · | | | | | |
| Left Side Fuel Fill for CNG Engine Additional Left Side Fuel Ports for Propane Engine | CNG ENGINE ONLY PROPANE ONLY | N/A N/A | N/A N/A | N/A N/A | N/A N/A | \$ 650 \$ 200 | • | | • | · | • |
| 100 Gallon Fuel Tank for Propane Engine | PROPANE ONLY PROPANE ONLY | N/A N/A | N/A N/A | N/A N/A | N/A N/A | \$ 1,200 | | | \$ 1,200 | | |
| Overhead Luggage Rack | THOUTHE ONE | \$ 3,413 | <i>'</i> | 4,346 | • | | | | | | |
| LED Reading Lights | Whole Bus | \$ 1,600 | | | | | | | | | |
| Freedman Family 3 Point Wall Mount Seat | Price is Per Double Seat | \$ 692 | | | \$ 692 | \$ 692 | | | | \$ 692 | \$ 692 |
| US Armrests | Freedman Seats Only (Per Seat) | \$ 40 | \$ 40 \$ | \$ 40 | \$ 40 | \$ 40 | \$ 40 | \$ 40 | \$ 40 | \$ 40 | \$ 40 |
| Flush Mounted LED Entrance Light | | \$ 133 | | | · | | | | | <u> </u> | • |
| 6" Defroster Fan | | \$ 60 | \$ 60 \$ | 60 | \$ 60 | \$ 60 | \$ 60 | \$ 60 | \$ 60 | \$ 60 | \$ 60 |
| | | | | | | | | | | | |
| MFSAB Only Rollling One Color | | | + | | | | | | | + | |
| Beltline One Color Guardrails One Color | | \$ 970 | \$ 970 \$ | \$ 970 | \$ 970 | \$ 970 | \$ 970 | \$ 970 | \$ 970 | \$ 970 | \$ 970 |
| Beltline One Color | | \$ 1,380 | | | | · | | | | | |
| Solid One Color | | \$ 1,596 | | | | · | | | | | |
| Two Color | | \$ 2,760 | | | | | | | | | |
| Aluminum Wheels | | \$ 1,500 | | 1,500 | | | | | | | |
| Flip Down DVD System (6 Screens) | | \$ 5,500 | | 5,500 | | | | | \$ 5,500 | | |
| Marbleized Floor Covering & Treads - Optional Colors | See Sales Rep for Options | \$ 864 | | | | | | | | | \$ 864 |
| Transign VS12112 Front LED Sign 4.79"x 44.18" Display w/ VS500 USB Controller | | \$ 2,625 | | 2,625 | \$ 2,625 | | | | | \$ 2,625 | |
| Transign VS1280 Side LED Sign 4.79"x 31.59" Display-Requires Front Sign | | \$ 1,315 | | 1,315 | | | | | | | \$ 1,315 |
| Twin Vision Mobilite Front Sign w/Controller 12VOLT SIGN | | \$ 2,500 | \$ 2,500 \$ | 2,500 | \$ 2,500 | \$ 2,500 | | \$ 2,500 | \$ 2,500 | \$ 2,500 | |
| Twin Vision Mobilite Front & Side Sign w/Controller 12VOLT SIGN | | \$ 4,095 | \$ 4,095 \$ | 4,095 | \$ 4,095 | \$ 4,095 | \$ 4,095 | \$ 4,095 | \$ 4,095 | \$ 4,095 | |

| THOMAS | / MATTHEWS BUS ALLIANCE, IN | C. | | | |
|--|--|----------------|----------|-------------------------|---------|
| LEGEND: | STANDARD EQUIPMENT / BASE BUS PRICE | COMMENTS/NOTES | | D FRONT E): 89 Capa | |
| [STD] = STANDARD EQUIPMENT | Standard Engine: Cummins ISB 250/660 | | | • | _ |
| N/A = NOT APPLICABLE | Standard Transmission: Allison 3000 PTS, 6 FWD Range | | | | |
| N/C= NO CHARGE | Standard Tire: Hankook AH37, 11RR22.5 14 Ply | | | | |
| N/B= NO BID | Standard Wheelchair Lift: | NO BID | | N/A | |
| | Standard Wheelchair Tie | NO BID | | N/A | |
| | Base School Bus Price \$\$ | | Ś | - | .04,210 |
| | Base MFSAB Price \$\$ | | <u>'</u> | NO BID | , - |
| OPTIONAL CHASSIS | EQUIPMENT PRICES | | | | |
| [C1A] Front Tow Hooks | · | | Ś | | 48 |
| [C1B] Rear Tow Hooks | | | Ś | | 158 |
| [C2] Spare Disc Wheel | | | Ś | | 162 |
| [C3] Auto Trans Warranty (5 yr unlimited) | | | | STD | |
| [C4] 75-100 Gallon Fuel Tank* | | | \$ | | 378 |
| [C5] Low-Profile Radial Tires** | | | <u> </u> | N/A | |
| [C7] Type D Front Air Ride Suspension | | | | N/A | |
| [C6] 270 Amp L/N 4864 Alternator | | | Ś | | 775 |
| [C8] Adjustable Pedals | | | T T | N/A | |
| [C9] 3000-PTS Transmission | | | | STD | |
| [C10] Air Ride Rear Suspension | | | Ś | | 2,080 |
| [C12] Straight Floor | | | T T | N/A | |
| [C13] Auto Headlamp System | | | | N/A | |
| [C14] Air Disc Brakes | | | | N/A | |
| | EQUIPMENT PRICES | | | | |
| [B1] Pro Lo Hatch | | | | STD | |
| [B3] Vandal Box w/Key | | | \$ | | 15 |
| [B4] 76" High Headroom (minimum) | | | | [STD] | |
| [B5A] Intercom/PA | | | \$ | | 675 |
| [B5B] PA with Radio | | | \$ | | 750 |
| [B5C] Stereo Radio (no PA) | | | \$ | | 500 |
| [B6] Locking Door at Fuel Tank | | | \$ | | 11 |
| [B7A] CE White Integrated Child Restraint Seat | | | | N/A | |
| [B7B] IMMI Child Safety Seat | | | \$ | | 575 |
| [B7C] Syntech Integrated Child Restraint Seat | | | \$ | | 551 |
| [B7D] BTI Integrated Child Restraint Seat | | | | N/A | |
| [B8] Exterior Body Light Monitor | | | \$ | - | 375 |
| [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seating capacity) *** | | | \$ | | 11,372 |
| [B12] Full Perf. Ceiling Panel | | | \$ | | 483 |
| [B13] Bus Lockup System | | | \$ | | 182 |
| [B14] Wire Pupil Crossing Arm | | | | N/A | |
| [B15] Stainless Steel Mirror System (with non-corrosive brackets & fasteners) | | | | [STD] | |
| [B16] Battery Disconnect Switch Label | | | \$ | | 10 |
| [B17] Red Light Emergency Door | | | \$ | | 13 |
| [B18] Underseat Rear Heater | | | \$ | | 483 |
| [B19] Tailpipe through Bumper | | | <u> </u> | N/A | |
| [B20] Powder-Coated Windows | | | | STD | |
| [B21] Driver's Seat with Integrated Seat Belt | | | Ś | | 500 |
| [B27] Driver's Seat with Integrated Seat Belt | | | \$ | | 500 |
| L 1 | | 1 | 1 * | | |

| | | COMMENTS/NOTES | | FRONT ENGINE : 89 Capacity |
|---|--|-------------------------------------|---|-------------------------------|
| Optional Tire | | | | |
| (OPT1) Tire | Michelin XZE 255/70R22.5 16 Ply (G) | | \$ | 1,050 |
| (OPT2) Tire | Bridgestone ECO R268 11R22.5 14 PLY (G) | | \$ | 850 |
| [AC-1] OPTIONAL AIR-CO | NDITIONING | | | |
| AC-1 | RAC-EFBH12241, 126,000 BTU, 125 AMPS | See Appendix I for details | \$ | 15,518 |
| AC-2 | RAC-ACT-353, 180,000 BTU | See Appendix I for details | \$ | 30,087 |
| AC-3 | Transarctic, C240, 180,000 BTU, 128 AMPS | See Appendix I for details | \$ | 20,350 |
| WARRANTY OPTI | ONS | | | |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 60 Months/200,000 Miles | See Appendix I for details | \$ | 2,000 |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 60 Months/Unlimited Miles | See Appendix I for details | \$ | 2,125 |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 120 Months/200,000 Miles | See Appendix I for details | \$ | 4,350 |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 120 Months/Unlimited Miles | See Appendix I for details | \$ | 4,900 |
| Towing Warranty - 60 Months/Unlimited Miles | · · | \$550 Cap per occurrence | Ś | 875 |
| Warranty Credit Option | 12 Months/12,000 Miles ONLY (* see note) | 7555 Sup ps. 5558.75.155 | + | N/A |
| * By taking this warranty credit, the purchasing district is declining the standard chassis was updated in-service date of the bus. BAGGAGE COMPARTMENTS (Price) | | e for 12 Months/12,000 Miles (NO EX | CEPTIONS) | from the |
| 17.8 cu ft 60" W x 20"H | <u> </u> | Lock and 2 gas springs STD | \$ | 1,700 |
| 25.7 cu ft 100"W x 20"H | | Lock and 2 gas springs STD | \$ | 950 |
| Fiberglass Baggage Compartment - 26 Cubic Feet | | 2001 0110 2 800 0011180 012 | 5 | 4,600 |
| Luggage compartment availability may be limited based on optional equipment selections. | | | + | 1,000 |
| ADDITIONAL OPT | IONS | | | |
| Air Horn | | | <u> </u> | 70 |
| Air Tank Drains - Dash Mounted | | Controls 3 air solenoid valves | \$ | 125 |
| Batteries, 3 Group 31 1900 CCA in Lieu of 2 | | Controls 5 an Solemola valves | + | STD |
| Certificate Holder | | | \$ | 5 |
| Clipboard Document Holder | | | + + | 50 |
| Commodore Series Driver Seat - Grey (Includes Armrests) | | | | 350 |
| Coolant Filter | | | - | STD |
| Cruise Control | | | \$ | 30 |
| Fuel Sense | | | | 370 |
| Customer Supplied 2 Way Radio Install | | | - 6 | 275 |
| Def Tank Lock | | | , | 12 |
| Driver Alert Sign | | | - 6 | 425 |
| Driver Seat Left and Right Arm Rests | | | ٠, | 100 |
| Driver's Seat Pouch | | | , | |
| Electrical Power Outlet 12V | | 1 | ٠, | 10 38 |
| Electronic Stability Control | | | | STD |
| Engine Brake | | 1 | \$ | 650 |
| Engine Electronic Diagnostics and Familiarization | | 1 | + | STD |
| Exhaust Brake | | | <u> </u> | 80 |
| Exterior Storage /Tool Compartment | | 1 | \$ | 220 |
| Exterior Storage / roor compartment | L | 1 | 2 | 220 |
| Fleetshield Edge-Cover | | T | Τċ | 155 |
| Fleetshield Tuffcoat Bumpers | | + | ٠, | 300 |
| Fleetshield Tuffcoat Fuel Tank | | + | } | |
| | | + | + + - | 475 |
| Fleetshield Tuffcoat Stepwell | | | - | 230 |
| Fog Lamps (C2 and Type D only) | | | \$ | 100 |
| Heavy Duty Bumper | | + | + | STD |
| Mud Flaps | | | | STD |

| | COMMENTS/NOTES | TYPE D FRONT ENGINE (FE): 89 Capacity |
|--|----------------------------------|---------------------------------------|
| Petcock Plumed to Skirt | | STD |
| Rail Assist on Front Entrance Door | | \$ 100 |
| Rooftop Lettering | Must be noted in PO Submission | \$ 90 |
| Rosco Back Up Mirror and Camera | | \$ 950 |
| Rosco Integration with Seon | | \$ 100 |
| Route Changer 4 Digit - Hinged | | \$ 65 |
| Route Changer 4 Digit - Suction Cup | | \$ 65 |
| Seats Incorporated High Back Drivers Seat (Magnum) (Includes Armrests) | | \$ 560 |
| Silicone Only Heater and Engine Coolant Hoses | | \$ 244 |
| Skirt Mounted Reverse Lamps | | \$ 150 |
| Stainless Steel Heated Mirrors Crossview and Rear View | | \$ 250 |
| Syntec Seat (Integrated Child Seat) 3 Point (Price per Seat) | | \$ 400 |
| Tag and Title | | \$ 475 |
| Telescoping Steering Column Add to Tilt | | STD |
| Tuff Coat Stepwell | | \$ 350 |
| WIFI | | \$ 225 |
| 2 Way Radio Bracket Only | | \$ 50 |
| Allison DOC Transmission PTS 2000 And 3000 | | \$ 50 |
| Nexiq USB Link 2 | | \$ 1,100 |
| Panasonic ThoughBook | | \$ 600 |
| Cummins Engine INSITE Software, Adapter, 1 Year Sub | | \$ 1,900 |
| Diagnostic Link | | \$ 1,900 |
| Pro Low Hatch with Static Vent in Lieu of STD Vent | | \$ 1,500 |
| | | \$ 6,827 |
| Overhead Luggage Rack LED Reading Lights | | \$ 0,827 |
| Freedman Family 3 Point Wall Mount Seat | Price is Per Double Seat | \$ 1,600 |
| US Armrests | | |
| | Freedman Seats Only (Per Seat) | • |
| Air Horn | | \$ 70 |
| ISO and Lap Belt Rows 2 and 3 | | \$ 50 |
| Non-Factory Bus Lock Up Installation | | \$ 810 |
| 3 Point Child Safety Seat | | \$ 750 |
| 3 Point Child Safety Track Seat | | \$ 850 |
| CUMMINS B6.7 AB3 Aftertreatment Coverage - 120 Months/200,000 Miles | Requires respective EXC Warranty | \$ 2,200 |
| CUMMINS B6.7 AB3 Aftertreatment Coverage - 120 Months/Unlimited Miles | Requires respective EXC Warranty | \$ 3,200 |
| CUMMINS B6.7 AB3 Aftertreatment Coverage - 60 Months/150,000 Miles | Requires respective EXC Warranty | \$ 800 |
| CUMMINS B6.7 AB3 Aftertreatment Coverage - 60 Months/200,000 Miles | Requires respective EXC Warranty | \$ 900 |
| CUMMINS B6.7 AB3 Aftertreatment Coverage - 60 Months/Unlimited Miles | Requires respective EXC Warranty | \$ 1,075 |
| Flush Mounted LED Entrance Light | | \$ 133 |
| 6" Defroster Fan | | \$ 60 |
| MFSAB Options Only | | |
| Guardrails One Color | | \$ 970 |
| Beltline One Color | | \$ 1,380 |
| Solid One Color | | \$ 1,596 |
| Two Color | | \$ 2,760 |
| Aluminum Wheels | | \$ 1,500 |
| Transign VS12112 Front LED Sign 4.79"x 44.18" Display w/ VS500 USB Controller | | \$ 2,625 |
| Transign VS1280 Side LED Sign 4.79"x 31.59" Display-Requires Front Sign | | \$ 1,315 |
| Twin Vision Mobilite Front Sign w/Controller 12VOLT SIGN | | \$ 2,500 |
| Twin Vision Mobilite Front & Side Sign w/Controller 12VOLT SIGN | | \$ 4,095 |

| | THOMAS / MATTHEWS BUS ALLIANCE, INC. | | | | | |
|---|---|-----------------|---------------|---------|--------------------------------------|---------|
| LEGEND: | STANDARD EQUIPMENT / BASE BUS PRICE | COMMENTS/NOTES | TYPE D REAR I | | TYPE D REAR (RE): 84 Capa Lift | |
| [STD] = STANDARD EQUIPMENT | Standard Engine: Cummins ISB 250/660 | | | | | |
| N/A = NOT APPLICABLE | Standard Transmission: Allison 3000 PTS, 6 Fwd Ranges | | | | | |
| N/C= NO CHARGE | Standard Tire: Hankook AH37, 11RR22.5 14 Ply | | | | | |
| N/B= NO BID | Standard Wheelchair Lift: Braun NCL919IB, 800lbs | | N/A | | | |
| | Standard Wheelchair Tie Down: Sure-Lok - FF612S-4C-9 Retractable Series L | | N/A | | | |
| | Base School Bus Price \$\$ | | \$ 2 | L10,628 | \$ | 113,892 |
| | Base MFSAB Price \$\$ | | \$ 2 | 125,628 | \$ | 128,892 |
| OP | TIONAL CHASSIS EQUIPMENT PRICES | | | | | |
| [C1A] Front Tow Hooks | | | \$ | 48 | \$ | 48 |
| [C1B] Rear Tow Hooks | | | \$ | 158 | \$ | 158 |
| [C2] Spare Disc Wheel | | | Ś | 162 | | 162 |
| [C3] Auto Trans Warranty (5 yr unlimited) | | | STD | | STD | |
| [C4] 75-100 Gallon Fuel Tank* | | | ς ς | 273 | | 273 |
| [C5] Low-Profile Radial Tires** | | | N/A | 213 | N/A | |
| [C7] Type D Front Air Ride Suspension | | | Ċ Ċ | 1,300 | | 1,300 |
| [C6] 270 Amp L/N 4864 Alternator | | | ې د | 1,024 | | |
| | | | \$ 6 | | | 1,024 |
| [C8] Adjustable Pedals | | | \$ | 452 | | 452 |
| [C9] 3000-PTS Transmission | | | STD | | STD | |
| [C10] Air Ride Rear Suspension | | | \$ | 1,800 | | 1,800 |
| [C12] Straight Floor | | | N/A | | N/A | |
| [C13] Auto Headlamp System | | | STD | | STD | |
| [C14] Air Disc Brakes | | | N/A | | N/A | |
| 0 | PTIONAL BODY EQUIPMENT PRICES | | | | | |
| [B1] Pro Lo Hatch | | | STD | | STD | |
| [B3] Vandal Box w/Key | | | \$ | 15 | \$ | 15 |
| [B4] 76" High Headroom (minimum) | | | [STD] | | [STD] | |
| [B5A] Intercom/PA | | | \$ | 440 | | 440 |
| [B5B] PA with Radio | | | Ś | 610 | | 610 |
| [B5C] Stereo Radio (no PA) | | | Ś | 530 | • | 530 |
| [B6] Locking Door at Fuel Tank | | | \$ | 35 | | 35 |
| [B7A] CE White Integrated Child Restraint Seat | | | N/A | - 33 | N/A | |
| [B7B] IMMI Child Safety Seat | | | Ċ Ċ | 474 | | 474 |
| [B7C] Syntech Integrated Child Restraint Seat | | | <u>ې</u> د | 382 | | 382 |
| [B7D] BTI Integrated Child Restraint Seat | | | γ N/A | 362 | N/A | |
| · · · · · · | | | N/A | 250 | • | |
| [B8] Exterior Body Light Monitor | 1. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | \$ | 350 | \$ | 350 |
| [B11] Lap/Shoulder Belts (PRICE PER UNIT - no reduction in seating cap | pacity) *** | | \$ | 10,613 | \$ | 10,613 |
| [B12] Full Perf. Ceiling Panel | | | \$ | 483 | | 483 |
| [B13] Bus Lockup System | | | \$ | 182 | • | 182 |
| [B14] Wire Pupil Crossing Arm | | | N/A | | N/A | |
| [B15] Stainless Steel Mirror System (with non-corrosive brackets & fas | steners) | | [STD] | | [STD] | |
| [B16] Battery Disconnect Switch Label | | | \$ | 10 | \$ | 10 |
| [B17] Red Light Emergency Door | | | \$ | 15 | \$ | 15 |
| [B18] Underseat Rear Heater | | | \$ | 532 | \$ | 532 |
| [B19] Tailpipe through Bumper | | | N/A | | N/A | |
| [B20] Powder-Coated Windows | | | STD | | STD | |
| [B21] Driver's Seat with Integrated Seat Belt | | | \$ | 465 | \$ | 465 |
| [B22] Delete W/C - Add Seat (Lift Bus Only) | | (Lift Bus Only) | N/A | | \$ | (534 |
| [B23] Delete Seat - Add W/C (Lift Bus Only) | | (Lift Bus Only) | N/A | | \$ | 534 |
| [B24] Wheelchair Securement Area Lighting (Lift Bus Only) | | (Lift Bus Only) | N/A | | N/A | |
| [B25] Track Seating (Lift Bus Only) | | (Lift Bus Only) | | | N/A | |
| | | | N/A | | | |
| [B26] Standard Track-seating Seat (Lift Bus Only) [B27] Driver's Seat with Integrated Seat Belt | | (Lift Bus Only) | N/A | 465 | N/A N/A | |
| | | | | | | |

| | | COMMENTS/NOTES | TYPE D REAR ENGINE (RE): 84 Capacity | TYPE D REAR ENGINE (RE): 84 Capacity with Lift |
|-------------------------------|--|--|--------------------------------------|--|
| | Optional Tire | | | |
| (OPT1) Tire | Michelin XZE 255/70R22.5 16 Ply (G) | | \$ 1,050 | \$ 1,050 |
| (OPT2) Tire | Bridgestone ECO R268 11R22.5 14 PLY (G) | | \$ 850 | \$ 850 |
| (OPT3) Tire | Tire Manuf, Model, Size, Load range | | | |
| (OPT4) Tire | Tire Manuf, Model, Size, Load range | | | |
| (OPT5) Tire | Tire Manuf, Model, Size, Load range | | | |
| | OPTIONAL WHEELCHAIR LIFT #1 | | | |
| (Opt 1) Lift | Braun NCL954FIB3454-2 | Braun 1000lbs Lift | N/A | \$ 700 |
| (Opt 2) Lift | Manuf, Model,# Capacity, Platform width | | | |
| (Opt 3) Lift | Manuf, Model,# Capacity, Platform width | | | |
| 0 | PTIONAL WHEELCHAIR TIEDOWN/OCCUPANT RESTRAINT SYSTEM (WTORS) | | | |
| (OPT1)WTORS | Q-Straint - 8300A1-SC | STD in STARS Package #3 Only. See Appendix I | | |
| (OPT2)WTORS | Manuf, Model | | | |
| (OPT3)WTORS | Manuf, Model | | | |
| (OPT4)WTORS | Manuf, Model | | | |
| | [AC-1] OPTIONAL AIR-CONDITIONING | | | |
| AC-1 | RAC-REBH12241, 126,000 BTU, 125 AMPS | | \$ 15,518 | \$ 15,518 |
| AC-2 | RAC-ACT-353, 180,000 BTU | | \$ 30,087 | \$ 30,087 |
| AC-3 | Transarctic, C240, 180,000 BTU, 128 AMPS | See Appendix I for details | \$ 27,000 | \$ 27,000 |
| | OPTIONAL ENGINES | | | |
| Cummins L9 N, 280HP/900 LB FT | | See Alternate Fuel Engine Letter for Details | \$ 35,500 | \$ 35,500 |
| Detroit DD8, 280HP/800 LB FT | | Rear Engine Only | \$ 8,400 | |
| Cummins, L9 270HP/900 LB FT | | Rear Engine Only | \$ 7,900 | \$ 7,900 |

| | | | | - | VDE D DEAD E | ENCINE |
|--|---|---|------------------|-----------------|--------------------------------------|--------|
| | | COMMENTS/NOTES | TYPE D REA | AR ENGINE (R | YPE D REAR E E): 84 Capac Lift | |
| SEATING CAPACITY FOR FRONT MOUNTED LIFT EQUIPPED BUSES | | | (RE) | Capacity | | |
| Standard Number of Wheelchair Spaces: | | | N/ | /A | 3 | |
| Maximum Number of Wheelchair Spaces: | | | N/ | | 5 | |
| Maximum Number of Passengers in Regular Seats with Standard (3) Whee | elchair Spaces: | | N/ | | 54 | |
| (-) | WARRANTY OPTIONS | | , | | | |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 60 Months/200,000 Miles | See Appendix I for details | Ś | 2,000 \$ | | 2,000 |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 60 Months/Unlimited Miles | See Appendix I for details | Ś | 2,125 \$ | | 2,125 |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 120 Months/200,000 Miles | See Appendix I for details | Ś | 4,350 \$ | | 4,350 |
| Extended Engine Warranty | CUMMINS B6.7 EXC COVERAGE - 120 Months/Unlimited Miles | See Appendix I for details | Ś | 4,900 \$ | | 4,900 |
| Towing Warranty - 60 Months/Unlimited Miles | | \$550 Cap per occurrence | \$ | 1,325 \$ | | 1,325 |
| Warranty Credit Option | 12 Months/12,000 Miles ONLY (* see note) | post dap per documente | N/ | | N/A | |
| * By taking this warranty credit, the purchasing district is declining the s | tandard chassis warranty and the standard body warranty and will only have warranty cover | rage for 12 Months/12,000 Miles (NO EXCEPTIONS) | from the updated | in-service date | of the bus. | |
| BAGGAGE CO | MPARTMENTS (Price is for ONE per bus) | | | | | |
| 125 Thru Deluxe Luggage Box (Not Available on CNG) | | Not available on CNG | \$ | 2,350 | N/A | |
| 17.8 cu ft 60" W x 20"H (Not Available on CNG) | | Not available on CNG | \$ | 1,750 | N/A | |
| 25.7 cu ft 100"W x 20"H (Not Available on CNG) | • | Lock and 2 gas springs STD | \$ | 1,550 | N/A | |
| Luggage compartment availabili | ty may be limited based on optional equipment selections. | | | | | |
| | ADDITIONAL OPTIONS | | | | | |
| Air Horn | | | \$ | 70 \$ | | 70 |
| Air Tank Drains - Dash Mounted | | | \$ | 125 \$ | | 125 |
| Batteries, 3 Group 31 1900 CCA in Lieu of 2 | | | ST | D | STD | |
| Certificate Holder | | | \$ | 5 \$ | | 5 |
| Clipboard Document Holder | | | \$ | 50 \$ | | 50 |
| Commodore Series Driver Seat - Grey (Includes Armrests) | | | \$ | 350 \$ | | 350 |
| Coolant Filter | | | ST | D | STD | |
| Cruise Control | | | \$ | 30 \$ | | 30 |
| Customer Supplied 2 Way Radio Install | | | \$ | 275 \$ | | 275 |
| Def Tank Lock | | | \$ | 12 \$ | | 12 |
| Driver Alert Sign | | | \$ | 425 \$ | | 425 |
| Driver Seat Left and Right Arm Rests | | | \$ | 100 \$ | | 100 |
| Driver's Seat Pouch | | | \$ | 10 \$ | | 10 |
| Electrical Power Outlet 12V | | | \$ | 38 \$ | | 38 |
| Electronic Stability Control | | | ST | D | STD | |
| Engine Brake | | | \$ | 650 \$ | | 650 |
| Engine Electronic Diagnostics and Familiarization | | | ST | D | STD | |
| Exhaust Brake | | | \$ | 80 \$ | | 80 |
| Exterior Storage /Tool Compartment | | | \$ | 220 \$ | | 220 |
| Fleetshield Edge-Cover | | | \$ | 155 \$ | | 155 |
| Fleetshield Tuffcoat Bumpers | | | \$ | 300 \$ | | 300 |
| Fleetshield Tuffcoat Fuel Tank | | | \$ | 475 \$ | | 475 |
| Fleetshield Tuffcoat Stepwell | | | \$ | 230 \$ | | 230 |
| Fog Lamps (C2 and Type D only) | | | \$ | 85 \$ | | 85 |
| Fuel Sense | | | \$ | 370 \$ | | 370 |
| Heavy Duty Bumper | | | ST | .D | STD | |
| Mud Flaps | | | Ś | 50 \$ | | 50 |

| | | COMMENTS/NOTES | TYPE D REAR ENGIN (RE): 84 Capacity | TYPE D REAR ENGINE (RE): 84 Capacity with Lift |
|--|----------|-----------------------------------|-------------------------------------|--|
| ADDITIONA | LOPTIONS | | (NL). 64 Capacity | Liit |
| Noise Suppression Switch | | | \$ 5 |) \$ 50 |
| Petcock Plumed to Skirt | | | STD | STD |
| Rail Assist on Front Entrance Door | | | \$ 10 | |
| Rooftop Lettering | | Must be noted in PO Submission | \$ 9 | • |
| Rosco Back Up Mirror and Camera | | made be noted in 1 o dubinication | \$ 95 | · |
| Rosco Integration with Seon | | | \$ 10 | - 1 |
| Route Changer 4 Digit - Hinged | | | \$ 6 | |
| Route Changer 4 Digit - Suction Cup | | | \$ 6 | |
| Seats Incorporated High Back Drivers Seat (Magnum) (Includes Armrests) | | | | 5 5 5 5 5 6 6 |
| Silicone Only Heater and Engine Coolant Hoses | | | \$ 24 | |
| Skirt Mounted Reverse Lamps | | | |) \$ 150 |
| Stainless Steel Heated Mirrors Crossview and Rear View | | | |) \$ 250 |
| | | | \$ 40 | |
| Syntec Seat (Integrated Child Seat) 3 Point (Price per Seat) | | | | * |
| Tag and Title | | | \$ 47 | • |
| Telescoping Steering Column Add to Tilt | | | STD | STD |
| Towing Warranty - 60 Months/Unlimited Miles | | | \$ 1,32 | · · |
| Tuff Coat Stepwell | | | \$ 35 | |
| Wifi | | | \$ 22 | - |
| 2 Way Radio Bracket Only | | | | 50 |
| Allison DOC Transmission PTS 2000 And 3000 | | | \$ 1,10 | |
| Nexiq USB Link 2 | | | \$ 60 | • |
| Panasonic ThoughBook | | | \$ 1,90 |) \$ 1,900 |
| Cummins Engine INSITE Software, Adapter, 1 Year Sub | | | \$ 92 | \$ 924 |
| Diagnostic Link | | | \$ 1,50 |) \$ 1,500 |
| Left Side Fuel Fill for CNG Engines | | CNG Engine Only | \$ 90 | 900 |
| STARS Package #1 - Continuous Track | | See Appendix I for details | \$ 75 | L \$ 751 |
| STARS Package #2 - Non-Continuous Track | | See Appendix I for details | \$ 77 | 7 \$ 777 |
| STARS Package #3 - Slide and Click | | See Appendix I for details | \$ 1,09 | 3 \$ 1,098 |
| Additional Stars Mount Positions for Package #1 and #2 | | See Appendix I for details | \$ 65 | 7 \$ 657 |
| Additional Stars Mount Positions for Package #3 (2 Seats) | | See Appendix I for details | \$ 78 | \$ 784 |
| Overhead Luggage Rack | | | \$ 6,82 | 7 \$ 6,827 |
| Freedman Family 3 Point Wall Mount Seat | | Price is Per Double Seat | \$ 69 | 2 \$ 692 |
| LED Reading Lights | | | \$ 1,60 |) \$ 1,600 |
| Aluminum Wheels | | | | 3 \$ 938 |
| US Armrests | | Freedman Seats Only (Per Seat) | |) \$ 40 |
| Air Horn | | | \$ 7 | |
| CUMMINS B6.7 AB3 Aftertreatment Coverage - 120 Months/200,000 Miles | | | \$ 2,20 | |
| CUMMINS B6.7 AB3 Aftertreatment Coverage - 120 Months/Unlimited Miles | | | \$ 3,20 | |
| CUMMINS B6.7 AB3 Aftertreatment Coverage - 60 Months/150,000 Miles | | | | 9 \$ 800 |
| CUMMINS B6.7 AB3 Aftertreatment Coverage - 60 Months/200,000 Miles | | | \$ 90 | |
| CUMMINS B6.7 AB3 Aftertreatment Coverage - 60 Months/Unlimited Miles | | | \$ 1,07 | |
| ISO and Lap Belt Rows 2 and 3 | | | · |) \$ 50 |
| Non-Factory Bus Lock Up Installation | | | \$ 81 | · · |
| 3 Point Child Safety Seat | | | |) \$ 750 |
| Left Side Fuel Fill for CNG Engine | | | |) \$ 730 |
| Flush Mounted LED Entrance Light | | | | 3 \$ 133 |
| Pro Low Hatch with Static Vent in Lieu of STD Vent | | | | |
| 6" Defroster Fan | | | \$ 1,50 | |
| | | | Ş 6 | 5 60 |
| MFSAB Options Only Cuardrails One Color | | | ė ^~ | 0.70 |
| Guardrails One Color | | | | 970 |
| Beltline One Color | 1 | | \$ 1,38 | |
| Solid One Color | | | \$ 1,59 | |
| Two Color | | | \$ 2,76 | |
| Transign VS12112 Front LED Sign 4.79"x 44.18" Display w/ VS500 USB Controller | | | \$ 2,62 | <u> </u> |
| Transign VS1280 Side LED Sign 4.79"x 31.59" Display-Requires Front Sign | | | \$ 1,31 | |
| Twin Vision Mobilite Front Sign w/Controller 12VOLT SIGN | | | \$ 2,50 | |
| Twin Vision Mobilite Front & Side Sign w/Controller 12VOLT SIGN | | | \$ 4,09 | 5 \$ 4,095 |

DELIVERY PRICES

| FOR FOR FOR FOR FOR STOR A DELIVERY \$ \$1,297 | PROPANE CNG ELECTRIC MFSAB C DELIVERY \$ \$1,297 | PLEASE ADD PLEASE ADD PLEASE ADD PLEASE ADD PLEASE ADD DELIVERY \$ \$1,297 | \$100 \$780 \$1,500 MFSAB DELIVERY \$ \$1,297 |
|---|---|---|--|
| FOR FOR A DELIVERY \$ \$1,297 | ELECTRIC MFSAB C DELIVERY \$ | PLEASE ADD PLEASE ADD PLEASE ADD D D DELIVERY \$ | \$1,500 MFSAB DELIVERY \$ |
| A DELIVERY \$ \$1,297 | MFSAB C DELIVERY \$ | PLEASE ADD PLEASE ADD D DELIVERY \$ | MFSAB DELIVERY \$ |
| A DELIVERY \$ \$1,297 | C DELIVERY \$ | D DELIVERY \$ | DELIVERY \$ |
| A DELIVERY \$ \$1,297 | DELIVERY \$ | D DELIVERY \$ | DELIVERY \$ |
| DELIVERY \$ \$1,297 | DELIVERY \$ | DELIVERY \$ | DELIVERY \$ |
| DELIVERY \$ \$1,297 | DELIVERY \$ | DELIVERY \$ | DELIVERY \$ |
| \$1,297 | | - | |
| | \$1,297 | \$1,297 | \$1,297 |
| ¢4.050 | | | |
| ¢4.050 | | | |
| £4.0F0 | | | |
| ¢4.050 | | | |
| £4.0F0 | | | |
| ¢4.050 | | | |
| £4.0F0 | | | |
| £1.0F0 | | | |
| £4.0F0 | | | |
| £4.0F0 | | | |
| ¢4.050 | | | |
| ¢4.050 | | | |
| ¢4.0F0 | | | |
| <u>\$1,050</u> | \$1,050 | \$1,050 | \$1,050 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

DELIVERY PRICES

| REGION 3 | COUNTY SEAT | \$993 | \$993 | \$993 | \$993 |
|--------------|--------------------|----------------|----------------|----------------|----------------|
| Citrus | Inverness | | | | |
| Flagler | Bunnell | | | | |
| Hernando | Brooksville | | | | |
| Hillsborough | Tampa | | | | |
| Lake | Tavares | | | | |
| Marion | Ocala | | | | |
| Orange | Orlando | | | | |
| Pasco | New Port Richey | | | | |
| Pinellas | Clearwater | | | | |
| Putnam | Palatka | | | | |
| St. Johns | St. Augustine | | | | |
| Seminole | Sanford | | | | |
| Sumter | Bushnell | | | | |
| Volusia | DeLand | | | | |
| REGION 4 | COUNTY SEAT | \$1,192 | <u>\$1,192</u> | <u>\$1,192</u> | <u>\$1,192</u> |
| Brevard | Cocoa | | | | |
| Charlotte | Punta Gorda | | | | |
| DeSoto | Arcadia | | | | |
| Glades | Moore Haven | | | | |
| Hardee | Wauchula | | | | |
| Hendry | LaBelle | | | | |
| Highlands | Sebring | | | | |
| Indian River | Vero Beach | | | | |
| Lee | Fort Myers | | | | |
| Manatee | Bradenton | | | | |
| Martin | Stuart | | | | |
| Okeechobee | Okeechobee | | | | |
| Osceola | Kissimmee | | | | |
| Polk | Bartow | | | | |
| St. Lucie | Fort Pierce | | | | |
| Sarasota | Sarasota | | | | |
| REGION 5 | COUNTY SEAT | <u>\$1,282</u> | <u>\$1,282</u> | <u>\$1,282</u> | <u>\$1,282</u> |
| Broward | Ft. Lauderdale | | | | |
| Collier | Naples | | | | |
| Miami-Dade | Miami | | | | |
| Monroe | Key West | | | | |
| Palm Beach | W. Palm Beach | | | | |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

THOMAS / MATTHEWS BUS ALLIANCE, INC.

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Price |
|------------------------|---|----------------|----------|
| SEON | | | |
| Trooper TH4 | | | |
| | Trooper TH4 DVR 4 HD channels, audio, security front cover w/lock set, mounting bracket, power | | ć 1 117 |
| TH4H500 | harness, 500GB hard drive | | \$ 1,117 |
| TH4H1T0 | Trooper TH4 DVR 4 HD channels, audio, security front cover w/ lock set, mounting bracket, power | | \$ 1,219 |
| 111411110 | harness, 1TB hard drive | | 7 1,219 |
| TH4H2T0 | Trooper TH4 DVR 4 HD channels, audio, security front cover w/ lock set, mounting bracket, power | | \$ 1,423 |
| | harness, 2TB hard drive | | 7 1,423 |
| TH4 SD Card Based - Ba | asic DVR's | | |
| TH4C128 | TH4C DVR 4 HD channels, audio, mounting bracket, power harness, 128GB Card | | \$ 1,069 |
| TH4C256 | TH4C DVR 4 HD channels, audio, mounting bracket, power harness, 256GB Card | | \$ 1,144 |
| TH4C512 | TH4C DVR 4 HD channels, audio, mounting bracket, power harness, 512GB Card | | \$ 1,418 |
| Trooper TH6 | | | |
| | Trooper TH DVR 6 HD channels, audio, security front cover w/ lock set, mounting bracket, power | | 4 4 400 |
| TH6H500 | harness, 500GB hard drive | | \$ 1,489 |
| TH6H1T0 | Trooper TH DVR 6 HD channels, audio, security front cover w/ lock set, mounting bracket, power | | ć 1 F01 |
| IUQUIIO | harness, 1TB hard drive | | \$ 1,591 |
| TH6H2T0 | Trooper TH DVR 6 HD channels, audio, security front cover w/ lock set, mounting bracket, power | | \$ 1,795 |
| 111011210 | harness, 2TB hard drive | | \$ 1,795 |
| Trooper TH8 | | | |
| TH8H1T0 | TH8 DVR, 8 HD Channels, 2 IP Channels, Audio, Security Front Cover w/ Lock Set, Mounting Bracket, | | \$ 1,868 |
| INOULIA | Power Harness, 1TB Single HDD | | \$ 1,000 |
| TH8H2T0 | TH8 DVR, 8 HD Channels, 2 IP Channels, Audio, Security Front Cover w/ Lock Set, Mounting Bracket, | | \$ 1,977 |
| 111011210 | Power Harness, 2TB Single HDD | | 7 1,977 |
| TH8H2T0-2HDD | TH8 DVR, 8 HD Channels, 2 IP Channels, Audio, Security Front Cover w/ Lock Set, Mounting Bracket, | | \$ 1,984 |
| 111011210 21100 | Power Harness, 2TB (2X1TB) Dual HDD | | 7 1,50 |
| TH8H4T0-2HDD | TH8 DVR, 8 HD Channels, 2 IP Channels, Audio, Security Front Cover w/ Lock Set, Mounting Bracket, | | \$ 2,137 |
| | Power Harness, 4TB (2X2TB) Dual HDD | | + -, |
| Video Expansion Optio | on for TH8 DVR | | |
| TH4C0 | TH4C0 DVR 4 HD channels, audio, mounting bracket, power harness, 15' CAT 5 Patch Cable | | \$ 977 |
| SD Card Video Back Up | for TH /series DVR's | | |
| SDCARD128 | SD Card, 128GB, for backup video storage | | \$ 142 |
| SDCARD256 | SD Card, 256GB, for backup video storage | | \$ 326 |
| SDCARD512 | SD Card, 512GB, for backup video storage | | \$ 605 |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Price |
|---------------------------|---|----------------|---------------------|
| SEON CONTINUED | | | |
| Trooper TH4 - Solid State | | | |
| - | Trooper TH4 DVR 4 HD channels, audio, security front cover w/ lock set, mounting bracket, power | | ć 4.772 |
| TH4S1T0 | harness, 1TB SSD | | \$ 1,773 |
| TH4S500 | Trooper TH4 DVR 4 HD channels, audio, security front cover w/ lock set, mounting bracket, power | | \$ 1,610 |
| | harness, 500GB SSD | | 7 1,010 |
| Trooper TH6 - Solid State | | | |
| TH6S1T0 | Trooper TH DVR 6 HD channels, audio, security front cover w/ lock set, mounting bracket, power | | \$ 1,934 |
| 11103110 | harness, 1TB SSD | | ÿ 1,55 + |
| TH6S500 | Trooper TH DVR 6 HD channels, audio, security front cover w/ lock set, mounting bracket, power | | \$ 1,774 |
| | harness, 500GB SSD | | Ų <u>1,</u> ,,,, |
| Trooper TH8 - Solid State | | | |
| TH8S1T0 | TH8 DVR, 8 HD Channels, Audio, Security Front Cover w/ Lock Set, Mounting Bracket, Power Harness, | | \$ 2,264 |
| 11103110 | 1TB Single SSD | | 7 2,204 |
| TH8S2T0 | TH8 DVR, 8 HD Channels, Audio, Security Front Cover w/ Lock Set, Mounting Bracket, Power Harness, | | \$ 2,822 |
| 11103210 | 2TB Single SSD | | 7 2,022 |
| TH8S2T0-2SSD | TH8 DVR, 8 HD Channels, Audio, Security Front Cover w/ Lock Set, Mounting Bracket, Power Harness, | | \$ 2,775 |
| | 2TB (2X1TB) Dual SSD | | 7 -, |
| TH8S4T0-2SSD | TH8 DVR, 8 HD Channels, Audio, Security Front Cover w/ Lock Set, Mounting Bracket, Power Harness, | | \$ 3,865 |
| Explorer NH16 | 4TB (2X2TB) Dual SSD | | |
| explorer NH10 | AND | | |
| NH16H1T0 | NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, Security Front | | \$ 3,977 |
| | Cover w/ Lock Set, Mounting Bracket, Power Harness, 1TB Single HDD NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, Security Front | | |
| NH16H2T0 | Cover w/ Lock Set, Mounting Bracket, Power Harness, 2TB Single HDD | | \$ 4,084 |
| | NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, Security Front | | |
| NH16H2T0-2HDD | Cover w/ Lock Set, Mounting Bracket, Power Harness, 2TB (2X1TB) Dual HDD | | \$ 4,091 |
| | NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, Security Front | | <u>.</u> |
| NH16H4T0-2HDD | Cover w/ Lock Set, Mounting Bracket, Power Harness, 4TB (2X2TB) Dual HDD | | \$ 4,261 |
| Explorer NH16 - Solid Sta | | | |
| · | NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, Security Front | | |
| NH16S1T0 | Cover with Lock Set, Mounting Bracket, Power Harness, 1TB Single SSD | | \$ 4,328 |
| | NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, Security Front | | 4 |
| NH16S2T0 | Cover with Lock Set, Mounting Bracket, Power Harness, 2TB Single SSD | | \$ 4,913 |
| NULLACCATO ACCO | NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, Security Front | | ć 4000 |
| NH16S2T0-2SSD | Cover with Lock Set, Mounting Bracket, Power Harness, 2TB (2X1TB) Dual SSD | | \$ 4,866 |
| NH16S4T0-2SSD | NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, Security Front | | \$ 5,935 |
| 1411103410-5330 | Cover with Lock Set, Mounting Bracket, Power Harness, 4TB (2X2TB) Dual SSD | | ووورد د |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Р | rice |
|-------------------------|---|----------------|----|------|
| SEON CONTINUED | | | | |
| DVR Wiring Bundles | | | | |
| WT1D20S20G4 | Trooper TL, TL-HD & TH and NH16 wiring bundle, diagnostic indicator/alarm button cable, five signal input, GPS4 receiver magnetic mount | | \$ | 231 |
| Camera AHD 720P Interio | or Dome TH Series DVR's | | | |
| HD1QxxAI20 | HD Camera, Dome, internal, audio, IR TDN 20' Harness to use w/TH-Series DVRs - 26mm or 36mm | | \$ | 335 |
| HD1QxxAI50 | HD Camera, Dome, internal, audio, IR TDN 50' Harness to use w/TH-Series DVRs - 26mm or 36mm | | \$ | 364 |
| HD1QxxAI75 | HD Camera, Dome, internal, audio, IR TDN 75' Harness to use w/TH-Series DVRs - 26mm or 36mm | | \$ | 390 |
| Camera AHD 720P Exteri | or Wedge TH Series DVR's | | | |
| HD1WxxEI20 | HD Camera, Wedge, external, IR TDN, 20' harness - for use w/TH4 DVRs - 28mm, 36mm, 16mm or 25mm | | \$ | 443 |
| HD1WxxEI50 | HD Camera, Wedge, external, IR TDN, 50' harness - for use w/TH4 DVRs - 28mm, 36mm, 16mm or 25mm | | \$ | 461 |
| HD1WxxEI75 | HD Camera, Wedge, external, IR TDN, 75' harness - for use w/TH4 DVRs - 28mm, 36mm, 16mm or 25mm | | \$ | 478 |
| Camera AHD 720P Stop A | Arm Exterior Wedge TH Series DVR's | | | |
| HD1S16EI20 | HD Camera, Wedge, Stop Arm, 16mm, external, IR TDN, 20' harness - for use w/TH-Series DVRs | | \$ | 466 |
| HD1S16EI50 | HD Camera, Wedge, Stop Arm, 16mm, external, IR TDN, 50' harness - for use w/TH-Series DVRs | | \$ | 491 |
| HD1S16EI75 | HD Camera, Wedge, Stop Arm, 16mm, external, IR TDN, 75' harness - for use w/TH-Series DVRs | | \$ | 516 |
| Camera AHD 1080P Ultra | -Wide - Interior for TH6 & TH8 DVR's Only | | | |
| HD3U01AN20 | HD Camera, Ultra Wide, 172mm, internal, audio, IR, TDN, 20' harness — to use w/TH6 or TH8 DVR | | \$ | 422 |
| HD3U01AN50 | HD Camera, Ultra Wide, 172mm, internal, audio, IR, TDN, 50' harness — to use w/TH6 or TH8 DVR | | \$ | 448 |
| HD3U01AN75 | HD Camera, Ultra Wide, 172mm, internal, audio, IR, TDN, 75' harness — to use w/TH6 or TH8 DVR | | \$ | 473 |
| Camera AHD 1080P Inter | ior TH6/TH8 | | | |
| HD3QxxA20 | HD Camera, Dome, internal, audio, IR TDN, 20' harness — to use w/TH6 DVR - 28mm or 36mm | | \$ | 404 |
| HD3QxxA50 | HD Camera, Dome, internal, audio, IR TDN, 50' harness — to use w/TH6 DVR - 28mm or 36mm | | \$ | 429 |
| HD3QxxA75 | HD Camera, Dome, internal, audio, IR TDN, 75' harness — to use w/TH6 DVR - 28mm or 36mm | | \$ | 454 |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Pric | ce |
|--------------------------|---|----------------|----------|------|
| SEON CONTINUED | | | | |
| Camera AHD 1080P Exte | rior TH6/TH8 | | | |
| LIDOM/mcElOO | HD Camera, Wedge, external, IR TDN, 20' harness, to use w/TH6 and TH8 DVRs - 28mm, 36mm, | | | 451 |
| HD3WxxEI20 | 16mm or 25mm | | \$ | 451 |
| HD3WxxEI50 | HD Camera, Wedge, external, IR TDN, 50' harness, to use w/TH6 and TH8 DVRs - 28mm, 36mm, | | \$ | 477 |
| TIDSWXXLISU | 16mm or 25mm | | ۲ | 4// |
| HD3WxxEI75 | HD Camera, Wedge, external, IR TDN, 75' harness, to use w/TH6 and TH8 DVRs - 28mm, 36mm, | | \$ | 502 |
| TIDSWAXEI75 | 16mm or 25mm | | | J02 |
| Camera AHD 1080P Stop | Arm TH6/TH8 | | | |
| HD3SxxEI20 | HD Camera, Wedge, Stop Arm, external, IR TDN, 20' harness, to use w/TH6 & TH8 DVRs - 16mm or | | \$ | 474 |
| HD33XXEIZU | 25mm | | ۶ | 4/4 |
| HD3SxxEI50 | HD Camera, Wedge, Stop Arm, external, IR TDN, 50' harness, to use w/TH6 & TH8 DVRs - 16mm or | | \$ | 499 |
| TIDSSAALISU | 25mm | | ٠, | 433 |
| HD3SxxEI75 | HD Camera, Wedge, Stop Arm, external, IR TDN, 75' harness, to use w/TH6 & TH8 DVRs - 16mm or | | \$ | 524 |
| TID55XXEI75 | 25mm | | | J2¬ |
| Camera CA Analog Wedg | ge Exterior | | | |
| CA10xxEI20 | Day/Night 700 TVL camera, exterior (w infrared, no audio), 20 ft harness - 29mm, 36mm, 16mm or | | \$ | 424 |
| CATOXXLIZO | 25mm | | ۲ | 424 |
| CA10xxEI50 | Day/Night 700 TVL camera, exterior (w infrared, no audio), 50 ft harness - 29mm, 36mm, 16mm or | | \$ | 449 |
| CATOXALISO | 25mm | | | |
| CA10xxEI75 | Day/Night 700 TVL camera, exterior (w infrared, no audio), 75 ft harness - 29mm, 36mm, 16mm or | | \$ | 475 |
| CATOMENTS | 25mm | | <u> </u> | |
| Camera IP - C3Q Interior | Dome - Progressive Scan | | | |
| C3Q9PDxxA20 | IP Camera, PoE, dome, white, 3MP progressive scan, interior, IR Day/Night, audio, 20 ft harness - to | | \$ | 492 |
| CSQ51 DXXA20 | use w/TH8 or NH16 - 28mm or 4mm | | , | 432 |
| C3Q9PDxxA50 | IP Camera, PoE, dome, white, 3MP progressive scan, interior, IR Day/Night, audio, 50 ft harness - to | | \$ | 513 |
| | use w/TH8 or NH16 - 28mm or 4mm | | | |
| C3Q9PDxxA75 | IP Camera, PoE, dome, white, 3MP progressive scan, interior, IR Day/Night, audio, 75 ft harness - to | | \$ | 528 |
| | use w/TH8 or NH16 - 28mm or 4mm | | | |
| TH8POEKIT48 | ASSY, POE KIT, 48V - (One Required Per C3 Camera (Max x2/TH8 DVR) | | \$ | 200 |
| Camera IP - C3W Exterio | r Wedge - Progressive Scan | | | |
| C3W9PDxxA20 | IP Camera, PoE, wedge, 3MP progressive scan, exterior, IR Day/Night, audio, 20 ft harness - to use w/ | | \$ | 629 |
| C3W9PDXXAZU | TH8 or NH16 - 28mm or 4mm | | ۶ | 025 |
| C3M/QBDvvAEQ | IP Camera, PoE, wedge, 3MP progressive scan, exterior, IR Day/Night, audio, 20 ft harness - to use w/ | | \$ | 65.4 |
| C3W9PDxxA50 | TH8 or NH16 - 28mm or 4mm | | , | 654 |
| C2M/ODDyy/A7F | IP Camera, PoE, wedge, 3MP progressive scan, exterior, IR Day/Night, audio, 20 ft harness - to use w/ | | \$ | 600 |
| C3W9PDxxA75 | TH8 or NH16 - 28mm or 4mm | | > | 680 |
| | | | | |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | P | rice |
|--------------------------|---|----------------|----|-------|
| SEON CONTINUED | | | | |
| TH8POEKIT48 | ASSY, POE KIT, 48V - (One Required Per C3 Camera (Max x2/TH8 DVR) | | \$ | 200 |
| | | | | |
| Camera CJ Analog Dome | Interior - NO IR | | | |
| CJ9xxA20 | Dome Day/Night 600TVL camera, audio, 20 ft harness (no infrared) - 29mm or 36mm | | \$ | 297 |
| CJ9xxA50 | Dome Day/Night 600TVL camera, audio, 50 ft harness (no infrared) - 29mm or 36mm | | \$ | 322 |
| CJ902A20 | Dome Day/Night 600TVL camera, audio, 20 ft harness - 25mm | | \$ | 317 |
| CJ902A50 | Dome Day/Night 600TVL camera, audio, 50 ft harness - 25mm | | \$ | 342 |
| CJ902A75 | Dome Day/Night 600TVL camera, audio, 75 ft harness - 25mm | | \$ | 368 |
| Camera CQ Analog Dome | Interior - INFRARED | | | |
| CQ9xxA20 | Integrated IR Dome Day/Night 600TVL, audio, 20 ft harness - 29mm or 36mm | | \$ | 297 |
| CQ9xxA50 | Integrated IR Dome Day/Night 600TVL, audio, 50 ft harness - 29mm or 36mm | | \$ | 322 |
| CQ9xxA75 | Integrated IR Dome Day/Night 600TVL, audio, 75 ft harness - 29mm or 36mm | | \$ | 348 |
| CQ902A20 | Integrated IR Dome Day/Night 600TVL camera, audio, 25mm lens, 20 ft harness - 25mm | | \$ | 317 |
| CQ902A50 | Integrated IR Dome Day/Night 600TVL camera, audio, 25mm lens, 50 ft harness - 25mm | | \$ | 342 |
| CQ902A75 | Integrated IR Dome Day/Night 600TVL camera, audio, 25mm lens, 75 ft harness - 25mm | | \$ | 368 |
| Rear Vision Camera & Me | onitor Options | | | • |
| RVC400E75 | RVC400 Camera w/ 75 ft Weatherproof Harness | | \$ | 140 |
| | Rear Vision 7 Inch LCD Monitor and cables, for standalone use w/ an SD analog Camera, DVR/NVR w/ | | | • |
| RVM2 | Expansion Port, or InView 360 Cables included, HE1HD for TH4/TH6/TH8/NH16/HX/NX/TL-HD | | \$ | 455 |
| RVM2-SP | Rear Vision 7 Inch LCD Monitor, cables, and video splitter, for use w/ all DVR's, no delay due to DVR/NVR boot up | | \$ | 525 |
| Camera InView 360 Exter | rior System | | | |
| SAV-INV360 | InView 360 Monitoring System (includes 1 front, 1 rear and 2 side cameras, 4 camera housings, 1 electronic control unit and associated cabling) - INCLUDES INSTALL | | \$ | 2,641 |
| RVM2 (for Inview 360) | Rear Vision 7 Inch LCD Monitor and cables, for standalone use w/ an SD analog Camera, DVR/NVR w/ Expansion Port, or InView 360/Fusion Cables included for TH4/TH6/HX/NX/TL-HD | | \$ | 529 |
| Predictive Stop Arm Rada | ar | | | |
| PSA2S | Predictive Stop Arm, 2 Radars, 2 Horns - INCLUDES INSTALL | | \$ | 2,949 |
| vMax Live GPS & Vehicle | Activation | | | |
| VLP-LMUV1Y1 | vMax Live+, LMU, PWR Harness, Signal Cable, GPS, Antenna, Activation Fee, Verizon Data, Health Check | | \$ | 735 |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | ı | Price |
|-------------------------|--|---------------------------------|----|-------|
| SEON CONTINUED | | | | |
| | | | | |
| VLP-LMUV1 | vMax Live+, LMU, PWR Harness, Signal Cable, GPS, Antenna, Activation Fee, No Data, Health Check | | \$ | 665 |
| vMax Live Stream Video | Hardware & Vehicle Activation | | | |
| | SmartReach Cellular Router Kit, MP70 w WiFi & 4G LTE Advanced (HSPA+ fallback), Wiring, Antenna, | | | |
| SRC-MP70LTE-AWF | No SIM, No DATA. Includes Live Video Streaming One Time Activation, per vehicle, no data (includes | | \$ | 1,662 |
| | service up to 1 year - until anniversary date) | | | |
| vMax Trac RFID Student | Ridership & Vehicle Activation (Must be integrated with Seon MDT or Seon LMU Live GPS H | lardware) | | |
| VML-MDT-STR1UY1 | vMax Trac for Student Tracking w/ 1 year of service, operates w/ MDT or LMU Live GPS | | \$ | 344 |
| VLP-MULTI-STR1UY1 | Trac, Student Tracking, Multi-card RFID Reader, operates via USB, 1 year data & activation | | \$ | 527 |
| vMax Navigator Live GPS | Tablet - MDT & Vehicle Activation | | | |
| | Navigator Mobile Data Terminal (MDT), including: Android OS, vMax Navigator application software, | | | |
| VNAV-MDT | GPS input, USB port, Cellular modem" Includes Installation and Activation of cellular modem (per | Includes Activation of cellular | \$ | 1,298 |
| | MDT cellular modem) | modem (per MDT cellular modem) | | |
| | Navigator installation kit, Mounting pedestal, Power & communication cable, GPS /Cellular antenna, | | | |
| VNAV-INSTKT | GPS adapter cable, GPS extension cable, In-line fuse connectors for +ve & ignition, Allen key and | | \$ | 315 |
| | pedestal mounting screws. Stop Arm cable" | | | |
| Commander 5.0 Bridges | | | _ | |
| SRLN07 | SmartReach Lite,24/5GHz,No ANT,-N - For TL DVR's, Activation | | \$ | 674 |
| SRLN07NP | SmartReach Lite,24/5GHz,ANT,No POE,-N - For TH DVR's, Activation | | \$ | 586 |
| SRMAC08NP | Smart Reach AC Bridge, 802.11ac, 3-Element MIMO Antenna, No POE, Activation | | \$ | 937 |
| SRLAC07 | Smart Reach Lite, 2.4/5GHz, POE, Antenna & Activation | | \$ | 709 |
| SRLAC07NP | Smart Reach Lite, 2.4/5GHz, No POE, Antenna & Activation | | \$ | 628 |
| Misc. Adaptors & Camera | Posts | | | |
| ADMF | DIN F Camera to Micro-Fit DVR for SA & SJ Cameras (replaces 060-0486) | | \$ | 15 |
| ARMF | RCA F Camera to Micro-Fit DVR for SA Cameras (replaces 060-0532) | | \$ | 35 |
| CA-SASPACER | SA to CA/CHW/HD1W/HD3W camera spacer | | \$ | 70 |
| All Seon Mounting Posts | All Seon posts | | \$ | 70 |
| SYNOVIA SYSTEMS | | | | |
| FLSTC GPS | Synovia Core GPS Hardware Kit for ATT/Verizon | Includes Install | \$ | 977 |
| FLSTC ENGD | JPOD | | \$ | 310 |
| FLSTC OP | Operator Panel and Kit | Includes Install | \$ | 375 |
| FLSTC CT | Color Tablet and Kit (Tethered 7P) | Includes Install | \$ | 750 |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Price |
|------------------------|---|----------------------------------|-------------|
| SYNOVIA SYSTEMS | Continued | | |
| FLSTC BCR | Barcode Reader Kit (laser scan) | Includes Install | \$ 490 |
| FLSTC SLSGPS | Synovia Silverlining GPS Fleet Management Software - Annual License | Customer responsible for renewal | \$ 450 |
| FLSTC SLSEGS | Synovia Silverlining Engine Diagnostics Software - Annual License | Customer responsible for renewal | \$ 200 |
| GATEKEEPER SYSTE | <u>:MS</u> | | |
| Y35 V2-1HD, 256GB | Y35 V2 with 1 hi-def camera, driver alert, 256GB SD card | 15' camera harness included | \$ 1,800 |
| Y35 V2-1HD, 2 x 128 GB | Y35 V2 with 1 hi-def camera, driver alert, 2 x 128 GB SD card | 15' camera harness included | \$ 1,800 |
| Y35 HD-1HD, 500GB | Y35 with 1 hi-def camera, driver alert, 500GB hard drive | 15' camera harness included | \$ 1,628 |
| Y58-1HD, 500GB | Y58 with 1 hi-def camera, driver alert, 500GB hard drive | 15' camera harness included | \$ 1,860 |
| 508HD4a-1HD, 500GB | 508HD4a with 1 hi-def camera, driver alert, 500GB hard drive | 15' camera harness included | \$ 2,175 |
| Y16-1 HD, 500GB | Y16 with 1 hi-def camera, driver alert, 500GB hard drive | 15' camera harness included | \$ 2,815 |
| Y35 V2 | 5 HD Ch DVR | 5 channel, SD card based DVR | \$ 1,100 |
| Y35 HD | 5 HD Ch DVR, 500GB | 5 channel, hard drive based DVR | \$ 1,300 |
| Y58 HD | 8 HD Ch DVR, 500GB | 8 channel, hard drive based DVR | \$ 1,530 |
| 508HD2a | 12 HD Ch DVR, 500GB | 12 channel, hard drive based DVR | \$ 1,850 |
| Y16 | 16 HD Ch DVR, 500GB | 16 channel, hard drive based DVR | \$ 2,485 |
| Y62 1 Cam Kit | Y62 DVR with 1 hi def camera and GPS | | \$ 1,215 |
| Y62 1 Cam Kit & Cell | Y62 DVR with 1 hi def camera, GPS and Cell | | \$ 1,396 |
| G4-GPS A | GPS Puck antenna | | \$ 100 |
| G4-GPS B | GPS Puck antenna | | \$ 110 |
| G4-TCR-DrvAlert | Driver alert button and cable | | \$ 78 |
| CAB000387 Rev 1 | Driver alert adapter cable | | \$ 37 |
| Y62 Driver alert | Driver alert button and cables | | \$ 150 |
| Foot switch | Foot switch | | \$ 145 |
| Rear Cable Cover | Rear Cable Covers | | \$ 30 |
| S370 Camera | S370 Camera | includes 15', 30' or 60' cable | \$ 323 |
| Y62 camera | Y62 Interior facing camera with cable | | \$ 300 |
| S31 Camera | S31 HD Camera | includes 15', 30' or 60' cable | \$ 338 |
| S32 camera | S32 HD Camera | includes 15', 30' or 60' cable | \$ 354 |
| W21 camera | W21 Exterior HD Camera | | \$ 363 |
| W22 camera | W22 Exterior HD Camera | | \$ 379 |
| MD170 camera | MD170 HD Camera | | \$ 323 |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | ı ı | Price |
|-------------------------|-------------------------------------|--------------------------------|------|-------|
| GATEKEEPER SYSTE | MS CONTINUED | | | |
| MD11 camera | MD11 HD Camera | | \$ | 338 |
| MD12 camera | MD12 HD Camera | | \$ | 354 |
| TXM700 camera | TXM700 Exterior HD Camera | | \$ | 348 |
| TXM11 camera | TXM11 Exterior HD Camera | | \$ | 363 |
| TXM12 camera | TXM12 Exterior HD Camera | | \$ | 380 |
| SD700 camera | SD700 Exterior Camera | | \$ | 348 |
| Interior Camera | HD Interior Camera | CAT5 harness required | \$ | 354 |
| WA11 camera | Wide angle camera | includes 15', 30' or 60' cable | \$ | 338 |
| WA12 camera | Wide angle camera | includes 15', 30' or 60' cable | \$ | 354 |
| S31 IP camera | S31IP HD Camera | CAT5 harness required | \$ | 391 |
| MX12 IP camera | IP HD camera | CAT5 harness required | \$ | 395 |
| D21 IP camera | IP HD camera | CAT5 harness required | \$ | 391 |
| W21 IP camera | IP HD camera | CAT5 harness required | \$ | 391 |
| TXM12 IP camera | HD IP Exterior Camera | CAT5 harness required | \$ | 409 |
| TI252 IP camera | IP HD camera | CAT5 harness required | \$ | 355 |
| TW202 IP Camera | HD IP Windshield Camera | CAT5 harness required | \$ | 415 |
| TX242 IP Camera | HD IP Exterior Camera | CAT5 harness required | \$ | 489 |
| SP15 IP Camera | SP15 IP Stop arm camera with cable | includes 30' CAT5 cable | \$ | 607 |
| SP25 IP Camera Kit | 2 SP15 stop arm cameras with cables | includes 2 x 30' CAT5 cable | \$ | 1,123 |
| Exterior Camera | HD Exterior camera | CAT5 harness required | \$ | 420 |
| 4K Camera | 4 K Camera | includes 15', 30' or 60' cable | \$ | 542 |
| CAB000310 | CAB000310 | | \$ | 30 |
| CAB000377 | CAB000377 | | \$ | 30 |
| GSWHCAT5-15MLD-B | GSWHCAT5-15MLD-B | harness for S31 IP camera | \$ | 40 |
| GSWHCAT5-30MLD-G | GSWHCAT5-30MLD-G | harness for S31 IP camera | \$ | 30 |
| GSWHCAT5-60MLD-Y | GSWHCAT5-60MLD-Y | harness for S31 IP camera | \$ | 35 |
| DVRIMORM-701S-4 | Rear View Monitor | | \$ | 508 |
| DVRIMORM-901Q | Rear View Monitor | | \$ | 621 |
| CAMICANC2090-2.1 | Rear Camera 2.1mm | | \$ | 347 |
| CAMICAREARVISION3.6 | Rear Camera 3.6mm | | \$ | 458 |
| CAMICAJY-663 | Rear Camera 2.5mm | | \$ | 347 |
| CAMMBRDN2668 | Rear Cam Mounting Bracket | | \$ | 139 |
| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Pric | e |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| GATEKEEPER SYSTE | MS CONTINUED | | | |
|--------------------------|----------------------------|------------------|------|-------|
| CAB000189 | Cam Harness 60FT | | \$ | 75 |
| CAB000189-15 | Cam Harness 15FT | | \$ | 70 |
| CAB000189-30 | Cam Harness 30FT | | \$ | 73 |
| Cable Kit | | | \$ | 200 |
| G4-SD32GB | | | \$ | 122 |
| G4-SD64GB | 64GB SD card | | \$ | 175 |
| G4-SD128GB | 128GB SD card | | \$ | 276 |
| G4-SD256GB | 256GB SD card | | \$ | 555 |
| G4-Upgrade 500GB-1TB | G4-Upgrade 500GB-1TB | | \$ | 125 |
| G4-Upgrade 500GB-2TB | G4-Upgrade 500GB-2TB | | \$ | 175 |
| G4-Upgrade 500GB-4TB | G4-Upgrade 500GB-4TB | | \$ | 309 |
| G4-Upgrade 500GB-8TB | G4-Upgrade 500GB-8TB | Y16 only | \$ | 603 |
| G4-Upgrade 500GB-512SSI | G4-Upgrade 500GB-512SSD | | \$ | 248 |
| G4-Upgrade 500GB-1TB SSI | G4-Upgrade 500GB-1TB SSD | | \$ | 358 |
| | G4-Upgrade 500GB-2TB SSD | | \$ | 701 |
| G4-Upgrade 500GB- 4TB SS | D G4-Upgrade 500GB-4TB SSD | | \$ | 1,447 |
| G4-Upgrade 500GB- 8TB SS | D G4-Upgrade 500GB-8TB SSD | Y16 only | \$ | 2,878 |
| Caddy Y35 | Spare HD caddy | | \$ | 186 |
| Caddy Y58 | Spare HD caddy | For Y58, 508HD4a | \$ | 211 |
| Caddy Y716 | Spare HD caddy | | \$ | 272 |
| 500GB Drive | Spare hard drive | | \$ | 264 |
| 1 TB Drive | Spare hard drive | | \$ | 289 |
| 2 TB Drive | Spare hard drive | | \$ | 316 |
| 4 TB Drive | Spare hard drive | | \$ | 419 |
| 8 TB Drive | Spare hard drive | Y16 only | \$ | 712 |
| 512SSD Drive | Spare hard drive | | \$ | 357 |
| 1 TB SSD Drive | Spare hard drive | | \$ | 468 |
| 2 T SSD Drive | Spare hard drive | | \$ | 810 |
| 4 TB SSD Drive | Spare hard drive | | \$ | 1,556 |
| 8 TTB SSD Drive | Spare hard drive | Y16 only | \$ | 2,988 |
| P2 Counter | Passenger Counter | | \$ | 1,576 |
| P2 Mount | Passenger Counter mount | | \$ | 150 |
| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Pric | e |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| GATEKEEPER SYSTE | MS CONTINUED | | | |
|-----------------------|---|------|------|-------|
| BSD System | Blind Spot detection system | | \$ 2 | 2,448 |
| Adv BSD | Advanced blind spot detection add on | | | 1,084 |
| 360° Camera | Interior 360° camera | | \$: | 1,351 |
| 360° System | 360° Exterior camera | | \$: | 1,998 |
| Mobile monitor | Monitor for 360° camera system | | \$ | 519 |
| 360° Mirror | 360° Mirror Monitor | | \$: | 1,025 |
| 360° Set up kit | Calibration kit | | \$ | 987 |
| ADKIT Plus | ADKIT kit with ADAS and DSM | | \$ 1 | 1,456 |
| ADKIT Basic | ADKIT kit with DSM | | \$: | 1,219 |
| Al Box | Artificial Intelligence Box | | \$ 1 | 1,575 |
| XPAD | Xpad | | \$: | 1,623 |
| XPAD kit | Xpad cables and mount | | \$ | 544 |
| Gatekeeper SV System | Side view system | | \$: | 1,406 |
| Y35-DLK | Viewer Software Download Kit | | \$ | 177 |
| Y58-DLK | Viewer Software Download Kit | | \$ | 326 |
| 508HD4-DLK | Viewer Software Download Kit | | \$ | 245 |
| Y16-DLK | Viewer Software Download Kit | | \$ | 266 |
| DL Kit | Viewer Software Download Kit | | \$ | 326 |
| LCD TV | LCD monitor | | \$ | 455 |
| ICD Monitor | Interactive control display | | \$ | 527 |
| G4-Connect-WiFiDongle | WIFI Dongle | | \$ | 175 |
| Gatekeeper Tablet | Android Tablet | | \$ | 607 |
| G4 Viewer Plus | G4 Viewer Plus Software | | N | I/C |
| 015-0052 | Drop mount | | \$ | 76 |
| 015-0059 | Drop mount | | \$ | 70 |
| 015-Mount | Drop Mount | | \$ | 93 |
| Wedge | Camera mounting wedge | | \$ | 57 |
| WIFI Antenna | Dual Band WIFI Antenna and NMO with cable | | \$ | 377 |
| External WIFI | Vehicle WIFI Kit | | \$ | 538 |
| G4-DVR-4PSWITCH | 4 port switch includes CAB000367 ca | able | \$ | 452 |
| G4-DVR-8PSWITCH | 8 port switch includes CAB000367 ca | able | \$ | 621 |
| MWM Cell 4G Only | Cellular Only | | \$: | 1,347 |
| MANUF, MODEL | DESCRIPTION COMMENTS/NOTES | S I | rice | ! |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| GATEKEEPER SYSTI | EMS CONTINUED | | | |
|---------------------------------|--|-----------------------------------|------|--------|
| MWM 4G Cell + WIFI | Cellular and WIFI | | \$ | 1,648 |
| Cradlepoint | Cradlepoint Cell | | \$ | 2,004 |
| Cradlepoint+WiFi | Cradlepoint Cell and WIFI | | \$ | 2,331 |
| MWM-WIFI | WIFI only | | \$ | 948 |
| Server | Server for wireless - Gatekeeper Install Only | Contact Gatekeeper for more info. | \$ | 4,900 |
| Access Point Kit A | Access point with antenna - Gatekeeper Install Only | Contact Gatekeeper for more info | \$ | 830 |
| Access Point Kit B | Access point with antenna - Gatekeeper Install Only | Contact Gatekeeper for more info | \$ | 875 |
| Access Point Kit C | Access point with antenna - Gatekeeper Install Only | Contact Gatekeeper for more info | \$ | 810 |
| Access Point Kit D | Access point with antenna - Gatekeeper Install Only | Contact Gatekeeper for more info | \$ | 1,204 |
| Mast Equipment 1 | Mast equipment - Gatekeeper Install Only | Contact Gatekeeper for more info | \$ | 1,000 |
| Mast Equipment 2 | Mast equipment - Gatekeeper Install Only | Contact Gatekeeper for more info | \$ | 2,000 |
| Commissioning 1 | Wireless commissioning - Gatekeeper Install Only | Contact Gatekeeper for more info | \$ | 5,000 |
| Commissioning 2 | Wireless commissioning | Contact Gatekeeper for more info | \$: | 10,000 |
| Commissioning 3 | Wireless commissioning | Contact Gatekeeper for more info | \$: | 15,000 |
| Commissioning 4 | Wireless commissioning | Contact Gatekeeper for more info | \$ 2 | 20,000 |
| Commissioning 5 | Wireless commissioning | Gatekeeper Install Only | \$ 2 | 25,000 |
| | | | | |
| | | | | |
| ZONAR OPTIONS | Customer is responsible for renewals for all Annual Subscriptions with Zonar | | | |
| Ground Traffic Control F | leet Management Software | | | |
| PAX000 | Street - Ground Traffic Control - Annual Subscription | | \$ | 210 |
| PAX001 | Homebase - Ground Traffic Control - Annual Subscription | | \$ | 285 |
| PAX002 | Drive - Ground Traffic Control - Annual Subscription | | \$ | 340 |
| PAX005 | Parkway - Ground Traffic Control - Annual Subscription | | \$ | 370 |
| PAX003 | Avenue - Ground Traffic Control - Annual Subscription | | \$ | 405 |
| PAX004 | Boulevard - Ground Traffic Control - Annual Subscription | | \$ | 490 |
| Add On Software | | | | |
| 1st Add On App | FIRST add-on app (chosen from list below) | | \$ | 95 |
| C-MOB007-A | Two-Way Messaging - Annual Subscription | | \$ | 35 |
| C-MOB012-A | Zonar Forms - Annual Subscription | | \$ | 35 |
| ZPASS002-A | Z Pass+ (service, to enable hardware) - Annual Subscription | | \$ | 35 |
| GPS040-A | Increased Logging (GPS ping rate) - Annual Subscription | | \$ | 35 |
| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Pric | e |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| ZONAR CONTINUE | | | |
|------------------------|--|-----|-------|
| C-MOB018-A | ZFuel - Annual Subscription | \$ | 35 |
| C-MOB003-A | Zonar Logs - Annual Subscription | \$ | 35 |
| C-MOB018-A | Zonar Docs - Annual Subscription | \$ | 35 |
| GPS036-A | Fuel Transaction Matching - Annual Subscription | \$ | 35 |
| OP001-A | OperatorID (service, to enable hardware) - Annual Subscription | \$ | 35 |
| GPS020-A | Cummins Advanced Diagnostics - Annual Subscription | \$ | 35 |
| GPS016-A | VT Advanced Diagnostics - Annual Subscription | \$ | 35 |
| GPS041-A | ContiPressureCheck - ZFuel - Annual Subscription | \$ | 35 |
| Premium Add-On Soluti | ons | | |
| C-MOB006-S | Navigation app (requires tablet) - Annual Subscription | \$ | 110 |
| GPS023-S | SafeStop (bus ETA app) - Annual Subscription | \$ | 155 |
| EVIR001-S | EVIR (service to enable hardware) - Annual Subscription | \$ | 110 |
| C-MOB023-S | Zonar Verify - Annual Subscription | \$ | 110 |
| Zonar Workflow | Zonar Workflow - Annual Subscription | \$ | 110 |
| ACT004-5 | Cummins Connected Advisor - Annual Subscription | | N/C |
| C-MOB025-S | Zonar Coach Basic (no camera) - Annual Subscription | \$ | 155 |
| C-MOB026-S | Zonar Coach - Annual Subscription | \$ | 260 |
| C-MOB026-E | Zonar Coach Upgrade (from basic package) - Annual Subscription | \$ | 110 |
| 3rd Party App | 3rd party app service on tablet - Annual Subscription | \$ | 95 |
| GooglePlay App | Certified GooglePlay app (Tab Active2 only) | \$ | 55 |
| Google Play Store Host | Google Play Store-Hosted App | \$ | 20 |
| Hardware Devices | Installation Included | | |
| EVIR001-H | 2010 EVIR (handheld device) | \$ | 280 |
| ZPASS001-H | Z Pass kit (device, cables, and mount) | \$ | 195 |
| 20123 | Zonar Coach Camera | \$ | 195 |
| V4001-H | V4 TCU Kit (device, power cable, and mount) | | STD |
| C-MOB001-H | Connect tablet kit (tablet, cable, and mount) | \$ | 840 |
| V4015-H | V4 + Connect kit (cables and mounts included) | \$ | 1,095 |
| E-MOB003-H | Samsung Galaxy Tab Active2 kit (tablet, cables, case, and mount) | \$ | 860 |
| V4021-H | V4 + Samsung Tab Active2 (cables and mounts included) | \$ | 1,095 |
| 20007 | Driver/Operator RFID Card | \$ | 6 |
| 30034 | Student RFID Card | \$ | 3 |
| MANUF, MODEL | DESCRIPTION COMMENTS/NOTES | Pri | ce |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| ZONAR CONTINUED | | | | |
|-------------------------|--|--------------------------|-------------------|-------|
| Leased (Bundled) Hardw | are (Add price to chosen GTC Software Package) | Requires 3-Year Contract | | |
| EVIR006-SB | 2010 EVIR handheld - Annually | | \$ | 90 |
| Leased Zpass | Z Pass kit - Annually | | \$ | 55 |
| C-MOB027-SB | Zonar Coach Camera - Annually | | \$ | 55 |
| GPS043-SB | V4 TCU kit - Annually | | \$ | 120 |
| C-MOB008-SB | Connect tablet kit - Annually | | \$ | 295 |
| GPS048-SB | V4 + Connect tablet kit - Annually | | \$ | 410 |
| GPS053-SB | V4 TCU + Samsung Tab Active2 kit - Annually | | \$ | 410 |
| E-MOB031-SB | Tab Active 2 Certified Bundled HW Only - Annually | | \$ | 300 |
| E-MOB037-SB | Tab Active 2 Open Bundled HW Only - Annually | | \$ | 300 |
| REI CAMERA SYSTE | <u>MS</u> | | | |
| REI HD5 DVR SYSTEMS: | | | | |
| HD5-600-2-500 | 6 CH HD5 DVR, 500GB Drive, 2 Cam, Cable kit, VMS software | | \$ | 1,922 |
| HD5-600W-2-500 | 6 CH DVR w/ WiFi, 500GB Drive, 2 Cam, Cable kit, VMS software | | \$ | 2,122 |
| HD5-600WC-2-500 | 6 CH DVR w/ Cellular & WiFi, 500GB Drive, 2 Cam, Cable kit, VMS software | | \$ | 2,372 |
| HD51200W-5-500 | 12 CH DVR w/ WiFi, 500GB Drive, 5 Cam, Cable kit, VMS software | | \$ | 3,030 |
| HD5-1200WC-5-500 | 12 CH DVR w/ Cellular & WiFi, 500GB Drive, 5 Cam, Cable kit, VMS software | | \$ | 3,380 |
| HD5 SYSTEM OPTIONS | | | | |
| CAMS | Add additional AHD Cameras to DVR System (ea) Mini box, Wedge, Dome, windshield (1.7mm, 2.4mm, 2.8mm, 4.0mm, 6.0mm, 8.0mm) | | \$ | 320 |
| IPCAMS | Add IP Cameras to HD5 DVR System (ea) | | \$ | 550 |
| STOPCAMKIT | Stop Arm Camera Kit | | \$ | 575 |
| 1 TB HD | Upgrade to 1TB Hard Drive | | \$ | 400 |
| 2 TB HD | Upgrade to 2TB Hard Drive | | \$ | 600 |
| 710214 | GPS Antenna | | \$ | 210 |
| 210168 | WiFi / Cellular / GPS Combo Antenna | | \$ | 525 |
| 210149 | WiFi / GPS Combo Antenna | | \$ | 410 |
| 511986 | Event Marker / Panic Button w/ 20FT Cable | | \$ | 140 |
| 512209 | 20FT Vehicle Sensor Harness | | \$ | 140 |
| 710610 | WiFi Dongle - HD5 DVR | | \$ | 140 |
| 750364 | End Cap Kit Front of HD5 DVR | | \$ | 125 |
| 750363 | End Cap Kit Rear of HD5 DVR | | \$ | 118 |
| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | <mark>Pric</mark> | :e |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| REI CAMERA SYSTEI | MS CONTINUED | | | |
|-----------------------|--|--|----------|-------|
| 710673 | Lock Box for HD5 DVR | 1 | \$ | 190 |
| REI SD-300 DVR SYSTEM | | | 1 | |
| SD300-2-64 | 3 CH DVR, SD-300 w/WiFi, 64GB SD, 2 Cam, Cable Kit, VMS Software | | \$ | 1,725 |
| 710753 | Add 3rd Camera to SD-300 System - IP Eyeball Turret camera 2.8mm | | \$ | 398 |
| 128SDUPGRADE | Upgrade to 128GB SD Card | | \$ | 141 |
| 256SDUPGRADE | Upgrade to 256GB SD Card | | \$ | 236 |
| 512SDUPGRADE | Upgrade to 512GB SD Card | | \$ | 372 |
| INDIVIDUAL COMPONEN | T PRICING: | | | |
| INDIVCAM | All AHD Cameras-Mini box, Wedge, Dome, windshield (1.7mm, 2.4mm, 4mm,6mm,8mm,16mm) | | \$ | 385 |
| INDIVIPCAM | All IP Cameras(2.4mm,4mm) | | \$ | 550 |
| 512166/530165 | 7FT Cable, Camera to DVR, AHD or CAT6 | | \$ | 60 |
| 512167/530099 | 10FT Cable, Camera to DVR, AHD or CAT6 | | \$ | 65 |
| 512168/530166 | 25FT Cable, Camera to DVR, AHD or CAT6 | | \$ | 71 |
| 511966 | 25FT Cable, Camera to DVR, AHD | | \$ | 71 |
| 512169/530167 | 40FT Cable, Camera to DVR, AHD or CAT6 | | \$ | 78 |
| 510993 | 50FT Cable, Camera to DVR, AHD | | \$ | 85 |
| 512170/530168 | Cable, Camera to DVR, 50FT AHD or 60FT CAT6 | | \$ | 92 |
| 710638 | 500 GB Hard Drive for HD5 DVR | | \$ | 775 |
| 710639 | 1 TB Hard Drive for HD5 DVR | | \$ | 900 |
| 690695 | 64 GB SD Card | | \$ | 189 |
| 690820 | 128 GB SD Card | | \$ | 230 |
| 690821 | 256 GB SD Card | | \$ | 360 |
| 710607 | HD5-600 DVR (6 Channel) | | \$ | 1,400 |
| 710608 | HD5-600W DVR (6 Channel with WiFi/GPS) | | \$ | 1,650 |
| 710609 | HD5-1200W (12 Channel with WiFi/GPS) | | \$ | 2,150 |
| SV-360HD SYS 4 | SV-360HD SYS W/7" Monitor | | \$ | 2,115 |
| ANGELTRAX CAMER | RA SYSTEMS | | \vdash | |
| Vulcan V12-02 GPS | Bundle #1 Includes V12 DVR, (2) HD Camera, Passive GPS, all cables and wiring. | | \$ | 2,256 |
| Vulcan V12-03 GPS | Bundle #2 Includes V12 DVR, (2) HD Camera, Passive GPS, all cables and wiring. | † | \$ | 2,558 |
| Vulcan V12-04a GPS | Bundle #3 Includes V12 DVR, (4) HD Camera, Passive GPS | † | \$ | 2,904 |
| Vulcan V12-04b GPS | Bundle #4Includes V12 DVR, (4) HD Camera, Passive GPS | | \$ | 2,912 |
| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Pric | |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| ANGELTRAX CONTI | NUED | | |
|-------------------------|---|----|-------|
| Vulcan V12-05 GPS | Bundle #5 Includes V12 DVR, (5) HD Camera, Passive GPS | \$ | 3,257 |
| Vulcan V12-06 GPS | Bundle #6 Includes V12 DVR, (6) HD Camera, Passive GPS | \$ | |
| Vulcan V12-07 GPS w/ 7" | | | , |
| Back up monitor | Bundle #7 Includes V12 DVR, (7 HD Camera, Back up Monitor and Passive GPS | \$ | 4,121 |
| AngelTrax MDVRs | | | |
| | Vulcan Series 5 Channel HD/IP Mobile Digital Video Recorder | | |
| | 5 Channels with 4 Channels D1, WD1, 720P up to 1080P + 1 Channel IP up to 1080P | | |
| | Dual Solid-State SD Card Slots for Redundant or Sequential Recording | | |
| VULCANV5SD | Vandal-Resistant Locking Front Cover | \$ | 1,140 |
| | Built-in G-Force Sensor | | |
| | Panic Button | | |
| | H. 264 Compression Vulcan Series 5 Channel HD/IP Mobile Digital Video Recorder | | |
| | 1 | | |
| \/ CANI\/F | • 5 Channels with 4 Channels D1, 720P up to 1080P + 1 Channel IP up to 1080P | | 1 420 |
| VULCANV5 | 500GB Solid-State Drive with SD Card Slot for Redundant Recording Duilt in Wij Fi Madula, Built in C. Force Sanger Vandal register to leaking callid state drive. Pagis | \$ | 1,420 |
| | Built-in Wi-Fi Module, Built-in G-Force Sensor, Vandal-resistant locking solid-state drive, Panic Button, ILL 2016 Granus asian. | | |
| | Button, H.264 Compression Vulcan Series 6 Channel HD/IP Mobile Digital Video Recorder | | |
| | • 6 Channels with 4 Channels D1, WD1, 720P, or up to 1080P + 2 Channels IP up to 1080P | | |
| VULCANV6X3 | • 1TB Platter Hard Drive with SD Card Slot for Redundant Recording | \$ | 1,392 |
| | • Built-in Wi-Fi Module, Built-in G-Force Sensor, Vandal-Resistant Locking Front Cover, Panic Button, | ' | , |
| | H.264 Compression | | |
| | Vulcan Series 12 Channel HD/IP Mobile Digital Video Recorder, 1TB Platter Hard Drive with SD Card | | |
| VULCANV12 | Slot for Redundant Recording, 12 Channels with 8 Channels D1, WD1, 720P, or up to 1080P + 4 | \$ | 1,630 |
| VOLCANVIZ | Channels IP up to 1080P, Built-in Wi-Fi Module, Built-in G-Force Sensor, Vandal-Resistant Locking | ' | 1,030 |
| | Front Cover, Panic Button, H.264 Compression | | |
| Hard Drive Upgrades *If | f upgrade is purchased at time of DVR purchase: Does NOT REQUIRE Tray | | |
| SSD500G-UPGRADE | 500GB Solid-State Hard Drive | \$ | 400 |
| SSD2TB-UPGRADE | 2TB Solid-State Hard Drive | \$ | 1,100 |
| SSD1TB-UPGRADE | 1TB Solid-State Hard Drive | \$ | 730 |
| HDD2TB-UPGRADE | 2TB Platter Hard Drive | \$ | 320 |
| Spare Hard Drives * Rec | quires purchase of applicable Hard Drive Tray | | |
| HDD1TB | 1TB Platter Hard DriveREQUIRES PURCHASE OF HARD DRIVE TRAY | \$ | 650 |
| HDD2TB | 2TB Platter Hard DriveREQUIRES PURCHASE OF HARD DRIVE TRAY | \$ | 740 |
| SSD256G | 256GB Solid-State Hard DriveREQUIRES PURCHASE OF HARD DRIVE TRAY | \$ | 785 |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Pric | e |
|------------------------|---|----------------|-------------|------|
| ANGELTRAX CON | TINUED | | | |
| SSD500G | 500GB Solid-State Hard DriveREQUIRES PURCHASE OF HARD DRIVE TRAY | | \$ | 82 |
| SSD1TB | 1TB Solid-State Hard DriveREQUIRES PURCHASE OF HARD DRIVE TRAY | | \$ | 1,20 |
| SSD2TB | 2TB Solid-State Hard DriveREQUIRES PURCHASE OF HARD DRIVE TRAY | | \$ | 2,08 |
| Hard Drive Trays *Red | juired with purchase of Spare Hard Drive | | | |
| - | Hard Drive Tray for Vulcan Series V5 MDVR | | | |
| V5HDDTRAY | *HDD TRAY REQUIRED FOR ALL VULCAN SERIES SPARE HARD DRIVES | | \$ | 124 |
| | **REQUIRES PURCHASE OF HARD DRIVE | | | |
| | Hard Drive Tray for Vulcan Series V5X3 and V6X3 MDVRs | | | |
| V6X3HDDTRAY | *HDD TRAY REQUIRED FOR ALL VULCAN SERIES SPARE HARD DRIVES | | \$ | 145 |
| | **REQUIRES PURCHASE OF HARD DRIVE | | | |
| | Hard Drive Tray for Vulcan Series V12 MDVR | | | |
| V12HDDTRAY | *HDD TRAY REQUIRED FOR ALL VULCAN SERIES SPARE HARD DRIVES | | \$ | 159 |
| | **REQUIRES PURCHASE OF HARD DRIVE | | | |
| SD Card for Backup Vio | deo | | | |
| SD128GB | 128GB SD Solid-State Memory Card | | \$ | 262 |
| SD256GB | 256GB SD Solid-State Memory Card | | \$ | 374 |
| SD512GB | 512GB SD Solid-State Memory Card | | \$ | 549 |
| GPS / Tracking / Mapp | ing/GForce Options | | | |
| GPSV1 | Vulcan Series Passive GPS Antenna | | \$ | 275 |
| 14/646 | Vulcan Series Wi-Fi Cellular GPS Tri-Mode Antenna , Wi-Fi, Cellular and Passive GPS Antenna, Roof- | | | |
| WC4G | Mounted | | \$ | 600 |
| TRIMDANT | Tri-Mode Roof-Mounted Antenna, Wi-Fi, Cellular and Passive GPS Antenna, Roof-Mounted | | \$ | 652 |
| | Vulcan Series External GPS Virtual Synchronized Mapping Module, TO INCLUDE GPSV1 ANTENNA & | | | |
| VULVSM | VSMLIC, Compatibility with Vulcan HCMNVRs requires purchase of IPVULVSM, Compatible as is with all Vulcan MDVRs | | \$ | 720 |
| VULWIFIM | Vulcan V5SD Wi-Fi Module with Internal Antenna Wire | | \$ | 450 |
| GFORCE-5 | Three axis G-Force inertia sensor that measures impact on three axes and marks recorded footage. | | \$ | 427 |
| Back-up Monitor AND | Back-up Camera / Cable | | | |
| CD4 | Vulcan Series Touchscreen Backing & Firmware Control Monitor with Bracket. *Req. for | | , | 201 |
| CP4 | programming Vulcan MDVR and HCNVR systems | | \$ | 265 |
| CP4-9CBL | 9M CP4 Extension Cable for Vulcan Series MDVRs and HCNVRs | | \$ | 59 |
| | Vulcan Series Anvil 2500 HD Low Profile Camera, 2.5mm Lens with 360-Degree Articulating Lens | | | |
| LID3E00V | Casing for Image Orientation, IP68 Rated Waterproof Interior/Exterior Camera, 1080P HD, 3 | | ے ا | ודכ |
| HD2500V | Megapixels, Noise-Gated Microphone, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass, | | \$ | 375 |
| | Lens Cover, Infrared | | | |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Pric | ce |
|-----------------------|---|----------------|-------------|------|
| ANGELTRAX CONT | TINUED | | | |
| RAMSHSD | RAM Short Stud 1/4-20 | | \$ | 1 |
| RAMLGARM | RAM Long Arm | | \$ | 3 |
| RAMBAPLT | RAM Base Plate | | \$ | 1 |
| uto Detection Stop A | rm Camera System - No Driver interaction required. | | | |
| SAV5MP | Vulcan Series IntelliGuard Dual 5MP Automated Stop Arm Violation System Includes (3) HD Cameras: (1) Violation Detection Camera + (2) 5MP Cameras for License Plate Capture, IP68 Rated Waterproof Exterior Cameras, 1080P HD, 2.12 Megapixels, Super Infrared, Anti-Vibration, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Polarized Glass Lens Cover | | \$ | 1,70 |
| HD18CBL | 59.06 ft. HD Camera Cable | | \$ | 8 |
| HD3600V | Vulcan Series Anvil 3600 HD Low Profile Camera For use as overview camera to capture available facial recognition of the driver. 3.6mm Lens with 360-Degree Articulating Lens Casing for Image Orientation, IP68 Rated Waterproof Interior/Exterior Camera, 1080P HD, 3 Megapixels, Noise-Gated Microphone, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass Lens Cover, Infrared, For use in school bus SAV applications as overview camera when equipped with YELHS1 yellow housing | | \$ | 38 |
| YELHS1 | Yellow Housing for HD3600V Camera, Includes mounting plate, Housing only, camera not included | | \$ | 5 |
| Manual Detection Stop | D Arm Camera System - Driver interaction is required to press the event button to tag the video. Vuican Series High-Definition SIVIP Right Side SAV Camera, 16mm Lens, IP68 Rated Waterproof | | | |
| HDLP5MP-R | Exterior Camera, 1080P HD, 5 Megapixels, 25-Degree Vertical, Angle Adjustable at Installation, Super Infrared, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Polarized Glass Lens Cover, Designed to Capture License Plates as Vehicles Pass By, Mounted on the Right Side of the Stop Arm and Faces the Rear of the Bus | | \$ | 51 |
| HDLP5MP-L | Exterior Camera, 1080P HD, 5 Megapixels, 25-Degree Vertical Angle Adjustable at Installation, Super Infrared, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Polarized Glass Lens Cover, Designed to Capture License Plates as Vehicles Pass By, Mounted on the Left Side of the Stop Arm and Faces the Front of the Bus | | \$ | 51 |
| HD3600V | Vulcan Series Anvil 3600 HD Low Profile Camera For use as overview camera to capture available facial recognition of the driver, 3.6mm Lens with 360-Degree Articulating Lens Casing for Image Orientation, IP68 Rated Waterproof Interior/Exterior Camera, 1080P HD, 3 Megapixels, Noise-Gated Microphone, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass Lens Cover, Infrared, For use in school bus SAV applications as overview camera when equipped with YELHS1 yellow housing | | \$ | 40 |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Price |
|--------------------------|---|----------------|--------------|
| NGELTRAX CONTI | INUED | | |
| HD Series Cameras | | | |
| | Vulcan Series HDWS3600 1080P Windshield Camera. 3.6mm Lens with Adjustable Angle Lens Casing, | | |
| HDWS3600 | Windshield Mounted for Exterior View, 1080P HD, 2.13 Megapixels, Noise-Gated Microphone, | | \$ 424 |
| | Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass Lens Cover | | |
| | High-Definition 2.1mm 1080P Dual Windshield Camera. 2.1mm Lens (Each Camera), Windshield | | |
| HDCOPILOTCAM | Mounted, 125-Degree Wide-Angle View of Vehicle Interior and Through Windshield, 1080P HD, | | \$ 529 |
| TIDEOTTEOTEAN | Recorded in 2.12MP Resolution, Noise-Gated Microphone, Vandal-Resistant Casing, Scratch- | | 7 323 |
| | Resistant, Anti-Glare Glass Lens Cover, Infrared (Interior Camera Only) | | |
| | Vulcan Series Anvil 8000 HD Low Profile Camera. 8mm Lens with 360-Degree Articulating Lens Casing | | |
| | for Image Orientation, IP68 Rated Waterproof Interior/Exterior Camera, 1080P HD, 3 Megapixels, | | |
| HD8000V | Infrared, Noise-Gated Microphone, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass Lens | | \$ 382 |
| | Cover | | |
| | Vulcan Series Anvil 6000 HD Low Profile Camera. 6mm Lens with 360-Degree Articulating Lens Casing | | |
| LIDCOON/ | for Image Orientation, IP68 Rated Waterproof Interior/Exterior Camera, 1080P HD, 3 Megapixels, | | ć 20 |
| HD6000V | Noise-Gated Microphone, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass Lens Cover, | | \$ 382 |
| | Infrared | | |
| | Vuican Series Anvii 3600 HD Low Profile Camera. 3.6mm Lens with 360-Degree Articulating Lens | | |
| | Casing for Image Orientation, IP68 Rated Waterproof Interior/Exterior Camera, 1080P HD, 3 | | |
| HD3600V | Megapixels, Noise-Gated Microphone, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass | | \$ 382 |
| | Lens Cover, Infrared, For use in school bus SAV applications as overview camera when equipped with | | |
| | YELHS1 yellow housing | | |
| | Vulcan Series Anvil 2500 HD Low Profile Camera. 2.5mm Lens with 360-Degree Articulating Lens | | |
| HD2500V | Casing for Image Orientation, IP68 Rated Waterproof Interior/Exterior Camera, 1080P HD, Infrared, 3 | | \$ 382 |
| 11023007 | Megapixels, 3 Megapixels, Noise-Gated Microphone, Vandal-Resistant Casing, Scratch-Resistant, | | |
| | Anti-Glare Glass Lens Cover | | |
| | Vulcan Series Anvil 2100 HD Low Profile Camera. 2.1mm Lens with 360-Degree Articulating Lens, | | |
| HD2100V | Casing for Image Orientation, IP68 Rated Waterproof Interior/Exterior Camera, 1080P HD, 3 | | \$ 382 |
| 11521001 | Megapixels, Noise-Gated Microphone, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass | | |
| | Lens Cover, Infrared Vulcan Series Anvil 170-Degree HD 1080P Low Profile Camera. 1.7mm Lens with 360-Degree, | | |
| | Articulating Lens Casing for Image Orientation, IP68 Rated Waterproof Interior/Exterior Camera, | | |
| HD1700V | 1080P HD, 2.12 Megapixels, Noise-Gated Microphone, Vandal-Resistant Casing, Scratch-Resistant, | | \$ 403 |
| | | | [] |
| | Anti-Glare Glass Lens Cover, Infrared | | |
| | | | |
| | | | |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Price | |
|-----------------------|---|----------------|-------|----|
| NGELTRAX CONT | TINUED | | | |
| Series Cameras *Re | quires Purchase of RJ45PTCONV cable | | | |
| IPX8000 | Vulcan HC Series Anvil 8000 IP Camera. 8.0mm Lens, Adjustable Lens Housing for Mounting on Either Side of Vehicle, IP67 Rated Waterproof Exterior Camera, 1080P Resolution, 2 Megapixels, Anti-Vibration, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass Lens Cover, Super Infrared | | \$ | 47 |
| IPX6000 | Vulcan HC Series Anvil 6000 IP Camera. 6.0mm Lens, Adjustable Lens Housing for Mounting on Either Side of Vehicle, IP67 Rated Waterproof Exterior Camera, 1080P Resolution, 2 Megapixels, Anti-Vibration, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass Lens Cover, Super Infrared | | \$ | 47 |
| IPX4000 | Vulcan HC Series Anvil 4000 IP Camera. 4.0mm Lens, Adjustable Lens Housing for Mounting on Either Side of Vehicle, IP67 Rated Waterproof Exterior Camera, 1080P Resolution, 2 Megapixels, Anti-Vibration, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass Lens Cover, Super Infrared | | \$ | 47 |
| IPWS4000 | Vulcan HC Series IPWS4000 IP Windshield Camera. 4.0mm Lens with Adjustable Angle Lens Casing, Windshield Mounted for Exterior View, 1080P HD, 2 Megapixels, Noise-Gated Microphone, Vandal- Resistant Casing, Scratch-Resistant, Anti-Glare Glass Lens Cover | | \$ | 4 |
| IPI4000 | Vulcan HC Series Anvil 4000 IP Camera. 4.0mm Lens with Fully Articulated Lens Casing, Interior Camera, 1080P HD, 2 Megapixels, Noise-Gated Microphone, Anti-Vibration, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass Lens Cover, Infrared | | \$ | 4 |
| IPI2500 | Vulcan HC Series Anvil 2500 IP Camera. 2.5mm Lens with Fully Articulated Lens Casing, Interior Camera, 1080P HD, 2 Megapixels, Noise-Gated Microphone, Anti-Vibration, Vandal-Resistant Casing, Scratch-Resistant, Anti-Glare Glass Lens Cover, Infrared | | \$ | 4 |
| eaders *(1) Reader is | provided per order for every 25 DVRs at no cost. Add'l Readers may be purchased | | | |
| VULSECKEY | Security Key USB 3.0 for Vulcan Series HCNVRs, V5, V5X3, & V6X3 MDVRs | | \$ | (|
| V12SECKEY | Security Key USB 3.0 for Vulcan V12 MDVR 3G/4G Verizon Cellular Modern with WI-FI | | \$ | |
| IBR600LP4 | -Built-in air card, Provides connectivity through cellular towers and mobile networks -Provides Wi-Fi to onboard passengers -External module attached via RJ45 cable to the RJ45 port -Includes POWL031 power cable | | \$ | 78 |
| Vireless Equipment * | Does not include Server or Site Equipment | | | |
| IBR600LPE | -Built-in air card, Provides connectivity through cellular towers and mobile networks -Provides Wi-Fi to onboard passengers -External module attached via RJ45 cable to the RJ45 port -Includes POWL031 power cable | | \$ | 94 |

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Pric | e |
|------------------------------|--|-----------------------------|------|-------|
| ANGELTRAX CONTI | NUED | | | |
| | 3G/4G Sprint Cellular Modem | | | |
| IDDCEOC LDE CD | -Built-in air card, Provides connectivity through cellular towers and mobile networks | | \$ | 010 |
| IBR650C-LPE-SP | -External module attached via RJ45 cable to the RJ45 port | | ٦ | 910 |
| | -Includes POWL031 power cable | | | |
| | -Built-in air card | | | |
| IBR650LP4 | -Provides connectivity through cellular towers and mobile networks | | s | 610 |
| IBROSULP4 | -External module attached via RJ45 cable to the RJ45 port | | ٦ | 610 |
| | -Includes POWL031 power cable | | | |
| SI4GM | Sierra 4G Wireless Cellular Modem, To include AT&T SIM Card | | \$ | 502 |
| DVR240MPC-HC | Main Power Cable | | \$ | 40 |
| AVCT001 | Power Converter Cable for Pre-Vulcan HD MDVR to Vulcan Series MDVR | | \$ | 30 |
| IPCLANCBL | Required For V5 only - Vulcan | | \$ | 30 |
| Misc Equipment / Parts | | | | |
| RJ45PTCONV | Converter Cable for IP Camera from DIN to RJ45 for Vulcan HC Series | | \$ | 35 |
| IPANEL1 | LED Pre-Trip Inspection Module for Vulcan Series MDVRs and HCNVRs | | \$ | 80 |
| EASYCK1 | Firmware Upgrade Tool For Vulcan Series MDVRs and HCNVRs | | \$ | 60 |
| 4IPBOX | IP 4 Camera Hub for Vulcan Series V12 MDVR and V16HCNVR - To include CAT5 cable | | \$ | 120 |
| VULMSB | Vulcan MDVR Motion Sensor | | \$ | 90 |
| VULBR100 | Windshield Mounting Bracket for Vulcan Series HD-V Cameras | | \$ | 45 |
| VULMCB | Vulcan MDVR Motion Sensor Control Box & Motion Sensor | | \$ | 180 |
| SAFETY VISION | | | | |
| All Systems are sold as com | plete kits. Systems include HVR, Storage, Power Harness, Sensor Harness, Panic Button, GPS, Camo | era(s), Additional Optional | | |
| Parts for the Observer4000 |) | | | |
| FL-SV-4000-512GB-1Cam | Observer 4000-5 Channel HVR (4AHD, 1IP) 512GB SD Card (2 x 256GB), 1-Cam 720p | | \$ | 2,132 |
| FL-SV-4000-512GB-2Cam | Observer 4000-5 Channel HVR (4AHD, 1IP) 512GB SD Card (2 x 256GB), 2-Cam 720p | | \$ | 2,283 |
| FL-SV-4000-512GB-3Cam | Observer 4000-5 Channel HVR (4AHD, 1IP) 512GB SD Card (2 x 256GB), 3-Cam 720p | | \$ | 2,434 |
| FL-SV-4000-512GB-4Cam | Observer 4000-5 Channel HVR (4AHD, 1IP) 512GB SD Card (2 x 256GB), 4-Cam 720p | | \$ | 2,595 |
| Additional Optional Parts fo | or the Observer4000 | | | |
| FL-SV-DXAP | Wireless Diagnostic Tool - Portable Wifi to view HVR setup with iPhone/iPad/Android/Laptop | | \$ | 639 |
| FL-SV-Synovia-Kit 4000 | Synovia Integration Hardware Kit | | \$ | 629 |
| FL-SV-4000HVR-ACC-KIT | Accelerometer | | \$ | 629 |
| FL-GeoTab 4000 | GeoTab - Driver Safety & Improvement, Engine Diagnostic, Telmatics, Route Integration | | \$ | 699 |
| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Pric | e |

ITB 2020-16 PRICING SHEETS

DVR-816

MANUF, MODEL

DESCRIPTION

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| VENDOR: Matthews Bus A | Alliance, Inc. VIDEO CAIVIERA / GPS / TECHNOLOGY OP I | IONS | | |
|-----------------------------|---|------------------------------|----|-------|
| SAFETY VISION CON | NTINUED | | | |
| FL-GeoTab Service 4000 | GeoTab - Service (Annual Subscription Service/Bus) | | \$ | 848 |
| All Systems are sold as com | nplete kits. Systems include HVR, Storage, Power Harness, Sensor Harness, Panic Button, GPS, Accele | rometer, UBS Battery Back-Up | | |
| WiFi Ready, Camera(s), cab | oles, mounting bracket, Viewing Software, 3 Year Warranty, Lifetime Tech Support & Firmware Upda | tes, Hard Drive Reader. | | |
| FL-SV-4112-2TB-4CAM | Observer 4112-12 Channel HVR (8HD, 4IP) 2TB HD, 4-Cam 1080p | | \$ | 3,000 |
| FL-SV-4112-2TB-5CAM | Observer 4112-12 Channel HVR (8HD, 4IP) 2TB HD, 5-Cam 1080p | | _ | 3,140 |
| FL-SV-4112-2TB-6CAM | Observer 4112-12 Channel HVR (8HD, 4IP) 2TB HD, 6-Cam 1080p | | \$ | 3,269 |
| FL-SV-4112-2TB-7CAM | Observer 4112-12 Channel HVR (8HD, 4IP) 2TB HD, 7-Cam 1080p | | \$ | 3,574 |
| FL-SV-4112-2TB-8CAM | Observer 4112-12 Channel HVR (8HD, 4IP) 2TB HD, 8-Cam 1080p | | \$ | 3,769 |
| Additional Optional Parts f | or the Observer 4112 | | | |
| FL-41-ANT-FEMALE | Wi-Fi Antenna when utilizing built in Wi-Fi | | \$ | 290 |
| FL-SV-WIFICELL4-KT | Wi-Fi/Cell Modem (For Large Fleets over 15 units per AP) | | \$ | 1,318 |
| FL-SV-WIFI-MOXKIT-B | Standard Moxa Wi-Fi Kit (For Large Fleets over 15 units per AP) | | \$ | 1,194 |
| FL-SV-630A-KIT | Rear View Camera External w/ Cable | | \$ | 714 |
| FL-SB-TVMTOTAL | School Bus Total View System (Mirror Monitor & Total View Camera Kit) | | \$ | 2,064 |
| FL-SV-DXAP | Wireless Diagnostic Tool - Portable Wifi to view HVR setup with iPhone/iPad/Android/Laptop | | \$ | 639 |
| FL-SV-Synovia-Kit 4112 | Synovia Integration Hardware Kit | | \$ | 629 |
| FL-GeoTab 4112 | GeoTab - Driver Safety & Improvement, Engine Diagnostic, Telmatics, Route Integration | | \$ | 699 |
| FL-GeoTab Service 4112 | GeoTab ProPlus Service (Annual Subscription Service/Bus) | | \$ | 848 |
| PRO-VISION, INC. | | | | |
| DVR-808CD-64 | 16 channel, 1080P High Def Solid State DVR, Passive GPS, (No Camera Included) | | \$ | 1,500 |
| DVR-808S-64 | 16 channel, 1080P High Def Solid State DVR, 1 Wide Angle 1080P HD Camera, GPS | | \$ | 1,775 |
| DVR-808M-64 | 16 channel, 1080P High Def Solid State DVR, 1 Wide Angle 1080P HD Mini Dome Camera, GPS | | \$ | 1,960 |
| DVR-808S-4G-64 | 16 channel, 1080P HD Solid State DVR, 4G Ready 1 Wide Angle 1080P HD Camera, GPS | | \$ | 2,095 |
| DVR-808M-4G-256 | 16 channel, 1080P HD Solid State DVR, 4G Ready 1 Wide Angle 1080P HD Camera, GPS, 256gb | | \$ | 2,515 |
| DVR-808SA | Stop Arm Camera Package. 1080P HD DVR, Dual Stop-Arm Camera, Wireless File Transfer | | \$ | 2,449 |
| DR-200 | 3 channel, 1080P High Def Solid State DVR, Dual Facing 1080P HD Cameras, Passive GPS | | \$ | 1,545 |
| DR-200-64 | 3 channel, 1080P High Def Solid State DVR, Dual Facing 1080P HD Cameras, Passive GPS | | \$ | 1,570 |
| DR-200-4G-64 | 3 channel, 1080P High Def Solid State DVR, Dual Facing 1080P HD Cameras, Passive GPS, 4G Ready | | \$ | 1,820 |
| DVR-810 | Pro-Vision 1080P High Definition Dome Camera | | \$ | 530 |
| DVR-813 | Pro-Vision 1080P High Definition Dash Camera | | \$ | 565 |
| DVR-814 | Pro-Vision 1080P High Definition Exterior Side mounted Camera | | \$ | 670 |
| | | | | |

\$

Price

COMMENTS/NOTES

670

INFORMATION SUBMITTED FOR ALL ITEMS ON THIS PAGE MAY NOT BE CHANGED OR SUBSTITUTED UNDER ANY CIRCUMSTANCES. Date and Signature:

Pro-Vision 1080P High Definition Exterior Rear mounted Camera

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

| DVR-818 | Pro-Vision 1080P High Definition 180* Interior Wide Angle Camera | \$ 5 |
|----------|--|--------|
| DVR-820 | 1080P High Definition Exterior Wide Angle Low Profile Camera | \$ 6 |
| DVR-821 | 1080P High Definition Interior Wide Angle Mini Dome Camera | \$ 7 |
| DVR-824 | 1080P High Definition Dual Facing Stop-Arm Camera | \$ 1,0 |
| PLE-1810 | Additional Trigger Package | \$ 1 |
| PX-1843 | 30' Camera Cable | \$ 1 |
| DVR-718 | 64gb SDXC Card, Compatible with System | \$ 1 |
| DVR-728 | 128gb SDXC Card, Compatible with System | \$ 2 |
| PLE-1810 | Additional Trigger Package | \$ 1 |
| PX-1843 | 30' Camera Cable | \$ 1 |
| DVR-718 | 64gb SDXC Card, Compatible with System | \$ 1 |
| DVR-728 | 128gb SDXC Card, Compatible with System | \$ 2 |
| DVR-738 | 256gb SDXC Card, Compatible with System | \$ 4 |
| DVR-830 | 500gb Solid State Drive, Compatible with System | \$ 8 |
| DVR-831 | 1TB Solid State Drive, Compatible with System | \$ 9 |
| DVR-832 | 2TB Solid State Drive, Compatible with System | \$ 1,3 |
| DVR-834 | 4TB Solid State Drive, Compatible with System | \$ 2,0 |
| DVR-828 | Automatic Wireless File Transfer Software | \$ 4 |
| TV-205A | Back up Camera Kit with 5" LCD Monitor / Night Vision and Audio | \$ 1,4 |
| TV-505A | Back up Camera Kit with 7" LCD Monitor / Night Vision and Audio | \$ 1,5 |
| PC-1881 | Flush Mount Bracket | \$ 1 |
| DVR-750 | GPS Module | \$ 4 |
| DVR-710 | Enhanced Event Marker Button | \$ 1 |
| DR-230 | Wireless File Transfer Software for Drive Recorder | \$ 4 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

APPENDIX I

THOMAS / MATTHEWS BUS ALLIANCE. INC.

| | MONAS / WATTHEWS BOS ALLIANCE, INC. | | |
|---|---|---------------|------------|
| | BIDDERS NOTES | | |
| B7b: IMMI Child Safety Seat | | | |
| IMMI ICS seating options will reduce seating | capacity in some configurations due to seat spacing and ISO latch spacing require | ments. | |
| B18: Underseat Rear Heater Option | | | |
| Heater's location and size (40,000 BTU rear w | vall mount) may be only possible location for the rear heater. | | |
| B21: Driver's Seat with Integrated Seat Belt | | | |
| This may reduce the passenger capacity due t | to spacing requirements. | | |
| C4: 100 Gallon Fuel Tank | | | |
| May require option C10 (Air Ride Suspension) | on some Type C configurations. 100 gallon tank my affect availability of pass thr | u luggage or | ı some |
| rear engine models. Please consult dealer. Or | nly available on 65-77 passenger units. | | |
| | | | |
| Cummins EXC Warranty includes complete e | ngine coverage including EGR components and turbo injectors | | |
| | | | |
| RIFLED AIR CONDITIONING SYSTEM INFO | | | |
| The following systems come with a 5yr limite | d warranty w/unlimited mileage and 270 amp alternator. Not available on Propa | ne Engines | |
| RAC-BH1141 | System A | | |
| RAC-BH1122 | System B | | |
| | | | |
| The following systems include a 6yr warranty | w/unlimited mileage and 270 amp alternator. Not available on propane engines | • | |
| RAC-BH2241 | System A | | |
| RAC-BH2233 | System B | | |
| | | | |
| The following systems include a 5yr warranty | from RAC/ACT. Not available on propane engines. | | |
| RAC-EFBH12241 | System A | | |
| RAC-ACT-353 | System A | | |
| | | | |
| For a tie-in dash AC system on C2 29-77 pass | enger, there is no deduct in price and has a 5 year standard warranty. BTU ration | ng 120,000. | |
| | | | |
| TM-43 Compressor my not be available on D | Detroit DD5 or CNG. Contact MBA Sales Coordinator for availability. Not availab | le on Propar | e engines. |
| | | | |
| | | | |
| | y from Transarctic. Not available on CNG, Detroit propane engines. | | |
| Transarctic C240 | System A Dual QP25 Compressors | | |
| | | | |
| PI 8.0-LPG V8. 339HP/495 Torque, Propane E | Ingine comes with a 270 amp alternator and MCC Air on Type C buses. | | |
| | | | |
| S.T.A.R.S. Information | | | |
| . • | Mounting System is only available on Lift equipped buses and ONLY available in N | on-Lift Buses | over |
| • | R.S Mounting to be available in other locations during this bid period. | | |
| • | cts when S.T.A.R.S Mounting is available in these other locations. Additional tie d | lowns beyon | d the STD |
| W/C positions must be ordered thru parts de | partment. | | |
| | | | |
| DD5 Engine HP and Torque Info Per Configur | | | |
| 29 - 47 Passenger Units have 220HP/560 lb ft | | | |
| 65 - 71 Passenger Units have 220HP/560 lb ft | | | |
| 77 Passenger Units have 240HP/660 lb ft | | | |
| | | | |
| | | | |
| Vanner Revolution System w/ Electric Compr | essor may not be available for all Type C sizes. Must also order appropriate RAC s | system in add | dition. |
| Includes RAC Compressor deduct. Contact Sal | les Coordinator for availably. | | |

APPENDIX II

THOMAS / MATTHEWS BUS ALLIANCE, INC.

| | | BIDDER | S NOTES | |
|------------|---------------------------------|-----------------------------------|-------------------------------------|--|
| etroit Die | esel Extended Warranty Inforr | nation: | | |
| | Air Inlet Manifold | Cylinder Liner | Main Bearing Bolts | Valves (exhaust, intake) |
| | Air Intake Throttle Valve | EGR System | Main Bearings | Valve Springs, Guides, Inserts |
| | Alternator Bracket* | Engine-Mounted Sensors | MCM/CPC | Vibration Pump (excl. water pump seal) |
| | Belt Tensioner | Exhaust Manifold & Bellows | Oil Cooler, Housing & Gaskets | |
| | Camshaft Assembly (Inc. seats) | Fan Support Assembly | Oil Pan & Seals | |
| | Cold Pipe Assembly | Flywheel, Housing &Gasket | Oil Press REG & Relief Valves | |
| EW1 | Connecting Rod, Bearings & Bol | t: Fuel Filter Housing | Oil Pump | |
| | Cooler Inlet Pipe | Gear Case | Pistons (rings, pins, Retainers) | |
| | Crankcase Breather Oil Separato | o Gear Train | Rocker Arm Assembly | |
| | Crankshaft Thrust Washer | Gear Train/Timing Case Gasket | Rocker Cover & Seals | |
| | Cylinder Block | High Pressure Fuel System & Lines | Thermostat Housing & Gasket | |
| | Cylinder Head Assembly | Integrated Engine Brake | Turbo Compound Device & Coupling | |
| | Cylinder Head Gasket | Low Pressure Fuel Pump | Turbocharger Outlet Elbow | |
| EW2 | Everything in EW1, Plus: | Air Compressor | Turbocharger | |
| LVVZ | Everything in EVV1, Flus. | Fuel Injectors | Water Pump Seal | |
| | | Aftertreatment Control Module | Def Pump/Metering Unit/Injection U | n Hydrocarbon Metering Unit |
| | | Aftertreatment Nox Sensors | Diesel Oxidation Catalyst & Housing | SCR Catalyst & Housing |
| EW4 | Everything in EW2, Plus: | Aftertreatment Pressure Sensors | Diesel Particulate Filter & Housing | Seals - Front & Rear Crankshaft |
| EVV4 | Everything in EWZ, Plus. | Aftertreatment System Mounting | Electrical Harness & Connectors** | |
| | | Aftertreatment Temperature Senso | r: Hydrocarbon Fuel Line | |
| | | Brackets & Clamps | Hydrocarbon Injection Valve | |
| | | | | |
| | ouley) Electric bus Infomration | 1: | | |
| omes wit | h the following options: | | | |

Proterra Powertrain 220kWh energy storage system, Traction motor, Inverter, Two Speed Transmission, Battery thermal management system, High voltage junction box, Proterra CCS Type 1 chargeport and ESM, Proterra telematics hardware, Powertrain and body controllers, Power steering pump, Gear selector, Vehicle heaters, Electric HVAC compressor, Ancillary inverters, Telematics porta/data - 1 year, Operators Manuals, Training Package (2 days at Customer site) and AC-121133T 126K BTU-Free Blow AC System. ESTIMATED DELIVERY TIME IS 12 MONTHS FROM ORDER

| | IC / SUN STATE INTERNATIONAL | | | | | | | | | | | | | |
|---|--|---|--|-------------------------------------|-----------------------------------|-------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-------------------------------|
| LEGEND: | STANDARD EQUIPMENT / BASE BUS PRICE | COMMENTS/NOTES | TYPE C LIGHT: 29 Capacity | TYPE C LIGHT: 29 Capacity with Lift | TYPE C: 29 Capacity | TYPE C: 29 Capacity with Lift | TYPE C: 47 Capacity | TYPE C: 47 Capacity with Lift | TYPE C: 65 Capacity | TYPE C: 65 Capacity with Lift | TYPE C: 71 Capacity | TYPE C: 71 Capacity with Lift | TYPE C: 77 Capacity | TYPE C: 77 Capacity with Lift |
| [STD] = STANDARD EQUIPMEN | NT Standard Engine: Manuf, Model, HP, Torque | | Cummins, ISB, 200HP, 520LbFt | Cummins, ISB, 200HP, 520LbFt | Cummins, ISB, 200HP, 520LbFt | Cummins, ISB, 200HP, 520LbFt | Cummins, ISB, 200HP, 520LbFt | Cummins, ISB, 200HP, 520LbFt | Cummins, ISB, 220HP, 600LbFt | Cummins, ISB, 220HP, 600LbFt | Cummins, ISB, 220HP, 600LbFt | Cummins, ISB, 220HP, 600LbFt | Cummins, ISB, 250HP, 660LbFt | Cummins, ISB, 250HP, 660LbFt |
| N/A = NOT APPLICABLE | Standard Transmission: Manuf, Model, # of fwd ranges | | Allison PTS2200, 5spd | Allison PTS2200, 5spd | Allison, PTS2500, 6spd | Allison, PTS2500, 6spd | Allison, PTS2500, 6spd | Allison, PTS2500, 6spd | Allison, PTS2500, 6spd | Allison, PTS2500, 6spd | Allison, PTS2500, 6spd | Allison, PTS2500, 6spd | Allison, PTS2500, 6spd | Allison, PTS2500, 6spd |
| N/C= NO CHARGE | Standard Tire: Manuf, Model, Size, Load Range | | Goodyear, Endurance, 245/75R 22.5,LR G | · · | Goodyear, Endurance, 11R22.5,LR G | | Goodyear, Endurance, 11R22.5,LR G | Goodyear, Endurance, 11R22.5,LR G | Goodyear, Endurance, 11R22.5,LR G | | Goodyear, Endurance, 11R22.5,LR G | Goodyear, Endurance, 11R22.5,LR G | Goodyear, Endurance, 11R22.5,LR G | |
| N/B= NO BID | Standard Wheelchair Lift: Manuf, Model, #Capacity | | N/A | Braun, NL919FIB, 800# | N/A | Braun, NL919FIB, 800# | N/A | Braun, NL919FIB, 800# | N/A | Braun, NL919FIB, 800# | N/A | Braun, NL919FIB, 800# | N/A | Braun, NL919FIB, 800# |
| • | Standard Wheelchair Tie Down: Manuf, Model | | N/A | Sure-Lok, FF612-4C-7 | N/A | Sure-Lok, FF612-4C-7 | N/A | Sure-Lok, FF612-4C-7 | N/A | Sure-Lok, FF612-4C-7 | N/A | Sure-Lok, FF612-4C-7 | N/A | Sure-Lok, FF612-4C-7 |
| | Base School Bus Price \$\$ | | 80648 | 85217 | 82620 | 87306 | 84651 | 89410 | 87813 | 92432 | 88923 | 93396 | 89775 | 94164 |
| | Base MFSAB Price \$\$ | See note in Apendix I - MFSAB | 80163 | 84729 | 82135 | 86818 | 83894 | 88646 | 87056 | 91671 | 88169 | 92635 | 89021 | 93403 |
| | OPTIONAL CHASSIS EQUIPMENT PRICES | | | | | | | | | | | | | |
| [C1A] Front Tow Hooks | | | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 |
| [C1B] Rear Tow Hooks | | | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 |
| [C2] Spare Disc Wheel | | | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 |
| [C3] Auto Trans Warranty (5 y | r unlimited) | Allison 7yr unlimited on 2500PTS | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| [C4] 75-100 Gallon Fuel Tank* | | Diesel only, see Additional Options for Gas/Propane | N/A | N/A | N/A | N/A | N/A | N/A | 488 | 488 | 488 | 488 | 488 | 488 |
| [C5] Low-Profile Radial Tires** | | Goodyear RSA 255/70R22.5 H | N/A | N/A | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 |
| [C7] Type D Front Air Ride Susp | pension | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| [C6] 270 Amp L/N 4864 Alterna | ator | 325 Amp L/N BLP4006HN, STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| [C8] Adjustable Pedals | | | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 |
| [C9] 3000-PTS Transmission | | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| [C10] Air Ride Rear Suspension | 1 | | 1485 | 1485 | 557 | 557 | 234 | 234 | 571 | 571 | 571 | 571 | 571 | 571 |
| [C12] Straight Floor | | See note in Apendix I | N/A | 1644 | N/A | 1335 | N/A | 851 | N/A | 1064 | N/A | 1102 | N/A | 1186 |
| [C13] Auto Headlamp System | | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| [C14] Air Disc Brakes | | | N/A | N/A | 2048 | 2048 | 1911 | 1911 | 1743 | 1743 | 1743 | 1743 | 2019 | 2019 |
| | OPTIONAL BODY EQUIPMENT PRICES | | | | | | | | | | | | | <u> </u> |
| [B1] Pro Lo Hatch | | | 45 | 45 | 45 | 45 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |
| [B3] Vandal Box w/Key | | Spec Required Std | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| [B4] 76" High Headroom (mini | imum) | | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] | [STD] |
| [B5A] Intercom/PA | | | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 |
| [B5B] PA with Radio | | | 343 | 343 | 343 | 343 | 343 | 343 | 343 | 343 | 343 | 343 | 343 | 343 |
| [B5C] Stereo Radio (no PA) | | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| [B6] Locking Door at Fuel Tank [B7A] CE White Integrated Chil | | | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| [B7A] CE White Integrated Chil | ld Restraint Seat | | 551 | 551 | 551 | 551 | 551 | 551 | 551 | 551 | 551 | 551 | 551 | 551 |
| [B7B] IMMI Child Safety Seat | | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| [B7C] Syntech Integrated Child | Restraint Seat | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| [B7D] BTI Integrated Child Rest | | | 510 | 510 | 510 | 510 | 510 | 510 | 510 | 510 | 510 | 510 | 510 | 510 |
| [B8] Exterior Body Light Monito | | | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 |
| | E PER UNIT - no reduction in seating capacity) *** | BTI Seating, See note in Apendix I - MFSAB | 276 | 276 | 2/6 STD | 276 | 276 | 276 | 276 STD | 276 | 276 | 276 | 2/6 | 276 |
| [B12] Full Perf. Ceiling Panel | | | טונ | 310 | SID | STD | STD | STD | 310 | STD | STD | SID | 310 | STD |
| [B13] Bus Lockup System | | | 266 | 266 | 200 | 266 | 266 | 266 | 266 | 266 | 266 | 200 | 266 | 266 |
| [B14] Wire Pupil Crossing Arm | | | N/A | N/A | N/A | N/A | N/A | N/A [STD] | N/A | N/A | N/A [STD] | N/A | N/A | N/A |
| | stem (with non-corrossive brackets & fasteners) | | [SIU] | [טוט] | [SID] | [STD] | [SIU] | [310] | [310] | [210] | [SID] | [210] | [SID] | [SID] |
| [B16] Battery Disconnect Switc | | | | 23 | 25 | 25 | 25 | 25 | | 23 | 25 | 23 | 25 | 25 |
| [B17] Red Light Emergency Doo [B18] Underseat Rear Heater | UI | See note in Appendix I | 81 | 81 | 81 | 81 | 81 | 81 490 | 81 406 | δ1 | 81 406 | δ1 | 81 406 | 490 |
| | <u> </u> | see note in Appendix i | 406 STD | 490 STD | 406 STD | 490 STD | 406 STD | 490 STD | 406 STD | 490 STD | 406 STD | 490 STD | 406 STD | 490 STD |
| [B19] Tailpipe through Bumper [B20] Powder-Coated Windows | | | 100 | 100 | 100 | 100 | 178 | 179 | 31 <i>U</i> | 217 | 227 | 227 | 258 | 258 |
| | | | N/A | N/A | 100 | 100 | 178 455 | 1/8 455 | Z1/ | 455 | 237 455 | 237 | 258 455 | 455 |
| [B21] Driver's Seat with Integra | | (Lift Bus Only) | N/A N/A | N/A -524 | 455 N/Δ | 455 -524 | 455 N/A | 455 -524 | 455 N/A | -524 | 455 N/A | 455 -524 | 455 N/A | -524 |
| [B22] Delete W/C - Add Seat (L [B23] Delete Seat - Add W/C (| | (Lift Bus Only) | N/A N/Δ | -524 -524 | N/A | 524 | N/A N/Δ | -524 524 | N/A | 524 | N/A N/A | -524 | N/A N/A | 524 |
| | | Price per W/C Position | N/A | 200 | N/A | 200 | N/A N/Δ | 200 | N/A | 200 | N/A | 200 | N/A | 200 |
| [B24] Wheelchair Securement [B25] Track Seating (Lift Bus O | | (Lift Bus Only) | N/A | 1412 | N/A | 1412 | N/A N/A | 3335 | N/A | 4708 | N/A N/A | 5398 | N/A N/A | 6084 |
| TIDZ 21 LIAUK SPAUDY HITT BUS () | 1119 <i>)</i> | (LIIL BUS UTILY) | IN/A | 1412 | IV/A | 1417 | IV/A | • 3333 | IN/A | 4/06 | IN/A | 7370 | IN/A | 0004 |

| | | COMMENTS/NOTES | | | | | | | | | | | | |
|--|---|--|---------------------------|--|---------------------|-------------------------------|---------------------|-------------------------------|---------------------|-------------------------------|---------------------|--|--|--|
| | | | TYPE C LIGHT: 29 Capacity | TYPE C LIGHT: 29 Capacity with Lift | TYPE C: 29 Capacity | TYPE C: 29 Capacity with Lift | TYPE C: 47 Capacity | TYPE C: 47 Capacity with Lift | TYPE C: 65 Capacity | TYPE C: 65 Capacity with Lift | TYPE C: 71 Capacity | TYPE C: 71 Capacity with Lift | TYPE C: 77 Capacity | TYPE C: 77 Capacity with Lift |
| | Optional Tire | | 2 0 2.0 25 0apacity | , and a supplier of the suppli | THE G. 25 Capacity | in 2 or 25 capacity and 200 | z c capacity | The Company with an | THE CO SE CUPUCKY | | z c. /z capacity | The Company of the Co | The State of the S | The state of the s |
| (OPT1) Tire | Michelin, XZE2, 11R22.5, G | | N/A | N/A | 413 | 413 | 413 | 413 | 413 | 413 | 413 | 413 | 413 | 413 |
| (OPT2) Tire | Goodyear, Endurance RSA, 11R22.5, H | | N/A | N/A | N/C | N/C | N/C | N/C | N/C | N/C | N/C | N/C | N/C | N/C |
| (OPT3) Tire | Goodyear, Endurance RSA, 255/70R22.5, H | STD with Straight Floor | N/A | N/A | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 |
| (OPT4) Tire | Michelin, XZE2, 255/70R22.5, H OPTIONAL WHEELCHAIR LIFT #1 | With Straight Floor only | N/A | N/A | N/A | -479 | N/A | -479 | N/A | -479 | N/A | -479 | N/A | -479 |
| (Opt 1) Lift | Braun, NCL1000FIB3451, 1000#, 34" Wide | | N/A | 144 | N/A | 144 | N/A | 144 | N/A | 144 | N/A | 144 | N/A | 144 |
| (Opt 2) Lift | Ricon, S-5510-403, 800#, 34" Wide | See note Appendix I, Ricon Lift | N/A | -711 | N/A | -711 | N/A | -711 | N/A | -711 | N/A | -711 | N/A | -711 |
| (Opt 3) Lift | Ricon, Titanium S-5510-FF-403, 1000#, 34" Wide | See note Appendix I, Ricon Lift | N/A | -437 | N/A | -437 | N/A | -437 | N/A | -437 | N/A | -437 | N/A | -437 |
| OPTIONAL V | WHEELCHAIR TIEDOWN/OCCUPANT RESTRAINT SYSTEM (WTORS) | | | | | | | | | | | | | |
| (OPT1)WTORS | Sure-Lok, FF612S-4C-7 | No Charge Option | N/A | N/C | N/A | N/C | N/A | N/C | N/A | N/C | N/A | N/C | N/A | N/C |
| | [AC-1] OPTIONAL AIR-CONDITIONING | | | | | | | | | | | | | |
| AC-1 | MCC, AC-923W12, 85,000 BTU, 65 Amps | Dash,R IW, Rad, Skirt, 2-TM16 | 10328 | 10328 | 10328 | 10328 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| AC-2 | MCC, AC-10W1W122, 100,000 BTU, 90 Amps MCC, AC-1323W1W1133-21, 135,000 BTU, 120 Amps | F&R IW, Skirt, 2-TM16 Dash, F&R IW, Skirt, 2-TM21 | N/A N/A | N/A N/A | N/A N/A | N/A N/A | 11172 | 11172 | N/A 12221 | N/A 12221 | N/A 12221 | N/A 12221 | N/A 12221 | N/A 12221 |
| AC-4 | MCC, AC-1523W1W1133-21, 135,000 BT0, 120 Amps | N/A Propane or Gas | N/A | N/A N/A | N/A | N/A N/A | N/A | N/A | 14678 | 14678 | 14678 | 14678 | 14678 | 14678 |
| AC-5 | MCC, AC-1623W1W11033-21-16, 155,000 BTU, 125 Amps | Dash, F&R IW, Skirt, Rad 2TM21, 1TM16 | N/A | N/A | N/A | N/A | N/A | N/A | 14304 | 14304 | 14304 | 14304 | 14304 | 14304 |
| AC-6 | MCC, AC-1523W1W1033-43-16, 151,000 BTU, 120 Amps | Dash, F&R IW, Skirt, Rad, 1TM43, 1TM16 | N/A | N/A | N/A | N/A | N/A | N/A | 14525 | 14525 | 14525 | 14525 | 14525 | 14525 |
| | | | | | | | | | | | | | | |
| AC-7 | IC Air, SAD-RIW-RC-SC-13-10, 100,000 BTU, 102Amps | Dash, R IW, Skirt, Rad, 1-13, 1-10 | 8748 | 8748 | 8748 | 8748 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| AC-8 | IC Air, FRIW-SC-13-13, 110,000, 120 Amps | F&R IW, Skirt, 2-13 | N/A | N/A | N/A | N/A | 8941 | 8941 | N/A | N/A | N/A | N/A | N/A | N/A |
| AC-9 | IC Air, TD-FRIW-SC-13-13, 120,000, 138 Amps | Dash, F&R IW, Skirt, Rad, 2-13 | N/A | N/A | N/A | N/A | 11041 | 11041 | 11434 | 11434 | 11434 | 11434 | 11434 | 11434 |
| AC-10 | IC Air, SAD-FRIW-SC-43-13, 150,000, 138 Amps | Dash, F&R IW, Skirt, Rad, 1-43, 1-13 | N/A | N/A | N/A | N/A | N/A | N/A | 13701 | 13701 | 13701 | 13701 | 13701 | 13701 |
| AC-11 | ProAir, ACT-2i242R/16, 80,000 BTU, 69 Amps | Dash, R IW, Skirt, Rad, 2-TM16 | 9273 | 9273 | 9273 | 9273 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| AC-12 | ProAir, ACT-22232/21, 105,000 BTU, 126 Amps | F&R IW, Skirt, 2-13 | N/A | N/A | N/A | N/A | 9782 | 9782 | N/A | N/A | N/A | N/A | N/A | N/A |
| AC-13 | ProAir, ACT-22i24332/21, 125,000 BTU, 135 Amps | Dash, F&R IW, Skirt, 2-13 | N/A | N/A | N/A | N/A | N/A | N/A | 11786 | 11786 | 11857 | 11857 | 11857 | 11857 |
| | | | | | | | | | | | | | | |
| AC-14 | Bergstrom, RBH2FBH2SC3SC3-2121, 120,000 BTU, 98 Amps | F&R IW, Skirt, 2-13 | 8813 | 8813 | 8813 | 8813 | 8813 | 8813 | N/A | N/A | N/A | N/A | N/A | N/A |
| AC-15 | Bergstrom, RBH2FBH2SC3SC3-2121D, 130,000 BTU, 110 Amps | Dash, F&R IW, Skirt, 2-13 | N/A | N/A | N/A | N/A | 10035 | 10035 | 10035 | 10035 | 10035 | 10035 | 10035 | 10035 |
| AC 16 | TransAir, 55-3L-Dash Tie-In-(1) 15, 75k BTU, 75 Amps | | E030 | 5930 | 5930 | 5930 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| ΔC-17 | TransAir, 55-52-Dash Tie-III-(1) 15, 75k BTU, 75 AITIPS TransAir, 55-2S-FRC-SDash (2) 10, 82k BTU, 82 Amps | | 5930 7639 | 7639 | 7639 | 7639 | N/A | N/A N/A | N/A N/A | N/A | N/A | N/A N/A | N/A N/A | N/A N/A |
| AC-18 | TransAir, 55-55-3L-3L-(2) 13, 120k BTU, 108 Amps | | N/A | N/A | N/A | N/A | 7454 | 7454 | N/A | N/A | N/A | N/A | N/A | N/A |
| AC-19 | TransAir, 55-55-3L-3L-Dash Tie-In, (1)-43, 130k BTU, 105 Amps | | N/A | N/A | N/A | N/A | 12071 | 12071 | N/A | N/A | N/A | N/A | N/A | N/A |
| AC-20 | TransAir, 55-55-3L-3L-FRC-SDash,(1)- 10 (1)-43, 150k BTU, 128 Amps | | N/A | N/A | N/A | N/A | 13511 | 13511 | 13503 | 13503 | 13709 | 13709 | 13721 | 13721 |
| AC-21 | TransAir, 55-55-3L-3L-FRC-Sdash,(1)-10 (2)-13, 147k BTU, 132 Amps | | N/A | N/A | N/A | N/A | 12803 | 12803 | 12803 | 12803 | 12881 | 12881 | 12919 | 12919 |
| AC-22 | TransAir, 55-55-93-3L-3L-Dash Tie-In, (2)-15, 150k BTU, 138 Amps | | N/A | N/A | N/A | N/A | N/A | N/A | 12092 | 12092 | 12238 | 12238 | 12302 | 12302 |
| MCC | Roof Mound Condensor(s) | | 1583 | 1583 | 1583 | 1583 | 3458 | 3458 | 3458 | 3458 | 3458 | 3458 | 3458 | 3458 |
| MCC | Midship Side Ceiling Mount Evap, Add-On | | N/A | N/A | N/A | N/A | | N/A | 2263 | 2263 | 2263 | 2263 | 2263 | 2263 |
| MCC | Stand Alone Dash Only System | 1Dash, 1Rad, 1TM16 | 3227 | 3227 | 3227 | 3227 | 3227 | 3227 | 3227 | 3227 | 3227 | 3227 | 3227 | 3227 |
| MCC | Gas/Propane Engine Effects with 2-TM16 Compressors | · · | 985 | 985 | 985 | 985 | 849 | 849 | N/A | N/A | N/A | N/A | N/A | N/A |
| MCC | Gas/Propane Engine Effects with 2-TM21 Compressors | | N/A | N/A | N/A | N/A | 857 | 857 | 857 | 857 | 857 | 857 | 857 | 857 |
| MCC | Gas/Propane Engine Effects with TM43 & TM16 Compressors | | N/A | N/A | N/A | N/A | N/A | N/A | 231 | 231 | 231 | 231 | 231 | 231 |
| IC | IC Air, Stand Alone Dash Only System | 1 Dash, 1 Rad, 1-10CID | 2981 | 2981 | 2981 | 2981 | 2981 | 2981 | 2981 | 2981 | 2981 | 2981 | 2981 | 2981 |
| ProAir | Roof mount Condenser Upgrade | | 1526 329 | 1526 | 1526 329 | 1526 329 | 2312 329 | 2312 | 2686 | 2686 329 | 2614 329 | 2614 329 | 2614 329 | 2614 329 |
| Bergstrom | Eaton Aeroquip hose and fitting upgrade Gas/Propane Engine Effects All | | 1037 | 1037 | 1037 | 1037 | 1037 | 1037 | 1037 | 1037 | 1037 | 1037 | 1037 | 1037 |
| Bergstrom | Midship ceiling mount evap add-on | | N/A | N/A | N/A | N/A | N/A | N/A | 1113 | 1113 | 1113 | 1113 | 1113 | 1113 |
| Bergstrom | Roof Mount Condensor upgrade | | 1091 | 1091 | 1091 | 1091 | 1091 | 1091 | 1403 | 1403 | 1403 | 1403 | 1403 | 1403 |
| Bergstrom | TM-43 Compressor upgrade | | 1649 | 1649 | 1649 | 1649 | 1649 | 1649 | 1649 | 1649 | 1649 | 1649 | 1649 | 1649 |
| Bergstrom | TM-55 Compressor upgrade | N/A Propane or Gas | N/A | N/A | N/A | N/A | N/A | N/A | 1759 | 1759 | 1759 | 1759 | 1759 | 1759 |
| TransAir | Gas/Propane Engine Effects with 2-13 or 2-15 Compressors | | 273 | 273 | 273 | 273 | 273 | 273 | 273 | 273 | 273 | 273 | 273 | 273 |
| Cumania ICD 240 IID 50 | OPTIONAL ENGINES | | F-7F | F 7 F | F7F | F 75 | F.75 | 575 | A1 / A | NI/A | N1/A | 81/8 | N1/A | N1/A |
| Cummins ISB, 240 HP, 560 Cummins ISB, 250 HP, 660 | | | 575 N/A | 575 N/A | 575 N/Δ | 575 N/A | 575 N/Δ | 5/5 N/A | N/A 344 | N/A 344 | N/A 344 | N/A 344 | N/A N/A | N/A N/A |
| Cummins ISB, 260 HP, 660 | | | N/A N/A | N/A N/A | N/A | N/A N/A | N/A | N/A N/A | | 755 | 755 | 755 | 411 | 411 |
| | ional, 8.8L, 265 HP, 548 lb-ft, Gasoline | | N/A | N/A | -1338 | -1338 | -1511 | -1511 | -2107 | -2107 | -2039 | -2039 | -2206 | -2206 |
| | ional, 8.8L, 270 HP, 565 lb-ft, Propane | | N/A | N/A | N/A | N/A | N/A | N/A | 8395 | 8395 | 8395 | 8395 | 8228 | 8228 |

| | COMMENTS/NOTES | | | | | | | | | | | | |
|--|---|---|--|--|---|---|---|--|--|--|--|---|--|
| | | TYPE C LIGHT: 29 Capacity | TYPE C LIGHT: 29 Capacity with Lift | TYPE C: 29 Capacity | TYPE C: 29 Capacity with Lift | TYPE C: 47 Capacity | TYPE C: 47 Capacity with Lift | TYPE C: 65 Capacity | TYPE C: 65 Capacity with Lift | TYPE C: 71 Capacity | TYPE C: 71 Capacity with Lift | TYPE C: 77 Capacity | TYPE C: 77 Capacity with Lift |
| SEATING CAPACITY FOR FRONT MOUNTED LIFT EQUIPPED BUSES WITH RAISED/FLAT FLOOR | | | | | | | | | | | | | |
| Standard Number of Wheelchair Spaces: | | N/A | 3 | N/A N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 |
| Maximum Number of Wheelchair Spaces: Maximum Number of Passengers in Regular Seats with Standard (3) Wheelchair Spaces: | | N/A N/A | 5 | N/A N/A | 5 | N/A N/A | 16 | N/A N/A | 10 | N/A N/A | 30 | N/A N/A | 32 |
| SEATING CAPACITY FOR REAR MOUNTED LIFT EQUIPPED BUSES WITH RAISED/FLAT FLOOR | | N/A | Ü | 19/4 | J J | IV/A | 10 | IV/A | 20 | N/A | 30 | N/A | 32 |
| Standard Number of Wheelchair Spaces: | | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 |
| Maximum Number of Wheelchair Spaces: | | N/A | 5 | N/A | 5 | N/A | 7 | N/A | 9 | N/A | 10 | N/A | 10 |
| Maximum Number of Passengers in Regular Seats with Standard (3) Wheelchair Spaces: | | N/A | 12 | N/A | 12 | N/A | 27 | N/A | 39 | N/A | 45 | N/A | 51 |
| SEATING CAPACITY FOR FRONT MOUNTED LIFT EQUIPPED BUSES Standard Number of Wheelchair Spaces: | | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 |
| Maximum Number of Wheelchair Spaces: | | N/A | 3 | N/A | 3 | N/A | 5 | N/A N/A | 6 | N/A | 8 | N/A | 8 |
| | | N/A | 4 | N/A | 4 | N/A | 16 | N/A | 28 | N/A | 30 | N/A | 32 |
| Maximum Number of Passengers in Regular Seats with Standard (3) Wheelchair Spaces: SEATING CAPACITY FOR REAR MOUNTED LIFT EQUIPPED BUSES | | | | | | | | | | | | | |
| Standard Number of Wheelchair Spaces: | | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 | N/A | 3 |
| Maximum Number of Wheelchair Spaces: Maximum Number of Passangers in Pogular Spaces with Standard (2) Wheelchair Spaces: | | N/A N/A | 3 | N/A N/A | 3 | N/A N/A | 5 | N/A N/A | 6 | N/A N/A | 7 | N/A N/A | 8 |
| Maximum Number of Passengers in Regular Seats with Standard (3) Wheelchair Spaces: WARRANTY OPTIONS | | IN/A | 4 | N/A | 4 | IN/A | 22 | IN/A | 54 | IN/A | 38 | N/A | 42 |
| Extended Engine Warranty Cummins, ISB, 60 Months/150,000 Miles | | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 |
| Extended Engine Warranty Cummins, ISB, 60 Months/200,000 Miles | | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 |
| Extended Engine Warranty Cummins, ISB, 60 Months/Unlimited Miles | | 2125 | 2125 | 2125 | 2125 | 2125 | 2125 | 2125 | 2125 | 2125 | 2125 | 2125 | 2125 |
| Extended Engine Warranty Cummins, ISB, 120 Months/Unlimited Miles | | 4900 4350 | 4900 4350 | 4900 4350 | 4900 4350 | 4900 4350 | 4900 4350 | 4900 4350 | 4900 4350 | 4900 4350 | 4900 4350 | 4900 4350 | 4900 4350 |
| Extended Warranty Cummins, ISB, 120 Months/200,000 Miles Towing Warranty 60 Months/Unlimited Miles | | 900 | 900 | 900 | 900 | 900 | 900 | 900 | 900 | 900 | 900 | 900 | 900 |
| Warranty Credit Option 12 Months/12,000 Miles ONLY (* see note) | See note in Apendix I, Warranty | -3500 | -3500 | -3500 | -3500 | -3500 | -3500 | -3500 | -3500 | -3500 | -3500 | -3500 | -3500 |
| EXCEPTIONS) from the updated in-service date of the bus. BAGGAGE COMPARTMENTS (Price is for ONE per bus) | Consider in Amendia I | 21/0 | 21/2 | ACE | ACE | ACE | 465 | 465 | ACE | ACE | ACE | 465 | 465 |
| 36" X 24" X 18" 44" X 24" X 18" | See note in Apendix I See note in Apendix I | N/A N/A | N/A | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 765 | |
| 54" X 24" X 18" | See note in Apendix i | | N// | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 |
| | See note in Apendix I | N/A | N/A N/A | 507 N/A | 507 N/A | 507 560 | 507 560 | 507 560 | 507 560 | 507 560 | 405 | | 403 |
| 66" X 24" X 18" | See note in Apendix I See note in Apendix I | N/A N/A | | 307 | 307 | 307 | 507 | 307 | 307 | 507 | 507 | 507 | 507 |
| 79" X 24" X 18" | See note in Apendix I See note in Apendix I | N/A N/A | N/A N/A N/A | N/A N/A N/A | N/A N/A N/A | 560 N/A N/A | 560 N/A N/A | 560 626 729 | 307 | 560 | 507 560 | 507 560 626 729 | 507 560 626 729 |
| 79" X 24" X 18" 87" X 24" X 18" | See note in Apendix I See note in Apendix I See note in Apendix I | N/A N/A N/A | N/A N/A N/A N/A | N/A N/A N/A N/A | N/A N/A N/A N/A | 560 N/A N/A N/A | 507 560 N/A N/A N/A | 560 626 729 772 | 560 626 | 507 560 626 | 507 560 626 | 507 560 626 729 772 | 507 560 626 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" | See note in Apendix I | N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A | N/A N/A N/A N/A N/A | 560 N/A N/A N/A N/A | 507 560 N/A N/A N/A N/A | 560 626 729 772 793 | 560 626 729 772 793 | 507 560 626 | 507 560 626 | 507 560 626 729 772 793 | 507 560 626 729 772 793 |
| 79" X 24" X 18" 87" X 24" X 18" | See note in Apendix I See note in Apendix I See note in Apendix I | N/A N/A N/A | N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A | 560 N/A N/A N/A | 507 560 N/A N/A N/A | 560 626 729 772 | 560 626 | 507 560 626 729 772 793 | 507 560 626 729 772 793 | 507 560 626 729 772 | 507 560 626 729 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" | See note in Apendix I | N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A | 560 N/A N/A N/A N/A | 507 560 N/A N/A N/A N/A | 560 626 729 772 793 | 560 626 729 772 793 | 507 560 626 729 772 793 | 507 560 626 729 772 793 | 507 560 626 729 772 793 | 507 560 626 729 772 793 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. | See note in Apendix I | N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A | 560 N/A N/A N/A N/A | 507 560 N/A N/A N/A N/A | 560 626 729 772 793 | 560 626 729 772 793 | 507 560 626 729 772 793 | 507 560 626 729 772 793 | 507 560 626 729 772 793 | 507 560 626 729 772 793 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS | See note in Apendix I | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A N/A N/A N/A | 560 N/A N/A N/A N/A N/A | 507 560 N/A N/A N/A N/A | 560 626 729 772 793 N/A | 560 626 729 772 793 N/A | 507 560 626 729 772 793 | 507 560 626 729 772 793 915 | 507 560 626 729 772 793 915 | 507 560 626 729 772 793 915 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing | See note in Apendix I | N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A | 560 N/A N/A N/A N/A | 507 560 N/A N/A N/A N/A | 560 626 729 772 793 | 560 626 729 772 793 | 507 560 626 729 772 793 | 507 560 626 729 772 793 | 507 560 626 729 772 793 | 507 560 626 729 772 793 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign | See note in Apendix I | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A N/A N/A N/A | 560 N/A N/A N/A N/A N/A | 507 560 N/A N/A N/A N/A | 560 626 729 772 793 N/A | 560 626 729 772 793 N/A | 507 560 626 729 772 793 | 507 560 626 729 772 793 915 | 507 560 626 729 772 793 915 | 507 560 626 729 772 793 915 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing | See note in Apendix I | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A N/A N/A N/A | 560 N/A N/A N/A N/A N/A | 507 560 N/A N/A N/A N/A | 560 626 729 772 793 N/A | 560 626 729 772 793 N/A | 507 560 626 729 772 793 | 507 560 626 729 772 793 915 | 507 560 626 729 772 793 915 | 507 560 626 729 772 793 915 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign 12v Aux Power Outlet Right Side Driver Seat Arm Rest Delete Cup Holder | See note in Apendix I | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A N/A N/A N/A | 560 N/A N/A N/A N/A N/A | 507 560 N/A N/A N/A N/A | 560 626 729 772 793 N/A | 560 626 729 772 793 N/A | 507 560 626 729 772 793 | 507 560 626 729 772 793 915 | 507 560 626 729 772 793 915 | 507 560 626 729 772 793 915 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign 12v Aux Power Outlet Right Side Driver Seat Arm Rest Delete Cup Holder Right Side License Plate Mount | See note in Apendix I | N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 | N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 | N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 | N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 | 560 N/A N/A N/A N/A N/A N/A 200 75 24 23 | 507 560 N/A N/A N/A N/A N/A 200 75 24 23 | 560 626 729 772 793 N/A | 560 626 729 772 793 N/A | 507 560 626 729 772 793 915 200 75 24 23 | 507 560 626 729 772 793 915 200 75 24 23 | 507 560 626 729 772 793 915 200 75 24 23 | 507 560 626 729 772 793 915 200 75 24 23 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign 12v Aux Power Outlet Right Side Driver Seat Arm Rest Delete Cup Holder Right Side License Plate Mount Locking DEF Door | See note in Apendix I | N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C | N/A N/A N/A N/A N/A N/A N/A N/A N/A N | N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C | N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C | 560 N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C | 507 560 N/A N/A N/A N/A N/A 200 75 24 23 | 560 626 729 772 793 N/A | 560 626 729 772 793 N/A | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign 12v Aux Power Outlet Right Side Driver Seat Arm Rest Delete Cup Holder Right Side License Plate Mount Locking DEF Door Locking Battery Door | See note in Apendix I | N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C | N/A N/A N/A N/A N/A N/A N/A N/A N/A N | N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C | N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C | 560 N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C | 507 560 N/A N/A N/A N/A N/A 200 75 24 23 | 560 626 729 772 793 N/A | 560 626 729 772 793 N/A | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign 12v Aux Power Outlet Right Side Driver Seat Arm Rest Delete Cup Holder Right Side License Plate Mount Locking DEF Door Locking Battery Door Install Customer supplied 2 way Radio | See note in Apendix I | N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C | N/A N/A N/A N/A N/A N/A N/A N/A N/A N | 200 75 24 23 N/C 110 35 | N/A | 560 N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C | 507 560 N/A N/A N/A N/A N/A 200 75 24 23 | 560 626 729 772 793 N/A | 560 626 729 772 793 N/A | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 | 507 560 626 729 772 793 915 200 75 24 23 N/C |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign 12v Aux Power Outlet Right Side Driver Seat Arm Rest Delete Cup Holder Right Side License Plate Mount Locking DEF Door Locking Battery Door Install Customer supplied 2 way Radio Naviflex Stepwell Coating Telescoping Steering Columm | See note in Apendix I | N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 | N/A | N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 | N/A | 560 N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 225 | 507 560 N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 225 | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign 12v Aux Power Outlet Right Side Driver Seat Arm Rest Delete Cup Holder Right Side License Plate Mount Locking DEF Door Locking Battery Door Install Customer supplied 2 way Radio Naviflex Stepwell Coating Telescoping Steering Colunm Gin Aux Driver Fan | See note in Apendix I | N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 | N/A | N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 225 N/C | N/A | 560 N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 225 | 507 560 N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 225 N/C | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 225 | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 225 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 225 N/C |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign 12v Aux Power Outlet Right Side Driver Seat Arm Rest Delete Cup Holder Right Side License Plate Mount Locking DEF Door Locking Battery Door Install Customer supplied 2 way Radio Naviflex Stepwell Coating Telescoping Steering Colunm 6in Aux Driver Fan PA with AM/FM Radio/CD | See note in Apendix I | N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 225 N/C 251 80 393 | N/A | N/A | N/A | 560 N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 225 | 507 560 N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 225 | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign 12v Aux Power Outlet Right Side Driver Seat Arm Rest Delete Cup Holder Right Side License Plate Mount Locking DEF Door Locking Battery Door Install Customer supplied 2 way Radio Naviflex Stepwell Coating Telescoping Steering Columm 6in Aux Driver Fan PA with AM/FM Radio/CD PA with AM/FM Radio/USB Input | See note in Apendix I | N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 | N/A | N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 225 N/C | N/A | 560 N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 225 | 507 560 N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 225 N/C | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 225 | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 225 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 225 N/C |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign 12v Aux Power Outlet Right Side Driver Seat Arm Rest Delete Cup Holder Right Side License Plate Mount Locking DEF Door Locking Battery Door Install Customer supplied 2 way Radio Naviflex Stepwell Coating Telescoping Steering Columm 6in Aux Driver Fan PA with AM/FM Radio/CD PA with AM/FM Radio/USB Input Bendix Advanced Collision Mitigation | See note in Apendix I | N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 225 N/C 251 80 393 356 | N/A | N/A | N/A | 560 N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 225 | 507 560 N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 225 | 507 560 626 729 772 793 915 200 75 24 23 N/C | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 225 N/C 251 80 393 356 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign 12v Aux Power Outlet Right Side Driver Seat Arm Rest Delete Cup Holder Right Side License Plate Mount Locking DEF Door Locking Battery Door Install Customer supplied 2 way Radio Naviflex Stepwell Coating Telescoping Steering Columm 6in Aux Driver Fan PA with AM/FM Radio/CD PA with AM/FM Radio/USB Input | See note in Apendix I | N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 356 750 | N/A | N/A | N/A | 560 N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 356 750 | 560 N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 356 750 | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 225 N/C 251 80 393 356 750 | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 356 750 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 356 750 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 225 N/C 251 80 393 356 750 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 225 N/C 251 80 393 356 750 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 356 750 |
| 79" X 24" X 18" 87" X 24" X 18" 91" X 24" X 18" 114" X 24" X 18" Luggage compartment availability may be limited based on optional equipment selections. ADDITIONAL OPTIONS Tag and Title Processing Route Changer Sign 12v Aux Power Outlet Right Side Driver Seat Arm Rest Delete Cup Holder Right Side License Plate Mount Locking DEF Door Locking Battery Door Install Customer supplied 2 way Radio Naviflex Stepwell Coating Telescoping Steering Columm 6in Aux Driver Fan PA with AM/FM Radio/CD PA with AM/FM Radio/USB Input Bendix Advanced Collision Mitigation Bendix Fusion Collision Mitigation | See note in Apendix I | N/A | N/A | N/A | N/A | 560 N/A N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 356 750 2180 | 560 N/A N/A N/A N/A N/A N/A N/A N/A 200 75 24 23 N/C 110 35 35 225 N/C 251 80 393 356 750 2180 | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 393 356 750 2180 | 560 626 729 772 793 N/A 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 356 750 2180 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 356 750 2180 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 225 N/C 251 80 393 356 750 2180 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 35 225 N/C 251 80 393 393 356 750 2180 | 507 560 626 729 772 793 915 200 75 24 23 N/C 110 35 35 225 N/C 251 80 393 356 750 2180 |

| | COMMENTS/NOTES | | | | | | | | | | | | |
|--|-------------------------------------|---------------------------|-------------------------------------|---------------------|-------------------------------|---------------------|-------------------------------|---------------------|-------------------------------|---------------------|-------------------------------|---------------------|-------------------------------|
| | | TYPE C LIGHT: 29 Capacity | TYPE C LIGHT: 29 Capacity with Lift | TYPE C: 29 Capacity | TYPE C: 29 Capacity with Lift | TYPE C: 47 Capacity | TYPE C: 47 Capacity with Lift | TYPE C: 65 Capacity | TYPE C: 65 Capacity with Lift | TYPE C: 71 Capacity | TYPE C: 71 Capacity with Lift | TYPE C: 77 Capacity | TYPE C: 77 Capacity with Lift |
| Bergstrom, Battery charging solar panel 50 Watt | | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 |
| Bergstrom, Battery charging solar panel 80 Watt | | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 |
| LED Light Above Entrance Door | | 159 | 159 | 159 | 159 | 159 | 159 | 159 | 159 | 159 | 159 | 159 | 159 |
| Rooftop Bus #s | | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 |
| 100 Gallon Fuel Tank - Gasoline | | N/A | N/A | N/A | N/A | N/A | N/A | 584 | 584 | 584 | 584 | 584 | 584 |
| 90 Gallon Fuel Tank - Propane | | N/A | N/A | N/A | N/A | N/A | N/A | 1320 | 1320 | 1320 | 1320 | 1320 | 1320 |
| Mud Flaps - Front | | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| Mud Flaps - Rear | | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| Non-Perforated Ceiling | | 371 | 371 | 371 | 371 | 371 | 371 | 371 | 371 | 371 | 371 | 371 | 371 |
| | | | | | | | | | | | | | |
| CE White ICS Track Seat - Replaces Std Seat | | N/A | 452 | N/A | 452 | N/A | 452 | N/A | 452 | N/A | 452 | N/A | 452 |
| CE White ICS Track Seat - Add On | | N/A | 738 | N/A | 738 | N/A | 738 | N/A | 738 | N/A | 738 | N/A | 738 |
| CE White 3-PT ICS Seat - Replaces Std Seat | | 554 | 554 | 554 | 554 | 554 | 554 | 554 | 554 | 554 | 554 | 554 | 554 |
| CE White 3-PT ICS Track Seat - Replaces Std Seat | | N/A | 578 | 578 | 578 | N/A | 578 | N/A | 578 | N/A | 578 | N/A | 578 |
| CE White 3-PT ICS Track Seat - Add On | | N/A | 898 | N/A | 898 | N/A | 898 | N/A | 898 | N/A | 898 | N/A | 898 |
| CE White 3-PT Seat - Replaces Std Seat | See note in Apendix I - MFSAB | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 |
| IMMI 3-PT Seat - Replaces Std Seat | See note in Apendix I - MFSAB | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 |
| BTI Seating 3-PT ICS Seat - Replaces Std Seat | | 554 | 554 | 554 | 554 | 554 | 554 | 554 | 554 | 554 | 554 | 554 | 554 |
| IMMI ICS Track Seat - Replaces Std Seat | | N/A | 495 | N/A | 495 | N/A | 495 | N/A | 495 | N/A | 495 | N/A | 495 |
| IMMI ICS Track Seat - Add On | | N/A | 781 | N/A | 781 | N/A | 781 | N/A | 781 | N/A | 781 | N/A | 781 |
| IMMI 3-PT ICS Track Seat - Replaces Std Seat | | N/A | 686 | N/A | 686 | N/A | 686 | N/A | 686 | N/A | 686 | N/A | 686 |
| IMMI 3-PT ICS Track Seat - Add On | | N/A | 1005 | N/A | 1005 | N/A | 1005 | N/A | 1005 | N/A | 1005 | N/A | 1005 |
| | | | | | | | | | | | | | |
| 3/2 Seating; CE White 45" Left, 30" Seat Right, 3-PT belts, per seat | | 471 | N/A | 471 | N/A | 471 | N/A | 471 | N/A | 471 | N/A | 471 | N/A |
| 3/2 Seating; Std 45" Seats Left, 30" Seats Right, Lap Belts Only | | N/C | N/A | N/C | N/A | N/C | N/A | N/C | N/A | N/C | N/A | N/C | N/A |
| Flip Seat behind driver - Replaces Std Seat | | 627 | 627 | 627 | 627 | 627 | 627 | 627 | 627 | 627 | 627 | 627 | 627 |
| Additional UCRA latch, per seat | | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| Additional K/O Emergency Windows, per set | | 153 | 153 | 153 | 153 | 153 | 153 | 153 | 153 | 153 | 153 | 153 | 153 |
| Additional Stationary Barrier | See note Apendix I, Seating Options | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 |
| Additional Track Mounted Barrier | See note Apendix I, Seating Options | N/A | 190 | N/A | 190 | N/A | 190 | N/A | 190 | N/A | 190 | N/A | 190 |

TYPE D [RE] SCHOOL BUSES

| | | |](| C / SUN STATE INTERNATIO | ONAL | | | | |
|---|--|---------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| | | | | TYPE D REAR ENGINE (RE): 72 Capacity | | TYPE D REAR ENGINE (RE): 78 Capacity | | TYPE D REAR ENGINE (RE): 84 Capacity | |
| LEGEND: | STANDARD EQUIPMENT / BASE BUS PRICE | COMMENTS/NOTES | TYPE D REAR ENGINE (RE): 72 Capacity | with Lift | TYPE D REAR ENGINE (RE): 78 Capacity | with Lift | TYPE D REAR ENGINE (RE): 84 Capacity | with Lift | TYPE D REAR ENGINE (RE): 89 Capacity |
| [STD] = STANDARD EQUIPMENT | Standard Engine: Manuf, Model, HP, Torque | | Cummins, L9, 260HP, 720LbFt |
| N/A = NOT APPLICABLE | Standard Transmission: Manuf, Model, # of fwd ranges | | Allison, PTS3000, 5spd | Allison, PTS3000, 5spd | Allison, PTS3000, 6spd |
| N/C= NO CHARGE | Standard Tire: Manuf, Model, Size, Load Range | | Goodyear, Endurance, 11R22.5,LR G |
| N/B= NO BID | Standard Wheelchair Lift: Manuf, Model, #Capacity | | N/A | Braun, NL919FIB, 800# | N/A | Braun, NL919FIB, 800# | N/A | Braun, NL919FIB, 800# | N/A |
| .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Standard Wheelchair Tie Down: Manuf, Model | | N/A | Sure-Lok, FF612-4C-7 | N/A | Sure-Lok, FF612-4C-7 | N/A | Sure-Lok, FF612-4C-7 | N/A |
| | Base School Bus Price \$\$ | | 115644 | 119647 | 117493 | 121497 | 119881 | 124103 | 120142 |
| | Base MFSAB Price \$\$ | See note in Apendix I - MFSAB | 114709 | 118712 | 116559 | 120563 | 118947 | 123169 | N/B |
| | OPTIONAL CHASSIS EQUIPMENT PRICES | See note in Apendix 1 - Wil SAD | 114705 | 110/12 | 110333 | 120303 | 110547 | 123103 | Ny B |
| [C1A] Front Tow Hooks | OF HOURE CHASSIS EQUITMENT FINCES | | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| [C1B] Rear Tow Hooks | | | 61 | 61 | 61 | 61 | 61 | 61 | 61 |
| [C2] Spare Disc Wheel | | | 172 | 172 | 172 | 172 | 172 | 172 | 172 |
| [C3] Auto Trans Warranty (5 yr unlimited) | | | STD |
| [C4] 75-100 Gallon Fuel Tank* | | | 215 | 215 | 215 | 215 | 215 | 215 | 215 |
| [C5] Low-Profile Radial Tires** | | | N/A |
| [C7] Type D Front Air Ride Suspension | | | 854 | N/A 854 | 854 | 854 | 854 | 854 | 854 |
| [C6] 270 Amp L/N 4864 Alternator | | 325 Amp L/N BLP4006HN | STD |
| [C8] Adjustable Pedals | | 323 AIIIP L/IN BLP4000FIN | N/A |
| [C9] 3000-PTS Transmission | | | STD |
| | | | | | | | | | |
| [C10] Air Ride Rear Suspension | | | STD | STD N/A | STD N/A | STD N/A | STD N/A | STD | STD N/A |
| [C12] Straight Floor | | | N/A | ′ | .,, | N/A | N/A | N/A | |
| [C13] Auto Headlamp System | | | STD N/A | STD | STD N/A | STD | STD | STD | STD |
| [C14] Air Disc Brakes | ODTIONAL DODY FOLUDIATALT DRICES | | N/A |
| [D4] Dec La Hatak | OPTIONAL BODY EQUIPMENT PRICES | | 110 | 110 | 110 | 110 | 440 | 110 | 110 |
| [B1] Pro Lo Hatch | | Const Described Chil | 110 | 110 | 110 | 110 | 110 | 110 | 110 |
| [B3] Vandal Box w/Key | | Spec Required Std | STD | STD | STD | STD | STD | STD | STD |
| [B4] 76" High Headroom (minimum) | | | [STD] |
| [B5A] Intercom/PA | | | 287 | 287 | 287 | 287 | 287 | 287 | 287 |
| [B5B] PA with Radio | | | 349 | 349 | 349 | 349 | 349 | 349 | 349 |
| [B5C] Stereo Radio (no PA) | | | N/A |
| [B6] Locking Door at Fuel Tank | | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| [B7A] CE White Integrated Child Restraint S | Seat | | 551 | 551 | 551 | 551 | 551 | 551 | 551 |
| [B7B] IMMI Child Safety Seat | | | N/A |
| [B7C] Syntech Integrated Child Restraint Se | eat | | N/A |
| [B7D] BTI Integrated Child Restraint Seat | | | 510 | 510 | 510 | 510 | 510 | 510 | 510 |
| [B8] Exterior Body Light Monitor | | | 152 | 152 | 152 | 152 | 152 | 152 | 152 |
| [B11] Lap/Shoulder Belts (PRICE PER UNIT | - no reduction in seating capacity) *** | See note in Apendix I - MFSAB | 276 | 276 | 276 | 276 | 276 | 276 | 276 |
| [B12] Full Perf. Ceiling Panel | | | STD |
| [B13] Bus Lockup System | | | 269 | 269 | 269 | 269 | 269 | 269 | 269 |
| [B14] Wire Pupil Crossing Arm | | | N/A |
| [B15] Stainless Steel Mirror System (with n | on-corrossive brackets & fasteners) | | [STD] |
| [B16] Battery Disconnect Switch Label | | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| [B17] Red Light Emergency Door | | | 81 | 81 | 81 | 81 | 81 | 81 | 81 |
| [B18] Underseat Rear Heater | | | 212 | 212 | 212 | 212 | 212 | 212 | 212 |
| [B19] Tailpipe through Bumper | | | N/A |
| [B20] Powder-Coated Windows | | | 282 | 282 | 306 | 306 | 331 | 331 | 331 |
| [B21] Driver's Seat with Integrated Seat Be | | | 447 | 447 | 447 | 447 | 447 | 447 | 447 |
| [B22] Delete W/C - Add Seat (Lift Bus Only | | (Lift Bus Only) | N/A | -524 | N/A | -524 | N/A | -524 | N/A |
| [B23] Delete Seat - Add W/C (Lift Bus Only | y) | (Lift Bus Only) | N/A | 524 | N/A | 524 | N/A | 524 | N/A |
| [B24] Wheelchair Securement Area Lighting | g (Lift Bus Only) | (Lift Bus Only) | N/A | 200 | N/A | 200 | N/A | 200 | N/A |
| [B25] Track Seating (Lift Bus Only) | | (Lift Bus Only) | N/A |
| [B26] Standard Track-seating Seat (Lift Bus | s Only) | (Lift Bus Only) | N/A | 320 | N/A | 320 | N/A | 320 | N/A |

TYPE D [RE] SCHOOL BUSES

| | | COMMENTS/NOTES | | TYPE D REAR ENGINE (RE): 72 Capaci | | TYPE D REAR ENGINE (RE): 78 Capacity | | TYPE D REAR ENGINE (RE): 84 Capacity | |
|-----------------------------------|--|------------------------------------|--------------------------------------|------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| | | | TYPE D REAR ENGINE (RE): 72 Capacity | with Lift | TYPE D REAR ENGINE (RE): 78 Capacity | with Lift | TYPE D REAR ENGINE (RE): 84 Capacity | with Lift | TYPE D REAR ENGINE (RE): 89 Capacity |
| | Optional Tire | | | | | | | | |
| (OPT1) Tire | Michelin, XZE2, 11R22.5, H | | 753 | 753 | 753 | 753 | 753 | 753 | 753 |
| (OPT2) Tire | Michelin, XZE2, 11R22.5, G | | 413 | 413 | 413 | 413 | 413 | 413 | 413 |
| (OPT3) Tire | Goodyear, Endurance RSA, 11R22.5, H | | N/C | N/C | N/C | N/C | N/C | N/C | N/C |
| | OPTIONAL WHEELCHAIR LIFT #1 | | | | | | | | |
| (Opt 1) Lift | Braun, NCL1000FIB3451, 1000#, 34" Wide | | N/A | 144 | N/A | 144 | N/A | 144 | N/A |
| (Opt 2) Lift | Ricon, S-5510-403, 800#, 34" Wide | See note Appendix I, Ricon Lift | N/A | -711 | N/A | -711 | N/A | -711 | N/A |
| (Opt 3) Lift | Ricon, Titanium S-5510-FF-403, 1000#, 34" Wide | See note Appendix I, Ricon Lift | N/A | -437 | N/A | -437 | N/A | -437 | N/A |
| OPTIO | NAL WHEELCHAIR TIEDOWN/OCCUPANT RESTRAINT SYSTEM (WTORS) | | | | | | | | |
| (OPT1)WTORS | Sure-Lok, FF612S-4C-7 | | N/A | N/C | N/A | N/C | N/A | N/C | N/A |
| | [AC-1] OPTIONAL AIR-CONDITIONING | | | | | | | | |
| AC-1 | MCC, AC-1325W13314-21, 135,000 BTU, 120 Amps | Dash, F IW, R Ceiling, Skirt, 2-21 | 13561 | 13561 | N/A | N/A | N/A | N/A | N/A |
| AC-2 | MCC, AC-1525W13314-25, 145,000 BTU, 130 Amps | Dash, F IW, R Ceiling, Skirt, 2-25 | 14451 | 14451 | 14451 | 14451 | 14451 | 14451 | 14451 |
| AC-3 | MCC, AC-1625W13314-55, 155,000 BTU, 125 Amps | Dash, F IW, R Ceiling, Skirt, 1-55 | 18401 | 18401 | 18401 | 18401 | 18401 | 18401 | 18401 |
| AC-4 | MCC, DC-353N-32SL-O5G, 165,000 BTU, 15 Amps | Roof Mount Ducted | 35457 | 35457 | 35457 | 35457 | 35457 | 35457 | 35457 |
| AC-5 | MCC, PDC-353N-32SL-O5G, 165,000 BTU, 15 Amps | Roof Mount Ducted | 40735 | 40735 | 40735 | 40735 | 40735 | 40735 | 40735 |
| AC-6 | IC Air, SAD-FRC-RC-Transit, 176,000 BTU, 135 Amps | | 20708 | 20708 | 20708 | 20708 | 20708 | 20708 | 20708 |
| AC-7 | ProAir, ACT-22i2433/21, 135,000 BTU, 144 Amps | Dash, Mid,F&R, Skirt, 2-TM21 | 14249 | 14249 | 14249 | 14249 | 14249 | 14249 | 14249 |
| AC-8 | ProAir, ACT-353i25 TM-65, 180,000 BTU, 15 Amps | Roof Mount Ducted | 36335 | 36335 | 36335 | 36335 | 36335 | 36335 | 36335 |
| AC-9 | Bergstrom, RBH2FBH2SM1SC3SC3-2121, 136,000 BTU, 111 Amps | Side, F&R IW,Skirt, 2-21 | 10287 | 10287 | N/A | N/A | N/A | N/A | N/A |
| AC-10 | Bergstrom, RBH2FBH2SM1SM1SC3SC3-TM55, 140,000 BTU, 126 Amps | Side, F&R IW, Skirt, 55 | 13571 | 13571 | 13571 | 13571 | 13571 | 13571 | 13571 |
| AC-11 | TransAir, 77-55-SC3-SC3-Dash Tie-In-Transit, 150K BTU, 125 Amps | | 17992 | 17992 | 17992 | 17992 | N/A | N/A | N/A |
| AC-12 | TransAir, 77-55-SC3-SC3-2S-Sdash-(1)10-(1) Transit, 177K, 150 Amps | | 19038 | 19038 | 19038 | 19038 | N/A | N/A | N/A |
| | ADDITIONAL AIR-CONDITIONER OPTIONS | | | | | | | | |
| MCC | Roof Mound Condensor(s) Upgrade | | 3458 | 3458 | 3458 | 3458 | 3458 | 3458 | 3458 |
| MCC | Midship Side Ceiling Mount Evap, Add-On | | 2263 | 2263 | 2263 | 2263 | 2263 | 2263 | 2263 |
| MCC | Stand Alone Dash Only System | 1Dash, 1Rad, 1TM16 | 4152 | 4152 | 4152 | 4152 | 4152 | 4152 | 4152 |
| Bergstrom | Eaton Aeroquip hose and fitting upgrade | | 329 | 329 | 329 | 329 | 329 | 329 | 329 |
| Bergstrom | Roof Mount Condensor upgrade | | 1091 | 1091 | 1091 | 1091 | 1091 | 1091 | 1091 |
| | OPTIONAL ENGINES | | | | | | | | |
| Cummins, L9, 270HP, 800 lb-ft, D | | | 517 | 517 | 517 | 517 | 517 | 517 | 517 |
| Cummins, L9, 300HP, 860 lb-ft , D | Diesel | | 1475 | 1475 | 1475 | 1475 | 1475 | 1475 | 1475 |

TYPE D [RE] SCHOOL BUSES

| Mary | | | | | TYPE D DEAD ENGINE (DE). 73 Comosito | | TYPE D DEAD ENGINE (DE). 70 Comosito | | TYPE D DEAD ENGINE (DE). OA Comaite | |
|--|---|---|--|---|---|--------------------------------------|--------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|
| Section Sect | | | COMMENTS/NOTES | TYPE D READ ENGINE (PE): 72 Canacity | | TYPE D PEAP ENGINE (PE): 79 Canacity | | TYPE D READ ENGINE (DE): 94 Canacity | | TYPE D PEAR ENGINE (PE): 90 Capacity |
| Seal Stand | SEATING CADACITY FOR FRONT MOUNTED LIET FOL | IDDED BLISES | | TIPE D REAK ENGINE (RE): 72 Capacity | With Lift | TIPE D REAR ENGINE (RE). 78 Capacity | With Lift | TIPE D REAR ENGINE (RE). 84 Capacity | With Lift | TTPE D REAR ENGINE (RE). 89 Capacity |
| Commonweal of State | | IFFED BOJES | | N/A | 2 | N/A | 2 | N/A | 2 | N/A |
| Note Property Page Pag | · | | | | 4 | ' | 5 | <u> </u> | | |
| March Marc | · | th Standard (3) Wheelchair Spaces: | | | 39 | , | 45 | <u> </u> | 54 | · |
| Consistent Con | | ··· | | , | 33 | | | .,,,, | <u> </u> | |
| March Marc | Extended Engine Warranty | | | 2125 | 2125 | 2125 | 2125 | 2125 | 2125 | 2125 |
| | | Cummins, L9, 60 Months/200,000 Miles | | | | | | | | 2500 |
| Decision Common | | Cummins, L9, 60 Months/Unlimited Miles | | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 |
| Section Sect | Extended Engine Warranty | Cummins, L9, 120 Months/Unlimited Miles | | 6100 | 6100 | 6100 | 6100 | 6100 | 6100 | 6100 |
| Property | Extended Engine Warranty | Cummins, L9, 120 Months/200,000 Miles | | 5400 | 5400 | 5400 | 5400 | 5400 | 5400 | 5400 |
| Part | Towing Warranty | 60 Months/Unlimited Miles | | 900 | 900 | 900 | 900 | 900 | 900 | 900 |
| Section Sect | Warranty Credit Option | 12 Months/12,000 Miles ONLY (* see note) | Reduces coverage to Manuf Std | -3500 | -3500 | -3500 | -3500 | -3500 | -3500 | -3500 |
| Section Sect | | | | | | | | | | |
| Section Sect | * Du taling this manuscript and it the grouphesing dist | | | or 12 Manths /12 000 Miles /NO FVCFDTIONS | \ | | | | | |
| Process | | | rranty and will only have warranty coverage to | or 12 Months/12,000 Miles (NO EXCEPTIONS |) from the updated in-service date of the b | us. T | | | | |
| F 1 | | WPARTIMENTS (Price is for ONE per bus) | Soo note in Anandiy I | 165 | 165 | 465 | 165 | 165 | 165 | 465 |
| 1 1 1 1 1 1 1 1 1 1 | | | · | | | | | | | |
| Part | | | · | | | | | | | |
| Page The company Com | | | | | | | | | | |
| ## 1 | | | | | | | | | | |
| P. A. P. A | | | | | | | | | | |
| Part of 18 | | | | | | | | † | | |
| Part | | | | | | | | | | |
| Page 10 Page | | | · | | | | | | | |
| Upgage Comparting that and other than a solid process of the compart of the com | | | | | | | | <u> </u> | | |
| Approximate | | ty may be limited based on optional equipment selections. | · | | | | | | | |
| Pepter September Septemb | | | | | | | | | | |
| Togeth The Processing | Bergstrom, Battery charging solar panel 50 Watt | | | 605 | 605 | 605 | 605 | 605 | 605 | 605 |
| Manual Content | Bergstrom, Battery charging solar panel 80 Watt | | | 825 | 825 | 825 | 825 | 825 | 825 | 825 |
| PANAPORE COURTS PANAPORT PA | | | | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| Page State From From From From From From From From | | | | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| Caching Electry Dear | | | | | | | | | | |
| Section Sect | | | | | | | | | | |
| Each Enterface Code 175 | | | | | | | | | | |
| 158 | · | | | | | | | | | |
| Non-Part Not | ··· | | | | | | | <u> </u> | | |
| Fig. | | | | | | | | | | |
| Name | | | | | | | | | | |
| Part | | | | | | | | | | |
| Pandis Fusion Collision Mitigation 1777 | · · · · · · · · · · · · · · · · · · · | | | | | | | | | |
| Rends Ristor Collston Miligation N/A | · | | | | | | | + | | |
| Fleet EZ Tech Imptop, (diagnostic cabbe sold seperately) 5702 | | | | | | | | + | | |
| Nexis USE Link Lid gag cable Lorenests lap to pto vehicle) 985 9 | | w) | | · | • | , | · | · | <u> </u> | · |
| Install Customer supplied anterna only (GPS or Radio) 75 | | | | | | | | | | |
| EB Light Above Entrance Door | | | | | | | | | | |
| Rooftgous #s 162 1 | | 1 | | | | | | | | |
| ADDITIONAL SEATING OPTIONS 59 59 59 59 59 59 59 5 | | | | | | | | | | |
| CE White 3-PT ICS Track Seat - Add On | | | | | | | | | | |
| CE White ICS Track Seat - Add On N/A 738 N/A 738 N/A 738 N/A CE White 3-PT ICS Seat - Replaces Std Seat 54 54 554 554 554 400 400 440 427 427 427 | <u> </u> | DITIONAL SEATING OPTIONS | | | | | | | | |
| CE White 3-PT ICS Seat - Replaces Std Seat 554 554 554 554 554 CE White 3-PT ICS Track Seat - Add On N/A 898 N/A 898 N/A CE White 3-PT ICS Track Seat - Add On 440 440 440 440 IMMI 3-PT Seat - Replaces Std Seat 554 427 427 427 427 427 IMMI 3-PT Seat - Replaces Std Seat 554 554 554 554 554 BT Seating 3-PT ICS Seat - Replaces Std Seat 554 427 427 427 427 427 427 BT Seating 3-PT ICS Seat - Replaces Std Seat 554 554 554 554 554 554 BT Seating 3-PT ICS Teack Seat - Add On N/A 781 N/A </td <td>CE White ICS Track Seat - Add On</td> <td></td> <td></td> <td>N/A</td> <td>738</td> <td>N/A</td> <td>738</td> <td>N/A</td> <td>738</td> <td>N/A</td> | CE White ICS Track Seat - Add On | | | N/A | 738 | N/A | 738 | N/A | 738 | N/A |
| CE White 3-PT ICS Track Seat - Add On N/A 898 N/A 898 N/A CE White 3-PT Seat - Replaces Std Seat See note Apendix I - MFSAB 440 440 440 440 440 440 IMM13-PT Seat - Replaces Std Seat See note Apendix I - MFSAB 427 4 | CE White 3-PT ICS Seat - Replaces Std Seat | | | | | 554 | | | | · |
| CE White 3-PT Seat - Replaces Std Seat See note Apendix I - MFSAB 440 440 440 440 440 440 440 IMM 1-PT Seat - Replaces Std Seat See note Apendix I - MFSAB 427 <td< td=""><td>•</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<> | • | | | | | | | | | |
| MMI 3-PT Seat - Replaces Std Seat | CE White 3-PT Seat - Replaces Std Seat | | See note Apendix I - MFSAB | | | 440 | | <u> </u> | | · |
| BTI Seating 3-PT ICS Seat - Replaces Std Seat 554 <td>IMMI 3-PT Seat - Replaces Std Seat</td> <td></td> <td></td> <td></td> <td>427</td> <td>427</td> <td>427</td> <td>427</td> <td></td> <td>427</td> | IMMI 3-PT Seat - Replaces Std Seat | | | | 427 | 427 | 427 | 427 | | 427 |
| IMMI 3-PT ICS Track Seat - Add On N/A 1005 N/A 1005 N/A Additional UCRA latch, per seat 18 18 18 18 18 Additional K/O Emergency Windows, per set 5ee note Apendix I, Seating Options 96 96 96 96 96 | BTI Seating 3-PT ICS Seat - Replaces Std Seat | | | 554 | 554 | 554 | 554 | 554 | 554 | 554 |
| Additional UCRA latch, per seat Additional VCRA latch, per seat As 18 As 1 | IMMI ICS Track Seat - Add On | | | N/A | 781 | N/A | 781 | N/A | 781 | N/A |
| Additional K/O Emergency Windows, per set 153 153 153 153 153 153 153 153 153 153 | IMMI 3-PT ICS Track Seat - Add On | | | N/A | 1005 | N/A | 1005 | · | | N/A |
| Additional Stationary Barrier See note Apendix I, Seating Options 96 96 96 96 | | | | 18 | 18 | | 18 | 18 | 18 | 18 |
| | Additional K/O Emergency Windows, per set | | | | | | | | | |
| Additional Track Mounted Barrier 190 N/A 190 N/A 190 N/A | Additional Stationary Barrier | | | | | | | | | |
| | Additional Track Mounted Barrier | | See note Apendix I, Seating Options | N/A | 190 | N/A | 190 | N/A | 190 | N/A |

DELIVERY PRICES

| VENDOR: | Sun State Internatio | nal | | | |
|------------|----------------------|-------------|---|---|---|
| DELIVERY | UPCHARGE | FOR | PROPANE | PLEASE ADD | \$500 |
| DELIVERY | UPCHARGE | FOR | CNG | PLEASE ADD | N/A |
| DELIVERY | UPCHARGE | FOR | ELECTRIC | PLEASE ADD | N/A |
| DELIVERY | UPCHARGE | FOR | MFSAB | PLEASE ADD | \$0 |
| DELIVERY | UPCHARGE | FOR | | PLEASE ADD | \$ |
| | FROM: | N/A | IC Bus 2322 North Mingo Rd, Tulsa, OK 74166 | IC Bus 2322 North Mingo Rd, Tulsa, OK 74166 | IC Bus 2322 North Mingo Rd, Tulsa, OK 74166 |
| | BUS TYPE | Α | С | D | MFSAB? |
| | | DELIVERY \$ | DELIVERY \$ | DELIVERY \$ | DELIVERY \$ |
| REGION 1 | COUNTY SEAT | N/A | \$1,180 | \$1,180 | <u>\$1,180</u> |
| Bay | Panama City | N/A | | | |
| Calhoun | Blountstown | N/A | | | |
| Escambia | Pensacola | N/A | | | |
| Franklin | Apalachicola | N/A | | | |
| Gulf | Port St. Joe | N/A | | | |
| Holmes | Bonifay | N/A | | | |
| Jackson | Marianna | N/A | | | |
| Liberty | Bristol | N/A | | | |
| Okaloosa | Crestview | N/A | | | |
| Santa Rosa | Milton | N/A | | | |
| Walton | Defuniak Springs | N/A | | | |
| Washington | Chipley | N/A | | | |
| REGION 2 | COUNTY SEAT | N/A | <u>\$865</u> | <u>\$865</u> | <u>\$865</u> |
| Alachua | Gainesville | N/A | | | |
| Baker | Macclenny | N/A | | | |
| Bradford | Starke | N/A | | | |
| Clay | Green Cove Springs | N/A | | | |
| Columbia | Lake City | N/A | | | |
| Dixie | Cross City | N/A | | | |
| Duval | Jacksonville | N/A | | | |
| Gadsden | Quincy | N/A | | | |
| Gilchrist | Trenton | N/A | | | |
| Hamilton | Jasper | N/A | | | |
| Jefferson | Monticello | N/A | | | |
| Lafayette | Mayo | N/A | | | |
| Leon | Tallahassee | N/A | | | |
| Levy | Bronson | N/A | | | |
| Madison | Madison | N/A | | | |
| Nassau | Fernandina Beach | N/A | | | |
| Suwannee | Live Oak | N/A | | | |
| Taylor | Perry | N/A | | | |
| Union | Lake Butler | N/A | | | |
| Wakulla | Crawfordville | N/A | | | |

DELIVERY PRICES

| REGION 3 | COUNTY SEAT | N/A | \$900 | \$900 | \$900 |
|--------------|-----------------|-----|----------------|----------------|----------------|
| Citrus | Inverness | N/A | | | |
| Flagler | Bunnell | N/A | | | |
| Hernando | Brooksville | N/A | | | |
| Hillsborough | Tampa | N/A | | | |
| Lake | Tavares | N/A | | | |
| Marion | Ocala | N/A | | | |
| Orange | Orlando | N/A | | | |
| Pasco | New Port Richey | N/A | | | |
| Pinellas | Clearwater | N/A | | | |
| Putnam | Palatka | N/A | | | |
| St. Johns | St. Augustine | N/A | | | |
| Seminole | Sanford | N/A | | | |
| Sumter | Bushnell | N/A | | | |
| Volusia | DeLand | N/A | | | |
| REGION 4 | COUNTY SEAT | N/A | <u>\$1,025</u> | <u>\$1,025</u> | <u>\$1,025</u> |
| Brevard | Cocoa | N/A | | | |
| Charlotte | Punta Gorda | N/A | | | |
| DeSoto | Arcadia | N/A | | | |
| Glades | Moore Haven | N/A | | | |
| Hardee | Wauchula | N/A | | | |
| Hendry | LaBelle | N/A | | | |
| Highlands | Sebring | N/A | | | |
| Indian River | Vero Beach | N/A | | | |
| Lee | Fort Myers | N/A | | | |
| Manatee | Bradenton | N/A | | | |
| Martin | Stuart | N/A | | | |
| Okeechobee | Okeechobee | N/A | | | |
| Osceola | Kissimmee | N/A | | | |
| Polk | Bartow | N/A | | | |
| St. Lucie | Fort Pierce | N/A | | | |
| Sarasota | Sarasota | N/A | | | |
| REGION 5 | COUNTY SEAT | N/A | <u>\$1,200</u> | <u>\$1,200</u> | <u>\$1,200</u> |
| Broward | Ft. Lauderdale | N/A | | | |
| Collier | Naples | N/A | | | |
| Miami-Dade | Miami | N/A | | | |
| Monroe | Key West | N/A | | | |
| Palm Beach | W. Palm Beach | N/A | | | |

IC / SUN STATE INTERNATIONAL

| AngelTrax, Vulcan V12-02 GPS Bundle #1 Includes V12 DVR, (2) HD Cameras, Passive GPS, all cables and wiring. AngelTrax, Vulcan V12-03 GPS Bundle #2 Includes V12 DVR, (3) HD Cameras, Passive GPS, all cables and wiring. AngelTrax, Vulcan V12-04a GPS Bundle #3 Includes V12 DVR, (4) HD Cameras, Passive GPS AngelTrax, Vulcan V12-04b GPS Bundle #4Includes V12 DVR, (4) HD Cameras, Passive GPS AngelTrax, Vulcan V12-05 GPS Bundle #5 Includes V12 DVR, (5) HD Cameras, Passive GPS AngelTrax, Vulcan V12-06 GPS Bundle #6 Includes V12 DVR, (6) HD Cameras, Passive GPS AngelTrax, Vulcan V12-07 GPS w-7"m Bundle #7 Includes V12 DVR, (7 HD Camera, Back up Monitor and Passive GPS AngelTrax, SAV5MP Vulcan Series Intelliguard Dual 5MP Automated Stop Arm Violation System AngelTrax, VulcanSD Vulcan Series 5 Ch HD/IP DVR, Dual SD Slots, G Sensor, Panic Btn AngelTrax, VulcanV5 Vulcan Series 5 Ch HD/IP DVR, 1TB Solid State HD & SD Slot, WiFi, G Sensor, Panic Btn AngelTrax, VulcanV12 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn AngelTrax, VulcanV12 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn | 2215 2531 2898 2847 3214 3540 4168 1572 851 |
|--|---|
| AngelTrax, Vulcan V12-04a GPS Bundle #3 Includes V12 DVR, (4) HD Cameras, Passive GPS AngelTrax, Vulcan V12-04b GPS Bundle #4Includes V12 DVR, (4) HD Cameras, Passive GPS AngelTrax, Vulcan V12-05 GPS Bundle #5 Includes V12 DVR, (5) HD Cameras, Passive GPS AngelTrax, Vulcan V12-06 GPS Bundle #6 Includes V12 DVR, (6) HD Cameras, Passive GPS AngelTrax, Vulcan V12-07 GPS w-7"m Bundle #7 Includes V12 DVR, (7 HD Camera, Back up Monitor and Passive GPS AngelTrax, SAV5MP Vulcan Series Intelliguard Dual 5MP Automated Stop Arm Violation System AngelTrax, VulcanSDD Vulcan Series 5 Ch HD/IP DVR, Dual SD Slots, G Sensor, Panic Btn AngelTrax, VulcanV5 Vulcan Series 5 Ch HD/IP DVR, 1TB Solid State HD & SD Slot, WiFi, G Sensor, Panic Btn AngelTrax, VulcanV6X3 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn | 2898 2847 3214 3540 4168 1572 |
| AngelTrax, Vulcan V12-04b GPS AngelTrax, Vulcan V12-05 GPS Bundle #4Includes V12 DVR, (4) HD Cameras, Passive GPS AngelTrax, Vulcan V12-05 GPS Bundle #5 Includes V12 DVR, (5) HD Cameras, Passive GPS AngelTrax, Vulcan V12-06 GPS Bundle #6 Includes V12 DVR, (6) HD Cameras, Passive GPS AngelTrax, Vulcan V12-07 GPS w-7"m Bundle #7 Includes V12 DVR, (7 HD Camera, Back up Monitor and Passive GPS AngelTrax, SAV5MP Vulcan Series Intelliguard Dual 5MP Automated Stop Arm Violation System AngelTrax, Vulcan5SD Vulcan Series 5 Ch HD/IP DVR, Dual SD Slots, G Sensor, Panic Btn AngelTrax, VulcanV5 Vulcan Series 5 Ch HD/IP DVR, 1TB Solid State HD & SD Slot, WiFi, G Sensor, Panic Btn AngelTrax, VulcanV6X3 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn | 2847 3214 3540 4168 1572 |
| AngelTrax, Vulcan V12-05 GPS Bundle #5 Includes V12 DVR, (5) HD Cameras, Passive GPS AngelTrax, Vulcan V12-06 GPS Bundle #6 Includes V12 DVR, (6) HD Cameras, Passive GPS AngelTrax, Vulcan V12-07 GPS w-7"m Bundle #7 Includes V12 DVR, (7 HD Camera, Back up Monitor and Passive GPS AngelTrax, SAV5MP Vulcan Series Intelliguard Dual 5MP Automated Stop Arm Violation System AngelTrax, Vulcan5SD Vulcan Series 5 Ch HD/IP DVR, Dual SD Slots, G Sensor, Panic Btn AngelTrax, VulcanV5 Vulcan Series 5 Ch HD/IP DVR, 1TB Solid State HD & SD Slot, WiFi, G Sensor, Panic Btn AngelTrax, VulcanV6X3 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn | 3214 3540 4168 1572 |
| AngelTrax, Vulcan V12-06 GPS Bundle #6 Includes V12 DVR, (6) HD Cameras, Passive GPS AngelTrax, Vulcan V12-07 GPS w-7"m Bundle #7 Includes V12 DVR, (7 HD Camera, Back up Monitor and Passive GPS AngelTrax, SAV5MP Vulcan Series Intelliguard Dual 5MP Automated Stop Arm Violation System AngelTrax, Vulcan5SD Vulcan Series 5 Ch HD/IP DVR, Dual SD Slots, G Sensor, Panic Btn AngelTrax, VulcanV5 Vulcan Series 5 Ch HD/IP DVR, 1TB Solid State HD & SD Slot, WiFi, G Sensor, Panic Btn AngelTrax, VulcanV6X3 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn | 3540 4168 1572 |
| AngelTrax, Vulcan V12-07 GPS w-7"m Bundle #7 Includes V12 DVR, (7 HD Camera, Back up Monitor and Passive GPS AngelTrax, SAV5MP Vulcan Series Intelliguard Dual 5MP Automated Stop Arm Violation System AngelTrax, Vulcan5SD Vulcan Series 5 Ch HD/IP DVR, Dual SD Slots, G Sensor, Panic Btn AngelTrax, VulcanV5 Vulcan Series 5 Ch HD/IP DVR, 1TB Solid State HD & SD Slot, WiFi, G Sensor, Panic Btn AngelTrax, VulcanV6X3 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn AngelTrax, VulcanV12 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn | 4168 1572 |
| AngelTrax, SAV5MP Vulcan Series Intelliguard Dual 5MP Automated Stop Arm Violation System Vulcan Series 5 Ch HD/IP DVR, Dual SD Slots, G Sensor, Panic Btn Vulcan Series 5 Ch HD/IP DVR, 1TB Solid State HD & SD Slot, WiFi, G Sensor, Panic Btn Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn | 1572 |
| AngelTrax, Vulcan5SD Vulcan Series 5 Ch HD/IP DVR, Dual SD Slots, G Sensor, Panic Btn AngelTrax, VulcanV5 Vulcan Series 5 Ch HD/IP DVR, 1TB Solid State HD & SD Slot, WiFi, G Sensor, Panic Btn AngelTrax, VulcanV6X3 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn AngelTrax, VulcanV12 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn | |
| AngelTrax, VulcanV5 Vulcan Series 5 Ch HD/IP DVR, 1TB Solid State HD & SD Slot, WiFi, G Sensor, Panic Btn AngelTrax, VulcanV6X3 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn | 851 |
| AngelTrax, VulcanV6X3 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn | |
| AngelTrax, VulcanV12 Vulcan Series 6 CH HD/IP DVR, 1TB Platter HD & SD Slot, WiFi, G Sensor, Panic Btn | 1187 |
| | 1153 |
| A CONTROL CONT | 1439 |
| AngelTrax, SSD500G-Upgrade 500GB Solid-State Hard Drive, Available only at time of DVR purchase | 240 |
| AngelTrax, SSD2TB-Upgrade 2TB Solid-State Hard Drive, Available only at time of DVR purchase | 1080 |
| AngelTrax, SSD1TB-Upgrade 1TB Solid-State Hard Drive, Available only at time of DVR purchase | 636 |
| AngelTrax, HDD2TB-Upgrade 2TB Platter Hard Drive, Available only at time of DVR purchase | 144 |
| AngelTrax, HDD1TB - Spare 1TB Platter Hard Drive, Requires purchase of hard drive tray | 180 |
| AngelTrax, HDD2TB - Spare 2TB Platter Hard Drive, Requires purchase of hard drive tray | 288 |
| AngelTrax, SSD256G -Spare 256GB Solid State Hard Drive, Requires purchase of hard drive tray | 252 |
| AngelTrax, SSD500GB-Spare 500GB Solid State Hard Drive, Requires purchase of hard drive tray | 300 |
| AngelTrax, SSD1TB -Spare 1TB Solid State Hard Drive, Requires purchase of hard drive tray | 756 |
| AngelTrax, SSD2TB-Spare 2TB Solid State Hard Drive, Requires purchase of hard drive tray | 1812 |
| AngelTrax, V5HDDTRAY Hard Drive Tray Vulcan Series 5 MDVR, Requires purchase of hard drive | 69 |
| AngelTrax, V6X3HDDTRAY Hard Drive Tray Vulcan Series V5X3 & V6X3 MDVR, Requires purchase of hard drive | 94 |
| AngelTrax, V12HDDTray Hard Drive Tray Vulcan Series V12 MDVR, Requires purchase of hard drive | 111 |
| AngelTrax, SD128GB 128GB SD Solid-State Memory Card | 135 |
| AngelTrax, SD256GB 256GB SD Solid-State Memory Card | 269 |
| AngelTrax, SD512GB 512GB SD Solid-State Memory Card | 479 |
| AngelTrax, GPSV1 Vulcan Series Passive GPS Antenna | 233 |
| AngelTrax, WC4G Vulcan Series WiFi Cellular GPS Tri-Mode Antenna, Roof Mount | 251 |
| AngelTrax, TRIMDANT Tri-Mode Roof mounted Antenna | 275 |
| AngelTrax, VULVSM Vulcan Series External GPS Virtual Sync Mapping Module | |
| AngelTrax, VULWIFIM Vulcan V5SD WiFi Module w-internal Antenna Wire | 353 |

INFORMATION SUBMITTED FOR ALL ITEMS ON THIS PAGE MAY NOT BE CHANGED OR SUBSTITUTED UNDER ANY CIRCUMSTANCES. Date and Signature:

| MANUF, MODEL | DESCRIPTION COMMENTS/NOTES | Price |
|---------------------------|---|-------|
| AngelTrax, GFORCE-5 | Three Axis G-Force inertia Sensor | 110 |
| AngelTrax, CP4 | Vulcan Series Touchscreen Backing & Firmware Control Monitor | 300 |
| AngelTrax, CP4-9CBL | 9M CP4 Extension Cable for Vulcan Series MDVR and HCNVRs | 51 |
| AngelTrax, RAMHSDD | RAM Short Stud 1/4-20 and Base Plate | 22 |
| AngelTrax, RAMLGARM | RAM Long Arm and Base Plate | 36 |
| AngelTrax, HD18CBL | HD Camera Cable 59.6 ft | 68 |
| AngelTrax, HDWS3600 | Vulcan Series 1080P Windshield, 3.6mm lens, Exterior View Camera | 342 |
| AngelTrax, HDLP5MP-R | Vulcan Series, HD 5MP Right Side SAV, Exterior Camera | 417 |
| AngelTrax, HDLP5MP-L | Vulcan Series, HD 5MP Left Side SAV, Exterior Camera | 417 |
| AngelTrax, HDCOPILOTCAM | HD 2.1mm Lenses, 1080P, Dual Windshield, Interior Camera | 468 |
| AngelTrax, HDXX00V | Vulcan Series Anvil low profile, 2.1, 2.5,3.6,6,8 mm Lens,1080P HD, Interior/Exterior Camera | 291 |
| AngelTrax, HD1700V | Vulcan Series Anvil low profile, 1.7 mm Lens,1080P HD, Interior/Exterior Camera | 317 |
| AngelTrax, IPXx000 | Vulcan HC Series Anvil IP, 4,6,or 8 mm Lens,1080P Exterior Camera, Requires RJ45PTCONV cable | 401 |
| AngelTrax, IPWS4000 | Vulcan HC Series IP, 4 mm lens, Windshield Camera, Requires RJ45PTCONV cable | 342 |
| AngelTrax, IPI4000 | Vulcan HC Series Anvil IP, 4 or 2.5 mm lens, 1080P Interior Camera, Requires RJ45PTCONV cable | 342 |
| AngelTrax, YELHS1 | Housing for HD3600V Camera, includes mounting plate, camera not included | 55 |
| AngelTrax, VULSECKEY | Security Key USB 3.0, Vulcan Series HCNVRs,V5, V5X3 & V6X3 MDVR's, 1 Per 25 DVRs purchased I | 76 |
| AngelTrax, V12SECKEY | Security Key USB 3.0, Vulcan Series V12 MDVR, 1 Per 25 DVRs purchased N/C | 76 |
| AngelTrax, IBR600LP4 | 3G/4G Verizon Cellular Modem w-WiFi | 709 |
| AngelTrax, IBR600LPE | 3G/4G Sprint Cellular Modem w-WiFi | 901 |
| AngelTrax, IBR600C-LPE-SP | 3G/4G Sprint Cellular Modem | 865 |
| AngelTrax, IBR650LP4 | 3G/4G Verizon Cellular Modem | 505 |
| AngelTrax, SI4GM | Sierra 4G Wireless Cellular Modem w-AT&T SIM Card | 375 |
| AngelTrax, DVR240MPC-HC | Main Power Cable | 31 |
| AngelTrax, AVCT001 | Power converter cable Pre Vulcan HD & Vulcan Series MDVR | 26 |
| AngelTrax, IPCLANCBL | Required for Vulcan V5 | 26 |
| AngelTrax, RJ45PTCONV | Converter cable for IP Cameras, DIN to RJ45 Vulcan HC Series | 26 |
| AngelTrax, IPANEL1 | LED Pre-Trip Inspection Module for Vulcan Series and HCNVR's | 68 |
| AngelTrax, EASYCK1 | Firmware upgrade tool | 51 |
| AngelTrax, 4IPBOX | IP 4 Camera Hub | 101 |
| AngelTrax, VULMSB | Vulcan MDVR Motion Sensor | 76 |
| AngelTrax, VULMCB | Vulcan MDVR Motion Sensor control box and sensor | 224 |
| AngelTrax, VULBR100 | Windshield mounting bracket for Vulcan Series HD-V Cameras | 65 |

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Price |
|------------------------------------|--|----------------------------|-------|
| Gatekeeper, Y35 V2-1HD, 256GB | Y35 V2 with 1 hi-def camera, 15' camera harness, driver | alert, 256GB SD card | 1752 |
| Gatekeeper, Y35 V2-1HD, 2 x 128 GB | Y35 V2 with 1 hi-def camera, 15' camera harness, driver | alert, 2 x 128 GB SD card | 1752 |
| Gatekeeper, Y35 HD-1HD, 500GB | Y35 with 1 hi-def camera, 15' camera harness, driver ale | rt, 500GB hard drive | 1546 |
| Gatekeeper, Y58-1HD, 500GB | Y58 with 1 hi-def camera, 15' camera harness, driver ale | ert, 500GB hard drive | 1825 |
| Gatekeeper, 508HD4a-1HD, 500GB | 508HD4a with 1 hi-def camera, 15' camera harness, driv | er alert, 500GB hard drive | 2203 |
| Gatekeeper, Y16-1 HD, 500GB | Y16 with 1 hi-def camera, 15' camera harness, driver ale | rt, 500GB hard drive | 2970 |
| Gatekeeper, Y35 V2 | 5 Channel, HD, SD Card based DVR | | 880 |
| Gatekeeper, Y35 HD | 5 Channel, HD, hard drive based DVR, 500GB | | 1135 |
| Gatekeeper, Y58 HD | 8 Channel, HD, hard drive based DVR, 500GB | | 1414 |
| Gatekeeper, 508HD2a | 12 Channel, HD, hard drive based DVR, 500GB | | 1792 |
| Gatekeeper, Y16 | 16 Channel, HD, hard drive based DVR, 500GB | | 2559 |
| Gatekeeper, Y62 1 Cam Kit | Y62 DVR with 1 hi def camera and GPS | | 899 |
| Gatekeeper, Y62 1 Cam Kit & Cell | Y62 DVR with 1 hi def camera, GPS and Cell | | 1116 |
| Gatekeeper, G4-GPS A | GPS Puck antenna | | 74 |
| Gatekeeper, G4-GPS B | GPS Puck antenna | | 82 |
| Gatekeeper, G4-TCR-DrvAlert | Driver alert button and cable | | 102 |
| Gatekeeper, CAB000387 Rev 1 | Driver alert adapter cable | | 58 |
| Gatekeeper, Y62 Driver alert | Driver alert button and cables | | 131 |
| Gatekeeper, Foot switch | Foot switch | | 155 |
| Gatekeeper, Rear Cable Cover | Rear Cable Covers | | 38 |
| Gatekeeper, S370 Camera | S370 Camera, includes 15', 30' or 60' cable | | 250 |
| Gatekeeper, Y62 camera | Y62 Interior facing camera with cable | | 223 |
| Gatekeeper, S31 Camera | S31 HD Camera, includes 15', 30' or 60' cable | | 269 |
| Gatekeeper, S32 camera | S32 HD Camera, includes 15', 30' or 60' cable | | 287 |
| Gatekeeper, W21 camera | W21 Exterior HD Camera | | 269 |
| Gatekeeper, W22 camera | W22 Exterior HD Camera | | 287 |
| Gatekeeper, MD170 camera | MD170 HD Camera | | 250 |
| Gatekeeper, MD11 camera | MD11 HD Camera | | 269 |
| Gatekeeper, MD12 camera | MD12 HD Camera | | 287 |
| Gatekeeper, TXM700 camera | TXM700 Exterior HD Camera | | 251 |
| Gatekeeper, TXM11 camera | TXM11 Exterior HD Camera | | 269 |
| Gatekeeper, TXM12 camera | TXM12 Exterior HD Camera | | 289 |
| Gatekeeper, SD700 camera | SD700 Exterior Camera | | 250 |

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Price |
|---------------------------------|--|----------------|-------|
| Gatekeeper, Interior Camera | HD Interior Camera, requires CAT5 harness sold seperate | ly | 287 |
| Gatekeeper, WA11 camera | Wide angle camera, includes 15', 30' or 60' cable | | 269 |
| Gatekeeper, WA12 camera | Wide angle camera, includes 15', 30' or 60' cable | | 287 |
| Gatekeeper, S31 IP camera | S31IP HD Camera, requires CAT5 harness sold seperately | | 333 |
| Gatekeeper, MX12 IP camera | IP HD camera, requires CAT5 harness sold seperately | | 337 |
| Gatekeeper, D21 IP camera | IP HD camera, requires CAT5 harness sold seperately | | 333 |
| Gatekeeper, W21 IP camera | IP HD camera, requires CAT5 harness sold seperately | | 333 |
| Gatekeeper, TXM12 IP camera | HD IP Exterior Camera, requires CAT5 harness sold sepera | ately | 324 |
| Gatekeeper, TI252 IP camera | IP HD camera, requires CAT5 harness sold seperately | | 289 |
| Gatekeeper, TW202 IP Camera | HD IP Windshield Camera, requires CAT5 harness sold sep | perately | 362 |
| Gatekeeper, TX242 IP Camera | HD IP Exterior Camera, requires CAT5 harness sold sepera | ately | 419 |
| Gatekeeper, SP15 IP Camera | SP15 IP Stop arm camera with 30' CAT5 cable | | 561 |
| Gatekeeper, Exterior Camera | HD Exterior camera, requires CAT5 harness sold seperate | ly | 337 |
| Gatekeeper, 4K Camera | 4 K Camera, includes 15', 30' or 60' cable | | 513 |
| Gatekeeper, CAB000310 | Camera Adapter cable Analog Cameras | | 8 |
| Gatekeeper, CAB000377 | Camera Adapter cable IP Cameras | | 8 |
| Gatekeeper, GSWHCAT5-15MLD-B | CAT5 Harness for IP camera, GSWHCAT5-15MLD-B | | 7 |
| Gatekeeper, GSWHCAT5-30MLD-G | CAT5 Harness for IP camera, GSWHCAT5-30MLD-G | | 14 |
| Gatekeeper, GSWHCAT5-60MLD-Y | CAT5 Harness for IP camera, GSWHCAT5-60MLD-Y | | 27 |
| Gatekeeper, DVRIMORM-701S-4 | Rear View Monitor, 7in | | 410 |
| Gatekeeper, DVRIMORM-901Q | Rear View Monitor, 9in | | 545 |
| Gatekeeper, CAMICANC2090-2.1 | Rear Camera 2.1mm | | 213 |
| Gatekeeper, CAMICAREARVISION3.6 | Rear Camera 3.6mm | | 347 |
| Gatekeeper, CAMICAJY-663 | Rear Camera 2.5mm | | 213 |
| Gatekeeper, CAMMBRDN2668 | Rear Cam Mounting Bracket | | 78 |
| Gatekeeper, CAB000189 | Cam Harness 60FT, Rear Vision | | 67 |
| Gatekeeper, CAB000189-15 | Cam Harness 15FT, Rear Vision | | 54 |
| Gatekeeper, CAB000189-30 | Cam Harness 30FT, Rear Vision | | 64 |
| Gatekeeper, Cable Kit | IO Harness Cable Kit | | 193 |
| Gatekeeper, G4-SD32GB | 32GB SD card | | 81 |
| Gatekeeper, G4-SD64GB | 64GB SD card | | 145 |
| Gatekeeper, G4-SD128GB | 128GB SD card | | 231 |
| Gatekeeper, G4-SD256GB | 256GB SD card | | 462 |

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Price |
|-----------------------------------|--|------------------------|-------|
| Gatekeeper, G4-Upgrade 500GB-1TB | G4-Upgrade 500GB-1TB, Available at time of DVR purchs | se only | 30 |
| | G4-Upgrade 500GB-2TB, Available at time of DVR purchs | <u> </u> | 62 |
| Gatekeeper, G4-Upgrade 500GB-4TB | G4-Upgrade 500GB-4TB, Available at time of DVR purchs | se only | 185 |
| Gatekeeper, G4-Upgrade 500GB-8TB | G4-Upgrade 500GB-8TB, for Y16 only, Available at time of | of DVR purchse only | 538 |
| Gatekeeper, G4-Upgrade 500GB-512 | G4-Upgrade 500GB-512SSD, Available at time of DVR pu | rchse only | 112 |
| Gatekeeper, G4-Upgrade 500GB-1TB | G4-Upgrade 500GB-1TB SSD, Available at time of DVR pu | urchse only | 244 |
| Gatekeeper, G4-Upgrade 500GB-2TB | G4-Upgrade 500GB-2TB SSD, Available at time of DVR pu | urchse only | 655 |
| Gatekeeper, G4-Upgrade 500GB- 4TB | G4-Upgrade 500GB-4TB SSD, Available at time of DVR pu | urchse only | 1551 |
| Gatekeeper, G4-Upgrade 500GB- 8TB | G4-Upgrade 500GB-8TB SSD, for Y16 only, Available at ti | me of DVR purchse only | 3268 |
| Gatekeeper, Caddy Y35 | Spare HD caddy | | 74 |
| Gatekeeper, Caddy Y58 | Spare HD caddy, for Y58 & 508HD4a | | 103 |
| Gatekeeper, Caddy Y716 | Spare HD caddy | | 177 |
| Gatekeeper, 500GB Drive | Spare hard drive | | 168 |
| Gatekeeper, 1 TB Drive | Spare hard drive | | 197 |
| Gatekeeper, 2 TB Drive | Spare hard drive | | 230 |
| Gatekeeper, 4 TB Drive | Spare hard drive | | 353 |
| Gatekeeper, 8 TB Drive | Spare hard drive, for Y16 only | | 705 |
| Gatekeeper, 512SSD Drive | Spare hard drive | | 279 |
| Gatekeeper, 1 TB SSD Drive | Spare hard drive | | 412 |
| Gatekeeper, 2 T SSD Drive | Spare hard drive | | 823 |
| Gatekeeper, 4 TB SSD Drive | Spare hard drive | | 1718 |
| Gatekeeper, 8 TTB SSD Drive | Spare hard drive, for Y16 only | | 3436 |
| Gatekeeper, P2 Counter | Passenger Counter w-mount | | 1629 |
| Gatekeeper, BSD System | Blind Spot detection system | | 2711 |
| Gatekeeper, Adv BSD | Advanced blind spot detection add on | | 1026 |
| Gatekeeper, 360° Camera | Interior 360° camera | | 1477 |
| Gatekeeper, 360° System | 360° Exterior camera | | 1947 |
| Gatekeeper, Mobile monitor | Monitor for 360° camera system | | 478 |
| Gatekeeper, 360° Mirror | 360° Mirror Monitor | | 1055 |
| Gatekeeper, 360° Set up kit | Calibration kit | | 1325 |
| Gatekeeper, ADKIT Plus | ADKIT kit with ADAS and DSM | | 1653 |
| Gatekeeper, ADKIT Basic | ADKIT kit with DSM | | 1246 |
| Gatekeeper, AI Box | Artificial Intelligence Box | | 1535 |

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Price |
|-----------------------------------|--|---------------------|-------|
| Gatekeeper, XPAD | Xpad Tablet with cables and mount | | 2301 |
| Gatekeeper SV System | Side view system | | 1393 |
| Gatekeeper, Y35-DLK | Viewer Software Download Kit | | 33 |
| Gatekeeper, Y58-DLK | Viewer Software Download Kit | | 212 |
| Gatekeeper, 508HD4-DLK | Viewer Software Download Kit | | 115 |
| Gatekeeper, Y16-DLK | Viewer Software Download Kit | | 139 |
| Gatekeeper, DL Kit | Viewer Software Download Kit | | 212 |
| Gatekeeper, LCD TV | LCD monitor | | 262 |
| Gatekeeper, ICD Monitor | Interactive control display | | 348 |
| Gatekeeper, G4-Connect-WiFiDongle | WIFI Dongle | | 103 |
| Gatekeeper Tablet | Android Tablet | | 429 |
| Gatekeeper, G4 Viewer Plus | G4 Viewer Plus Software | | 0 |
| Gatekeeper, 015-0052 | Drop mount | | 97 |
| Gatekeeper, 015-0059 | Drop mount | | 89 |
| Gatekeeper, 015-Mount | Drop Mount | | 117 |
| Gatekeeper, Wedge | Camera mounting wedge | | 45 |
| Gatekeeper, WIFI Antenna | Dual Band WIFI Antenna and NMO with cable | | 182 |
| Gatekeeper, External WIFI | Vehicle WIFI Kit 508 HD 4 DVR only | | 492 |
| Gatekeeper, G4-DVR-4PSWITCH | 4 port switch, includes CAB000367 Cable | | 226 |
| Gatekeeper, G4-DVR-8PSWITCH | 8 port switch, includes CAB000367 Cable | | 428 |
| Gatekeeper, MWM Cell 4G Only | Cellular Only | | 1389 |
| Gatekeeper, MWM 4G Cell + WIFI | Cellular and WIFI | | 1749 |
| Gatekeeper, Cradlepoint | Cradlepoint Cell | | 2177 |
| Gatekeeper, Cradlepoint+WiFi | Cradlepoint Cell and WIFI | | 2569 |
| Gatekeeper, MWM-WIFI | WIFI only | | 910 |
| Gatekeeper, Server | Server for wireless, Installation and support provided b | y Gatekeeper | 5880 |
| Gatekeeper, Access Point Kit A | Access point with antenna, Installation and support pro | vided by Gatekeeper | 996 |
| Gatekeeper, Access Point Kit B | Access point with antenna, Installation and support provided by Gatekeeper | | 1050 |
| Gatekeeper, Access Point Kit C | Access point with antenna, Installation and support provided by Gatekeeper | | 972 |
| Gatekeeper, Access Point Kit D | Access point with antenna, Installation and support provided by Gatekeeper | | 1445 |
| Gatekeeper, Mast Equipment 1 | Mast equipment, Installation and support provided by Gatekeeper | | 1200 |
| Gatekeeper, Mast Equipment 2 | Mast equipment, Installation and support provided by | Gatekeeper | 2400 |
| Gatekeeper, Commissioning 1 | Wireless commissioning, Installation and support provi | ded by Gatekeeper | 6000 |

| MANUF, MODEL | DESCRIPTION COMMENTS/NOTES | Price |
|--------------------------------|--|--------------|
| Gatekeeper, Commissioning 2 | Wireless commissioning, Installation and support provided by Gatekeeper | 12000 |
| Gatekeeper, Commissioning 3 | Wireless commissioning, Installation and support provided by Gatekeeper | 18000 |
| Gatekeeper, Commissioning 4 | Wireless commissioning, Installation and support provided by Gatekeeper | 24000 |
| Gatekeeper, Commissioning 5 | Wireless commissioning, Installation and support provided by Gatekeeper | 30000 |
| | | |
| Synovia, FLSTC GPS | Synovia Core GPS Hardware Kit for ATT/Verizon | 904 |
| Synovia, FLSTC ENGD | JPOD | 323 |
| Synovia, FLSTC OP | Operator Panel and Kit | 317 |
| Synovia, FLSTC CT | Color Tablet and Kit (Tethered 7 P) | 773 |
| Synovia, FLSTC BCR | Barcode Reader Kit (laser scan) | 521 |
| Synovia, FLSTC SLSGPS | Synovia Silverlining GPS Fleet Management Software - Annual License | 270 |
| Synovia, FLSTC SLSEGS | Synovia Silverlining Engine Diagnostics Software - Annual License | 54 |
| Service agreements and communi | cations subscriptions for Synovia equipment sold seperately. | |
| | | |
| Zonar, V4 GPS | GPS Kit, Includes Wiring and brackets | 381 |
| Zonar, Connect Tablet | Connect Tablet Kit, Includes all wiring, cradle, and tag kit | 903 |
| Zonar, Samsung Tab Active 2 | Zonar Mobile ECOSystem, Includes all wiring, cradle, and tag kit | 903 |
| Zonar, Zpass Kit | RFID reader for student cards- Zpass service required | 213 |
| Zonar, Zonar Coach Camera | Zonar Coach Service Required, Includes wiring | 213 |
| Zonar, 2010 Inspection tool | Inspection device for Electornic Vehicle Inspection Service, Includes wiring and cradle | 303 |
| Zonar, EVIR Tag Kit | RFID tags used for our Electornic vehicle inspection service, Includes 11 Tags. | 183 |
| Zonar, Student Cards | RFID Card used by students for Zpass Student Ridership. | 23 |
| Service agreements and communi | cations subscriptions for Zonar equipment sold seperately. | |
| IC Bus, OCC Telematics | OCC Telematics device, Includes device, cables, user application, activation, and 2 yr service | 659 |
| IC Bus, USB Charge Ports | 2 USB charge ports under seat rail at each passenge seat, price per row LH & RH, min 2 rows | 396 |
| IC Bus, Kajeet Dual WiFi | Kajeet 900 router w-2nd modem and roof antenna, Data plan not included. | 2632 |
| IC Bus, KajeetWiFi | Kajeet 900 router with roof antenna, Data plan not included. | 1655 |
| C Bus, 270 Camera Mirror | Rosco Safe-T-Scope 270 degree Mor-Vision w-7in Mirror monitor, lever-lock | 2328 |
| C Bus, 270 Camera | Rosco Safe-T-Scope 270 degree Mor-Vision w-7in stand alone monitor | 1984 |
| IC Bus, BU Cam | Rosco backup camera w-7in mirror monitor in 6x30 mirror | 1239 |
| IC Bus, BU Cam 2 | Rosco backup camera w-7in standalone monitor | 713 |
| | | 1 |

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Price |
|-------------------------------------|---|---|-------|
| Safety Vision, FL-SV-4000-512GB-1Ca | Observer 4000-5 Channel HVR (4AHD, 1IP) 512GB SD Car | rd (2 x 256GB), 1-Cam 720p | 1604 |
| Safety Vision, FL-SV-4000-512GB-2Ca | Observer 4000-5 Channel HVR (4AHD, 1IP) 512GB SD Car | rd (2 x 256GB), 2-Cam 720p | 1828 |
| Safety Vision, FL-SV-4000-512GB-3Ca | Observer 4000-5 Channel HVR (4AHD, 1IP) 512GB SD Car | Observer 4000-5 Channel HVR (4AHD, 1IP) 512GB SD Card (2 x 256GB), 3-Cam 720p | |
| Safety Vision, FL-SV-4000-512GB-4Ca | Observer 4000-5 Channel HVR (4AHD, 1IP) 512GB SD Car | rd (2 x 256GB), 4-Cam 720p | 2287 |
| Safety Vision, FL-SV-DXAP | Wireless Diagnostic Tool - Portable Wifi to view HVR setu | up with iPhone/iPad/Android/Laptop | 107 |
| Safety Vision, FL-SV-Synovia-Kit | Synovia Integration Hardware Kit | | 108 |
| Safety Vision, FL-SV-4000HVR-ACC-KI | Accelerometer | | 228 |
| Safety Vision, FL-GeoTab | GeoTab - Driver Safety & Improvement, Engine Diagnosti | ic, Telmatics, Route Integration | 156 |
| Safety Vision, FL-GeoTab Service | GeoTab - Service (Annual Subscription Service/Bus) | | 418 |
| Safety Vision, FL-SV-4112-2TB-4CAM | Observer 4112-12 Channel HVR (8HD, 4IP) 2TB HD, 4-Car | n 1080p | 2845 |
| Safety Vision, FL-SV-4112-2TB-5CAM | Observer 4112-12 Channel HVR (8HD, 4IP) 2TB HD, 5-Car | n 1080p | 3056 |
| Safety Vision, FL-SV-4112-2TB-6CAM | Observer 4112-12 Channel HVR (8HD, 4IP) 2TB HD, 6-Car | n 1080p | 3253 |
| Safety Vision, FL-SV-4112-2TB-7CAM | Observer 4112-12 Channel HVR (8HD, 4IP) 2TB HD, 7-Car | n 1080p | 3662 |
| Safety Vision, FL-SV-4112-2TB-8CAM | Observer 4112-12 Channel HVR (8HD, 4IP) 2TB HD, 8-Car | n 1080p | 3938 |
| Safety Vision, FL-41-ANT-FEMALE | Wi-Fi Antenna when utilizing built in Wi-Fi | | 176 |
| Safety Vision, FL-SV-WIFICELL4-KT | Wi-Fi/Cell Modem (For Large Fleets over 15 units per AP) |) | 935 |
| Safety Vision, FL-SV-WIFI-MOXKIT-B | Standard Moxa Wi-Fi Kit (For Large Fleets over 15 units p | per AP) | 786 |
| Safety Vision, FL-SV-630A-KIT | Rear View Camera External w/ Cable | | 270 |
| Safety Vision, FL-SB-TVMTOTAL | School Bus Total View System (Mirror Monitor & Total Vi | iew Camera Kit) | 2492 |
| Safety Vision, FL-SV-DXAP | Wireless Diagnostic Tool - Portable Wifi to view HVR setu | up with iPhone/iPad/Android/Laptop | 107 |
| Safety Vision, FL-SV-Synovia-Kit | Synovia Integration Hardware Kit | | 108 |
| Safety Vision, FL-GeoTab | GeoTab - Driver Safety & Improvement, Engine Diagnosti | ic, Telmatics, Route Integration | 156 |
| Safety Vision, FL-GeoTab Service | GeoTab ProPlus Service (Annual Subscription Service/Bus | s) | 418 |
| | | | |
| REI, HD5-600-2-500 | 6 CH HD5 DVR, 500GB Drive, 2 Cam, Cable kit, VMS softw | vare | 1887 |
| REI, HD5-600W-2-500 | 6 CH DVR w/ WiFi, 500GB Drive, 2 Cam, Cable kit, VMS so | oftware | 2007 |
| REI, HD5-600WC-2-500 | 6 CH DVR w/ Cellular & WiFi, 500GB Drive, 2 Cam, Cable | kit, VMS software | 2427 |
| REI, HD51200W-5-500 | 12 CH DVR w/ WiFi, 500GB Drive, 5 Cam, Cable kit, VMS software | | 3061 |
| REI, HD5-1200WC-5-500 | 12 CH DVR w/ Cellular & WiFi, 500GB Drive, 5 Cam, Cable kit, VMS software | | 3481 |
| REI, CAMS | Add AHD Cameras to DVR System (ea) Mini box, Wedg | e, Dome, windshield (1.7mm, 2.4mm, 2.8 | 217 |
| REI, IPCAMS | Add IP Cameras to HD5 DVR System (ea) | | 493 |
| REI, STOPCAMKIT | Stop Arm Camera Kit | | 415 |
| REI, 1 TB HD | Upgrade to 1TB Hard Drive, Available only at time of DVF | R purchase | 180 |

| MANUF, MODEL | DESCRIPTION COMMENTS/NOTES | Price |
|---------------------|--|-------|
| REI, 2 TB HD | Upgrade to 2TB Hard Drive, Available only at time of DVR purchase | 420 |
| REI, 710214 | GPS Antenna | 176 |
| REI, 210168 | WiFi / Cellular / GPS Combo Antenna | 374 |
| REI, 210149 | WiFi / GPS Combo Antenna | 236 |
| REI, 511986 | Event Marker / Panic Button w/ 20FT Cable | 92 |
| REI, 512209 | 20FT Vehicle Sensor Harness | 121 |
| REI, 710610 | WiFi Dongle - HD5 DVR | 48 |
| REI, 750364 | End Cap Kit Front of HD5 DVR | 30 |
| REI, 750363 | End Cap Kit Rear of HD5 DVR | 22 |
| REI, 710673 | Lock Box for HD5 DVR | 108 |
| REI, SD300-2-64 | 3 CH DVR, SD-300 w/WiFi, 64GB SD, 2 Cam, Cable Kit, VMS Software | 1530 |
| REI, 710753 | Add 3rd Camera to SD-300 System - IP Eyeball Turret camera 2.8mm | 311 |
| REI, 128SDUPGRADE | Upgrade to 128GB SD Card, Available only at time of DVR purchase | 50 |
| REI, 256SDUPGRADE | Upgrade to 256GB SD Card, Available only at time of DVR purchase | 164 |
| REI, 512SDUPGRADE | Upgrade to 512GB SD Card, Available only at time of DVR purchase | 327 |
| REI, INDIVCAM | All AHD Cameras-Mini box, Wedge, Dome, windshield (1.7mm, 2.4mm, 4mm,6mm,8mm,16mm) | 295 |
| REI, INDIVIPCAM | All IP Cameras(2.4mm,4mm) | 493 |
| REI, 512166/530165 | 7FT Cable, Camera to DVR, AHD or CAT6 | 13 |
| REI, 512167/530099 | 10FT Cable, Camera to DVR, AHD or CAT6 | 18 |
| REI, 512168/530166 | 25FT Cable, Camera to DVR, AHD or CAT6 | 26 |
| REI, 511966 | 25FT Cable, Camera to DVR, AHD | 26 |
| REI, 512169/530167 | 40FT Cable, Camera to DVR, AHD or CAT6 | 34 |
| REI, 510993 | 50FT Cable, Camera to DVR, AHD | 42 |
| REI, 512170/530168 | Cable, Camera to DVR, 50FT AHD or 60FT CAT6 | 50 |
| REI, 710638 | 500 GB Hard Drive for HD5 DVR | 270 |
| REI, 710639 | 1 TB Hard Drive for HD5 DVR | 420 |
| REI, 690695 | 64 GB SD Card | 107 |
| REI, 690820 | 128 GB SD Card | 156 |
| REI, 690821 | 256 GB SD Card | 312 |
| REI, 710607 | HD5-600 DVR (6 Channel) | 1283 |
| REI, 710608 | HD5-600W DVR (6 Channel with WiFi/GPS) | 1463 |
| REI, 710609 | HD5-1200W (12 Channel with WiFi/GPS) | 2063 |
| REI, SV-360HD SYS 4 | SV-360HD SYS W/7" Monitor | 2963 |

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Price |
|-----------------------------|--|---|-------|
| Pro-Vision, DVR-808CD-64 | 16 channel, 1080P HD Solid State DVR, Passive GPS, (No Camera Included) | | 743 |
| Pro-Vision, DVR-808S-64 | 16 channel, 1080P HD Solid State DVR, (1) Wide Angle 1080P HD Camera, GPS, | | 1025 |
| Pro-Vision, DVR-808M-64 | 16 channel, 1080P HD Solid State DVR, (1) Wide Angle 1080P HD Mini Dome Camera, GPS, | | 1247 |
| Pro-Vision, DVR-808S-4G-64 | 16 channel, 1080P HD Solid State DVR, 4G Ready (1) Wid | le Angle 1080P HD Camera, GPS, | 1409 |
| Pro-Vision, DVR-808M-4G-256 | 16 channel, 1080P HD Solid State DVR, 4G Ready (1) WA | 1080P HD Camera, GPS, 256gb | 1913 |
| Pro-Vision, DVR-808SA | Stop Arm Camera Package. 1080P HD DVR, Dual Stop-Ar | rm Camera, Wireless File Transfer | 1824 |
| Pro-Vision, DR-200 | 3 channel, 1080P HD Solid State DVR, Dual Facing 1080P | HD Cameras, Passive GPS, | 737 |
| Pro-Vision, DR-200-64 | 3 channel, 1080P HD Solid State DVR, Dual Facing 1080P | HD Cameras, Passive GPS, | 767 |
| Pro-Vision, DR-200-4G-64 | 3 channel, 1080P HD Solid State DVR, Dual Facing 1080P | HD Cameras, Passive GPS, 4G Ready | 1007 |
| Pro-Vision, DVR-810 | Pro-Vision 1080P High Definition Dome Camera | | 289 |
| Pro-Vision, DVR-813 | Pro-Vision 1080P High Definition Dash Camera | | 331 |
| Pro-Vision, DVR-814 | Pro-Vision 1080P High Definition Exterior Side mounted | Camera | 456 |
| Pro-Vision, DVR-816 | Pro-Vision 1080P High Definition Exterior Rear mounted | Camera | 456 |
| Pro-Vision, DVR-818 | Pro-Vision 1080P High Definition 180* Interior Wide Ang | gle Camera | 289 |
| Pro-Vision, DVR-820 | Pro-Vision 1080P High Definition Exterior Wide Angle Lo | w Profile Camera | 396 |
| Pro-Vision, DVR-821 | Pro-Vision 1080P High Definition Interior Wide Angle M | Pro-Vision 1080P High Definition Interior Wide Angle Mini Dome Camera | |
| Pro-Vision, DVR-824 | Pro-Vision 1080P High Definition Dual Facing Stop-Arm Camera | | 816 |
| Pro-Vision, PLE-1810 | Additional Trigger Package | | 47 |
| Pro-Vision, PX-1843 | 30' Camera Cable | | 24 |
| Pro-Vision, DVR-718 | 64gb SDXC Card, Compatible with Pro-Vision System | | 47 |
| Pro-Vision, DVR-728 | 128gb SDXC Card, Compatible with Pro-Vision System | | 71 |
| Pro-Vision, DVR-738 | 256gb SDXC Card, Compatible with Pro-Vision System | | 144 |
| Pro-Vision, DVR-830 | 500gb Solid State Drive, Compatible with Pro-Vision Syst | em | 270 |
| Pro-Vision, DVR-831 | 1TB Solid State Drive, Compatible with Pro-Vision System | n | 474 |
| ro-Vision, DVR-832 | 2TB Solid State Drive, Compatible with Pro-Vision System | n | 954 |
| Pro-Vision, DVR-834 | 4TB Solid State Drive, Compatible with Pro-Vision System | n | 1794 |
| Pro-Vision, DVR-828 | Automatic Wireless File Transfer Software | | 234 |
| Pro-Vision, TV-205A | Pro-Vision, Back up Camera Kit with 5" LCD Monitor / Nig | ght Vision and Audio | 718 |
| ro-Vision, TV-505A | Pro-Vision, Back up Camera Kit with 7" LCD Monitor / Nig | | 773 |
| Pro-Vision, PC-1881 | Flush Mount Bracket | | 30 |
| ro-Vision, DVR-750 | GPS Module | | 114 |
| Pro-Vision, DVR-710 | Enhanced Event Marker Button | | 58 |
| Pro-Vision, DR-230 | Wireless File Transfer Software for Drive Recorder | | 186 |

ITB 2020-16 PRICING SHEETS

Seon, NH16H2T0

Seon, NH16S1T0

Seon, NH16S2T0

Seon, NH16H2T0-2HDD

Seon, NH16H4T0-2HDD

Seon, NH16S2T0-2SSD

Seon, NH16S4T0-2SSD

VIDEO CAMERA / GPS / TECHNOLOGY OPTIONS

VENDOR: Sun State International DESCRIPTION MANUF, MODEL **COMMENTS/NOTES** Price Trooper TH4 DVR 4 HD channels, audio, security front cover with lock set, mounting bracket, power 1183 Seon, TH4H500 Trooper TH4 DVR 4 HD channels, audio, security front cover with lock set, mounting bracket, pow 1306 Seon, TH4H1T0 Seon, TH4H2T0 Trooper TH4 DVR 4 HD channels, audio, security front cover with lock set, mounting bracket, pow 1551 TH4C DVR 4 HD channels, audio, mounting bracket, power harness, 128GB Card. 1126 Seon, TH4C128 TH4C DVR 4 HD channels, audio, mounting bracket, power harness, 256GB Card. 1216 Seon, TH4C256 Seon, TH4C512 TH4C DVR 4 HD channels, audio, mounting bracket, power harness, 512GB Card. 1545 Seon, TH6H500 Trooper TH DVR 6 HD channels, audio, security front cover with lock set, mounting bracket, powe 1630 Seon, TH6H1T0 Trooper TH DVR 6 HD channels, audio, security front cover with lock set, mounting bracket, powe 1752 Trooper TH DVR 6 HD channels, audio, security front cover with lock set, mounting bracket, powe 1997 Seon, TH6H2T0 Seon, TH8H1T0 TH8 DVR, 8 HD Channels, 2 IP Channels, Audio, Security Front Cover, Mnt Bracket, Pwr Harness, 1 2085 Seon, TH8H2T0 TH8 DVR, 8 HD Channels, 2 IP Channels, Audio, Security Front Cover, Mnt Bracket, Pwr Harness, 2 2215 TH8 DVR, 8 HD Channels, 2 IP Channels, Audio, Security Front Cover, Mnt Bracket, Pwr Harness, 2 2224 Seon, TH8H2T0-2HDD Seon, TH8H4T0-2HDD TH8 DVR, 8 HD Channels, 2 IP Channels, Audio, Security Front Cover, Mnt Bracket, Pwr Harness, 4 2407 Seon, TH4C0 TH4C0 DVR 4 HD channels, audio, mounting bracket, power harness, 1.5' CAT 5 Patch Cable 898 Seon, SDCARD128 SD Card, 128GB, for backup video storage 111 332 Seon, SDCARD256 SD Card, 256GB, for backup video storage 666 Seon, SDCARD512 SD Card, 512GB, for backup video storage Trooper TH4 DVR 4 HD channels, audio, security front cover, Mnt Bracket, Pwr Harness, 1TB SSD 1971 Seon, TH4S1T0 Seon, TH4S500 Trooper TH4 DVR 4 HD channels, audio, security front cover, Mnt Bracket, Pwr Harness, 500GB SS 1775 Seon, TH6S1T0 Trooper TH DVR 6 HD channels, audio, security front cover, Mnt Bracket, Pwr Harness, 1TB SSD 2164 1972 Seon, TH6S500 Trooper TH DVR 6 HD channels, audio, security front cover, Mnt Bracket, Pwr Harness, 500GB SSD 2560 Seon, TH8S1T0 TH8 DVR, 8 HD Channels, Audio, Security Front Cover, Mnt Bracket, Pwr Harness, 1TB Single SSD 3229 Seon, TH8S2T0 TH8 DVR, 8 HD Channels, Audio, Security Front Cover, Mnt Bracket, Pwr Harness, 2TB Single SSD Seon, TH8S2T0-2SSD 3173 TH8 DVR, 8 HD Channels, Audio, Security Front Cover, Mnt Bracket, Pwr Harness, 2TB (2X1TB) Dua 4481 Seon, TH8S4T0-2SSD TH8 DVR, 8 HD Channels, Audio, Security Front Cover, Mnt Bracket, Pwr Harness, 4TB (2X2TB) Dua Seon, NH16H1T0 NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, 1TB Single HDD 4615

NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, 2TB Single HDD

NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, 2TB (2X1TB) Dua

NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, 4TB (2X2TB) Du

NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, 1TB Single SSD

NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, 2TB Single SSD

NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, 2TB (2X1TB) Dua

NH NVR Hybrid, 16 Channels, 8CH Analog HD Built-In, 16 Port POE Switch, Audio, 4TB (2X2TB) Du

4744 4752

4932 5037

5739 5682

6965

| MANUF, MODEL | DESCRIPTION | COMMENTS/NOTES | Price |
|-------------------|--|--|-------|
| Seon, WT1D20S20G4 | Trooper TL, TL-HD & TH and NH16 wiring bundle, diagno | ostic indicator/alarm button cable, five sig | 252 |
| Seon, HD1QxxAI20 | HD Camera, Dome, internal, audio, IR TDN 20' Harness to | use with TH-Series DVRs - 2.6mm or 3.6 | 337 |
| Seon, HD1QxxAI50 | HD Camera, Dome, internal, audio, IR TDN 50' Harness to | use with TH-Series DVRs - 2.6mm or 3.6 | 372 |
| Seon, HD1QxxAI75 | HD Camera, Dome, internal, audio, IR TDN 75' Harness to | use with TH-Series DVRs - 2.6mm or 3.6 | 403 |
| Seon, HD1WxxEI20 | HD Camera, Wedge, external, IR TDN, 20' harness - for us | se with TH4 DVRs - 2.8mm, 3.6mm, 16mn | 437 |
| Seon, HD1WxxEI50 | HD Camera, Wedge, external, IR TDN, 50' harness - for us | se with TH4 DVRs - 2.8mm, 3.6mm, 16mn | 458 |
| Seon, HD1WxxEI75 | HD Camera, Wedge, external, IR TDN, 75' harness - for us | se with TH4 DVRs - 2.8mm, 3.6mm, 16mn | 479 |
| Seon, HD1S16EI20 | HD Camera, Wedge, Stop Arm, 16mm, external, IR TDN, | 20' harness - for use with TH-Series DVRs | 464 |
| Seon, HD1S16EI50 | HD Camera, Wedge, Stop Arm, 16mm, external, IR TDN, | 50' harness - for use with TH-Series DVRs | 494 |
| Seon, HD1S16EI75 | HD Camera, Wedge, Stop Arm, 16mm, external, IR TDN, | 75' harness - for use with TH-Series DVRs | 524 |
| Seon, HD3U01AN20 | HD Camera, Ultra Wide, 1.72mm, internal, audio, IR, TDN | N, 20' harness — to use with TH6 or TH8 D | 441 |
| Seon, HD3U01AN50 | HD Camera, Ultra Wide, 1.72mm, internal, audio, IR, TDN | N, 50' harness — to use with TH6 or TH8 D | 473 |
| Seon, HD3U01AN75 | HD Camera, Ultra Wide, 1.72mm, internal, audio, IR, TDN | N, 75' harness — to use with TH6 or TH8 D | 503 |
| Seon, HD3QxxA20 | HD Camera, Dome, internal, audio, IR TDN, 20' harness – | – to use with TH6 DVR - 2.8mm or 3.6mm | 390 |
| Seon, HD3QxxA50 | HD Camera, Dome, internal, audio, IR TDN, 50' harness – | – to use with TH6 DVR - 2.8mm or 3.6mm | 420 |
| Seon, HD3QxxA75 | HD Camera, Dome, internal, audio, IR TDN, 75' harness – | – to use with TH6 DVR - 2.8mm or 3.6mm | 450 |
| Seon, HD3WxxEI20 | HD Camera, Wedge, external, IR TDN, 20' harness, to use | with TH6 and TH8 DVRs - 2.8mm, 3.6mm | 446 |
| Seon, HD3WxxEI50 | HD Camera, Wedge, external, IR TDN, 50' harness, to use | with TH6 and TH8 DVRs - 2.8mm, 3.6mm | 477 |
| Seon, HD3WxxEI75 | HD Camera, Wedge, external, IR TDN, 75' harness, to use | with TH6 and TH8 DVRs - 2.8mm, 3.6mm | 507 |
| Seon, HD3SxxEI20 | HD Camera, Wedge, Stop Arm, external, IR TDN, 20' harne | ss,to use with TH6 & TH8 DVRs - 16mm o | 474 |
| Seon, HD3SxxEI50 | HD Camera, Wedge, Stop Arm, external, IR TDN, 50' harne | ss,to use with TH6 & TH8 DVRs - 16mm o | 504 |
| Seon, HD3SxxEI75 | HD Camera, Wedge, Stop Arm, external, IR TDN, 75' harne | ss,to use with TH6 & TH8 DVRs - 16mm o | 534 |
| Seon, CA10xxEI20 | Day/Night 700 TVL camera, exterior (w infrared, no audio | o), 20 ft. harness - 2.9mm, 3.6mm, 16mm | 414 |
| Seon, CA10xxEI50 | Day/Night 700 TVL camera, exterior (w infrared, no audio | o), 50 ft. harness - 2.9mm, 3.6mm, 16mm | 444 |
| Seon, CA10xxEI75 | Day/Night 700 TVL camera, exterior (w infrared, no audio | o), 75 ft. harness - 2.9mm, 3.6mm, 16mm | 475 |
| Seon, C3Q9PDxxA20 | IP Camera, PoE, dome, white, 3MP prog scan, interior, IR | Day/Night, audio, 20 ft. harness, use wit | 525 |
| Seon, C3Q9PDxxA50 | IP Camera, PoE, dome, white, 3MP prog scan, interior, IR | Day/Night, audio, 50 ft. harness, use wit | 551 |
| Seon, C3Q9PDxxA75 | IP Camera, PoE, dome, white, 3MP prog scan, interior, IR | Day/Night, audio, 75 ft. harness, use wit | 569 |
| Seon, TH8POEKIT48 | ASSY, POE KIT, 48V - (One Required Per C3 Camera (Max | x2/TH8 DVR) | 253 |
| Seon, C3W9PDxxA20 | IP Camera, PoE, wedge, 3MP progressive scan, exterior, I | IR Day/Night, audio, 20 ft. harness - to us | 660 |
| Seon, C3W9PDxxA50 | IP Camera, PoE, wedge, 3MP progressive scan, exterior, I | IR Day/Night, audio, 20 ft. harness - to use | 690 |
| Seon, C3W9PDxxA75 | IP Camera, PoE, wedge, 3MP progressive scan, exterior, I | IR Day/Night, audio, 20 ft. harness - to us | 721 |
| Seon, TH8POEKIT48 | ASSY, POE KIT, 48V - (One Required Per C3 Camera (Max | x2/TH8 DVR) | 253 |

| MANUF, MODEL | DESCRIPTION COMMENTS/NOTES | Price |
|---------------------------------|---|-------|
| Seon, CJ9xxA20 | Dome Day/Night 600TVL camera, audio, 20 ft. harness (no infrared) - 2.9mm or 3.6mm | 291 |
| Seon, CJ9xxA50 | Dome Day/Night 600TVL camera, audio, 50 ft. harness (no infrared) - 2.9mm or 3.6mm | 321 |
| Seon, CJ902A20 | Dome Day/Night 600TVL camera, audio, 20 ft. harness - 2.5mm | 315 |
| Seon, CJ902A50 | Dome Day/Night 600TVL camera, audio, 50 ft. harness - 2.5mm | 345 |
| Seon, CJ902A75 | Dome Day/Night 600TVL camera, audio, 75 ft. harness - 2.5mm | 377 |
| Seon, CQ9xxA20 | Integrated IR Dome Day/Night 600TVL, audio, 20 ft. harness - 2.9mm or 3.6mm | 291 |
| Seon, CQ9xxA50 | Integrated IR Dome Day/Night 600TVL, audio, 50 ft. harness - 2.9mm or 3.6mm | 321 |
| Seon, CQ9xxA75 | Integrated IR Dome Day/Night 600TVL, audio, 75 ft. harness - 2.9mm or 3.6mm | 353 |
| Seon, CQ902A20 | Integrated IR Dome Day/Night 600TVL camera, audio, 2.5mm lens, 20 ft. harness - 2.5mm | 315 |
| Seon, CQ902A50 | Integrated IR Dome Day/Night 600TVL camera, audio, 2.5mm lens, 50 ft. harness - 2.5mm | 345 |
| Seon, CQ902A75 | Integrated IR Dome Day/Night 600TVL camera, audio, 2.5mm lens, 75 ft. harness - 2.5mm | 377 |
| Seon, RVC400E75 | RVC400 Camera with 75 ft. Weatherproof Harness | 288 |
| Seon, RVM2 | Rear Vision 7 Inch LCD Monitor & cables, standalone use with an SD analog Camera, DVR/NVR wit | 405 |
| Seon, RVM2-SP | Rear Vision 7 Inch LCD Monitor, cables, and video splitter, for use with all DVR's, no delay due to D | 478 |
| Seon, SAV-INV360 | inView 360 Monitoring System (incl front, rear, side cameras, electronic control unit, cabling, 7in r | 2969 |
| Seon, PSA2S | Predictive Stop Arm, 2 Radars, 2 Horns | 3159 |
| Seon, VLP-LMUV1Y1 | vMax Live+, LMU, PWR Harness, Signal Cable, GPS, Antenna, Activation Fee, Verizon Data, Health | 727 |
| Seon, VLP-LMUV1 | vMax Live+, LMU, PWR Harness, Signal Cable, GPS, Antenna, Activation Fee, No Data, Health Chec | 643 |
| Seon, SRC-MP70LTE-AWF | SmartReach Cellular Router Kit, MP70 w WiFi & 4G LTE Advanced (HSPA+ fallback), Wiring, Ant, N | 1780 |
| Seon, vMax Trac RFID Student Ri | idership & Vehicle Activation (Must be integrated with Seon MDT or Seon LMU Live GPS Hardware) | |
| Seon, VML-MDT-STR1UY1 | vMax Trac for Student Tracking with 1 year of service, operates with MDT or LMU Live GPS | 438 |
| Seon, VNAV-INSTKT | "Navigator installation kit, Mounting pedestal, Power & communication cable, GPS /Cellular anter | 198 |
| Seon, VNAV-MDT | "Navigator Mobile Data Terminal (MDT), incl: Android OS, vMax Navigator application software, G | 1307 |
| Seon, SRLN07 | SmartReach Lite, 2.4/5 GHz, No ANT, -N - For TL DVR's, Includes one time activation | 569 |
| Seon, SRLN07NP | SmartReach Lite, 2.4/5 GHz, ANT, No POE, -N - For TH DVR's, Includes one time activation | 464 |
| Seon, ADMF | DIN F Camera to Micro-Fit DVR for SA & SJ Cameras (replaces 060-0486) | 10 |
| Seon, ARMF | RCA F Camera to Micro-Fit DVR for SA Cameras (replaces 060-0532) | 34 |
| Seon, CA-MP4 | CA/CHW/HD1W/HD3W mounting post, 4 inch | 85 |
| Seon, CA-MP6 | CA/CHW/HD1W/HD3W mounting post, 6 inch | 85 |
| Seon, CA-SASPACER | SA to CA/CHW/HD1W/HD3W camera spacer | 38 |
| Seon, CHQ-MP4A30 | CHQ mounting post, 4 inch, 30 degree angle | 85 |
| Seon, CHQ-MP6A30 | CHQ mounting post, 6 inch, 30 degree angle | 85 |
| Seon, CJ-MP6A30 | CJ mounting post, 6 inch, 30 degree angle | 85 |

| Seon, VLP-MULTI-STR1UY1 Trac, student Tracking RFID Reader 1yr dta & activation | |
|---|----------------------|
| | 453 |
| Seon, SRLAC07 Smart Reach Lite, 2.4/5GHz, POE, Antenna & Activation | 640 |
| Seon, SRLACO7NP Smart Reach Lite, 2.4/5GHz, No POE, Antenna & Activation | 543 |
| Seon, SRMAC08NP Smart Reach AC Bridge, 80211ac, 3 element, No POE, Mmo Antenna & Activation | 914 |
| | |
| Fortress, SVMD-AIRTIME-AT Optional SureBus Cloud Surveillance Basic Package per DVR-Includes 3 Year Fortress | s Mobile warra 504 |
| Fortress, Parent App Bus Arrival Notification(App for parents)-Effectively notify passengers' bus arrival | 44 |
| Fortress, SVSF-SBUS-ULIC Required Surebus User License Subcsription Fee-required per user type, i.e. Power | Admin, Admin, 216 |
| Fortress, FM-DATAAT&T-300 SureBus Wi-Fi Sniffer License-allows your Wi-Fi network to sense when buses pull in | nto yard. One I 540 |
| Fortress, SB-ST-PB Optional Student Tracking per Bus-Digital boarding sign in/off, tracking every studen | nt.(requires Su 29 |
| Fortress, SB-PTT Optional Push-to-Talk -Used with live audio, video viewing on bus cams for interven | ntion, de-escala 65 |
| Fortress, SB-CANbus Optional CANbus Wireless Monitoring-including OBDII port, cost per bus | 72 |
| Fortress, FORBbox SureBus/yr. Required SureBus package for FORbox active GPS | 288 |
| Fortress SureBus Mobile Surveillance Cloud requires cellular module, activated SimCard and LTE & Wi-Fi antennae combo |). |
| Fortress, SKIT-NVA04 Nova 4 Channel 960H Res. A4D 1-Camera Kit w/500G HD, mic, GPS, Wi-FI, Mil-spec | HD suspensior 1528 |
| Fortress, SKIT-NVA8-NOVAX Nova X 8 Channel 1080P Res. 1-HD Analog/HD Digital Camera Kit w/500G HD, mic, 0 | GPS, Wi-Fi, Mil 2077 |
| Fortress, FORBox-kit Fortress Mobile FORbox stand alone GPS module (requires active GPS pkg) | 343 |
| Fortress, SVDC-B3X4-365 1/3" Sony Camera w/700TVL,Mic (2.5/3.6/6MM) IR | 220 |
| Fortress, SVDC-B3X4-520J 1/3" Duel lens Windshield Camera w/700TVL,Mic, 2.5MM | 250 |
| Fortress, SVDC-FD21-25 1080p dome cam wide angle | 250 |
| Fortress, SVCB-FSI/B4-10 Camera Cable 10ft Vid/Aud/Power | 15 |
| Fortress, SVCB-FSI/B4-25 Camera Cable 25ft Vid/Aud/Power | 24 |
| Fortress, SVCB-FSI/B4-50 Camera Cable 50ft Vid/Aud/Power | 35 |
| Fortress, TABLET-NEXUS9 8" Fortress Mobile Hardened Tablet w/locakable charging Mount | 895 |
| Fortress, SVCB-GAFM-C Gatekeeper Cam to NOVA DVR Conv Cable- 4-pin female 4-pin Molex. Optional for | using existing 33 |
| Fortress, SVCB-247FM-C 247 Security Inc Cam NOVA DVR Conv Cable- 6-pin Molex to 4-pin Female. Optiona | al for using exis 33 |
| Fortress, SVCB-SNFM-C Seon Analog Cam to NOVA DVR Conv. Cable-Optional for using existing cameras wit | th SureBus 33 |
| Fortress, SVMO-ATTSIM AT&T SiM Card-required for each DVR using SureBus | 12 |
| Fortress, SVMO-HW820W 4G Cellular Module for Fortress Nova DVR-required for each DVR using SureBus | 132 |
| Fortress, SVMD-ATLW-01 4G LTE & WiFi Antenna Combo-required for each DVR using SureBus | 118 |
| | |

APPENDIX I

IC / SUN STATE INTERNATIONAL

| | BIDDERS NOTES |
|------------------------|--|
| MFSAB All | Base MFSAB Prices include single color white body paint and do not include 3 point belts. All MFSAB sizes and configurations require the purchase of 3 point seat belt seat options in quantities, sizes and brand matching the purchasers desired seat plan. MFSAB capacities may differ from Base "School Bus" offerings due to the requirement for 3 point belts. Purchasers are encouraged to consult with Sun State Bus centers for body plans, and quotes specific to the purchasers requirements. |
| Seating Options | Purchasers choosing any non-standard seating options are encouraged to contact Sun State Bus Centers to confirm compatibility. Combinations of seat type and arrangements that conflict with FMVSS or Florida Specifications will not be built. Pricing for various seat types per seat and for barriers, and KO windows has been provided to give purchasers maximum flexibility in ordering non-standard seating arrangements. |
| Straight Floor Option | Straight Floor Option on Type C 29-77 capacities includes Air ride rear suspension and low-pro tires. |
| Luggage Compartments | Compatibility and availability of luggage boxes is determined by how the vehicle is to be equipped (A/C, fuel tanks, track seating etc.) Purchasers are encouraged to contact Sun State Bus Centers to confirm compatibility prior to issuing a purchase order. |
| Rear Under Seat Heater | Some configurations and body plans necessitate use of a rear wall mounted heater. Purchasers are encouraged to contact Sun State Bus Centers to confirm compatibility prior to issuing a purchase order. |
| Spare Disc Wheel | Availability of this option is limited to one per bus purchased. |
| Track Seating Seats | Availability of track seating seats is limited to the quantity of seats that can be mounted in the unit ordered. |
| 100 Gal Fuel Tank | For pricing larger fuel tanks for Gas and Propane see additional options. Selection of 100 Gal fuel tank may limit availability and compatibility of other optional equipment. Purchasers are encouraged to contact Sun State Bus Centers to confirm compatibility prior to issuing a purchase order. |
| Wheelchair Lift Buses | Purchasers are encouraged to contact Sun State Bus Centers to confirm wheelchair position placements and seating arrangements are compatiable with other optional equipment to be ordered and provide desired seated and wheelchair capacities prior to issuing a purchase order. |
| A/C | Purchasers are encouraged to contact Sun State Bus Centers to confirm selected system is compatiable with other optional equipment or optional A/C equipment. Propane and Gas powerd units require the purchase of Propane/Gas engine effects where applicable. |
| Warranty | Option for "12 Month/12,000 Only" warranty reduces the warranty coverage to the Manufacturers base standard. |
| Ricon Lift | Availability of Ricon Lifts remains to be determined. Pricing applies upon availability. |
| | |